

Safety Data Sheet CHLORAT HF

Revision Date: 14 February 2021 Page 1 of 6
Version: 2.0 CHLORAT HF SDS GHS EN

Section 1. Chemical Product Identification

Product Name: CHLORAT HF

Product Code: 123409

Recommended Use: High foaming chlorinated alkaline cleaner and sanitizer. FOR INDUSTRIAL AND INSTITUTIONAL

USE ONLY.

Supplier: Rockwater Professional Products. 5 Panther Place. Donovans Industrial Park. Mount Pearl, NL.

Emergency Number: CANUTEC (24 Hour): 613-996-6666

Section 2. Hazards Identification

Signal Word:

DANGER

GHS Classification:

Skin corrosive/ irritation

Serious eye damage/ eye irritation

Corrosive to metals

Acute toxicity

Category 1

Category 1

Category 1

Category 1

Oral, Category 4



Hazard Statements:

H314 - Causes severe skin burns and eye damage.

H318 – Causes serious eye damage. H290 – May be corrosive to metals.

Precautinary Statements (Prevention):

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 – Wash face, hands, and any exposed skin thoroughly after handling.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P234 - Keep only in original container.

Precautinary Statements (Response):

P301 + P330 + P331 − IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. □

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 - Wash contaminated clothing before reuse.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P321 - Specific treatment (see Section 4. First-Aid Measures on this label).

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P390 - Absorb spillage to prevent material damage.

Precautinary Statements (Storage):

P405 - Store locked up.

P406 – Store in corrosive resistant container with a resistant inner liner.

Precautinary Statements (Disposal):

P501 – Dispose of contents/container to an approved waste disposal plant according to provincial/federal regulations.

Safety Data Sheet

CHLORAT HF

Revision Date: 14 February 2021 Page 1 of 6
Version: 2.0 CHLORAT HF SDS GHS EN

Other Hazards:

None known.

Section 3. Composition/Information on Ingredients

Chemical Name	CAS No.	Weight-%
Sodium hydroxide	1310-73-2	5-10%
Sodium hypochlorite	7681-52-9	1-5%
Dodecyldimethylamine oxide	1643-20-5	5-10%

Section 4. First-Aid Measures

General advice:

Remove contaminated clothing. Have an up-to-date version of this SDS to present to the physician.

If in eyes:

Wash affected eye(s) for at least 15 minutes under running water with eyelids held open. Remove contact lenses, if present and easy to do. If irritation persists, seek medical advice/attention.

If on skin:

Remove/take off immediately all contaminated clothing. Rinse skin/shower with plenty of water. If irritation develops, seek medical advice/attention.

If swallowed:

Immediately rinse mouth, do not induce vomiting, seek medical advice/attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

If inhaled:

Keep patient calm, remove to fresh air. Immediately call a POISON CENTER or doctor/physician. Assist in breathing by a trained personnel if necessary.

Most important symptoms and effects, both acute and delayed

May cause skin irritation, redness, and severe skin burns. Direct eye contact may cause stinging, tearing and redness. May cause burns to the mucous membranes and upper respiratory tract. Ingestion may cause nausea and headache.

Note to physician (Treatment)

Treat symptomatically.

Section 5. Fire-Fighting Measures

Suitable estinguishing media

Vapourized water, carbon dioxide foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable estinguishing media

None known.

Specific hazards arising from the chemical or mixture

Causes burns to eyes, skin, and mucous membranes.

Protective equipment and advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Safety Data Sheet

CHLORAT HF

Revision Date: 14 February 2021 Page 1 of 6
Version: 2.0 CHLORAT HF SDS GHS EN

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin, or clothing. Use personal protective equipment.

Environmental precautions

Do not discharge into drains, surface waters, or groundwater.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Section 7. Handling and Storage

Precautions for safe handling

Keep out of the reach of children. Avoid contact with eyes, skin, or clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Keep container closed when not in use. Do not contaminate water, food, or feed by storage or disposal.

Incompatible materials: Metals, acids, and ammonia.

Section 8. Exposure Controls/Personal Protection

Exposure guidelines

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	OSHA TLV	ACGIH TLV	ACGIH TWA	Other Limits
Sodium hydroxide 1310-73-2	PEL: 2 mg/m ³	STEL: 2 mg/m ³	Ceiling: 2 mg/m ³	No Data
Sodium hypochlorite 7681-52-9	PEL: 2 mg/m ³	Ceiling: 2 mg/m ³	TLV: 0.5 ppm as Cl ₂ STEL: 1 ppm as Cl ₂	No Data
Dodecyldimethylamine oxide 1643-20-5	No Data	No Data	No Data	No Data

Appropriate engineering controls

Provide adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Personal protective equipment

Eye/Face protection:

Face shield, saftey glasses with side shields, or goggles.

Skin/Body protection:

Chemical resistant gloves, apron, and boots.

Respiratory protection:

If exposure limits are exceeded or if ventilation is inadequate, NIOSH/MSHA approved respiratory protection should be worn.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet CHLORAT HF

Revision Date: 14 February 2021 Page 1 of 6
Version: 2.0 CHLORAT HF SDS GHS EN

Section 9. Physical and Chemical Properties

Physical state:

Appearance:

Colour:

Odour:

Odour threshold:

PH:

Melting point/Freezing point:

Liquid

Clear

Yellowish

Not applicable

12.00±1.00

Not determined

Boiling point/Boiling range: 100 °C

Flash point: Not applicable Evaporation rate: 1:1 (water) Flammability (solid, gas): Not applicable Vapour pressure @ 20 °C: Not applicable Vapour density (air = 1): Not applicable Specific gravity: 1.070±0.010 Water solubility: Not determined Solubility in other solvents: Not determined Partition coefficient: Not determined Autoignition temperature: Not applicable Decomposition temperature: Not determined Viscosity: <10 cps Explosive properties: Not applicable Oxidizing properties: Not determined

Section 10. Stability and Reactivity

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Keep out of reach of children. Store away from incompatible materials.

Incompatible materials

Metals, acids, ammonia. Strong oxidizing agents.

Hazardous decomposition products

High temperatures and fire conditions may result in the formation of carbon monoxide and carbon dioxide, hydrogen chloride, chlorine, hydrogen gas, and oxides of potassium and sodium.

Section 11. Toxicological Information

Primary routes of exposure

Routes of entry for liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for vapour/mist include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Safety Data Sheet

CHLORAT HF

Revision Date: 14 February 2021 Page 1 of 6
Version: 2.0 CHLORAT HF SDS GHS EN

Acute Toxicity/Effects

Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhilation
Sodium hydroxide 1310-73-2	2,400 mg/kg (Rat)	> 2,000 mg/kg (Rabbit)	Not applicable
Sodium hypochlorite 7681-52-9	8,200 mg/kg (Rat)	> 2,000 mg/kg (Rat)	> 10.5 mg/kg (Rat)
Dodecyldimethylamine oxide 1643-20-5	2,700 mg/kg (Rat)	Not applicable	Not applicable

Irritation/corrosion

Ingestion may cause irritation of the gastrointestinal tract. Contact with liquid or vapour/mist may irritate the eyes, skin, and respiratory tract.

Other Studies - CAS# 1310-58-3: Standard Draize Test, Skin, Species: Rabbit, 50.0 mg, 24H.

Other Studies - CAS# 7681-52-9: Standard Draize Test, Eyes, Rabbit, 1.310 mg, Mild.

Other Studies - CAS# 1643-20-5: Standard Draize Test, Skin, Species: Rabbit, 2.000 MG, 24 H.

Sensitization

No sensitizing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic Toxicity/Effects

Carcinogenicity

None of the ingredients contain any carcinogens or potential carcinogens as listed by OSHA, IARC, ACGIH, or NTP.

Symptoms of Exposure

(Further) symptoms and/or effects are not known so far.

Section 12. Ecological Information

Toxicity

No data available.

Aquatic toxicity to algae, plants, fish, invertebrates

No data available.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Persistence and degradability

No data available.

Biodegregation

Surfactants are readily biodegradable under OECD 301 D.

Section 13. Disposal Considerations

Waste disposal of material

Dispose of waste material in compliance with provincial/federal regulations. Do not discharge into drains, surface waters, or groundwater.

Safety Data Sheet CHLORAT HF

Revision Date: 14 February 2021 Page 1 of 6
Version: 2.0 CHLORAT HF SDS GHS EN

Container disposal

Dispose of in compliance with provincial/federal regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

Section 14. Transportation

TDG classification

UN1760, CORROSIVE LIQUID, N.O.S. (SODIUM HYPOCHLORITE, SODIUM HYDROXIDE), 8, III

Section 15. Regulatory Information

OSHA/WHMIS 2015 classification

May be corrosive to metals.
Causes serious eye damage.
Causes severe skin burns and eye damage.
Harmful if swallowed.
Harmful in contact with skin.

Canadian Domestic Substance List (DSL)

All ingredients are listed.

Section 16. Other Information

SDS prepared by:

Harmful if inhaled.

Rockwater Professional Products, Chemical Department (D.E.K)

Preparation date:

19 February 2019

Revision date:

14 February 2021 (supersedes Version 1.0, 19 February 2019)

Version:

2.0

Disclaimer:

While the descriptions, designs, data, and information contained herein are presented in good faith and are believed to be accurate at the date of its publication; this document is offered only as a guide for safe handling, use, processing, storage, transportation, disposal, and release. The descriptions, designs, data, and information apply only to the specific substance designated and may not be valid for a combination with other substances and/or processes. Rockwater Professional Products makes no warranties of any kind, either expressed and/or implied. In no case shall the descriptions, designs, data, and information provided be considered a part of our terms and conditions of sale. Furthermore, users expressly understand and agree that the descriptions, designs, data, and information furnished by our company hereunder are given gratis and are accepted by the users at their own risk. We assume no responsibility, obligation, or liability for any damage and/or misuse.

END OF SAFETY DATA SHEET.