

# **A<sup>3</sup> framework**

## Aggregation and Archiving of Artifacts

Joshua S. Murphy  
Old Dominion University

CS411W  
Thomas J. Kennedy  
Janet Brunelle  
May 26, 2020

Version 1

## Table of Contents

1. Introduction.....	3
2. Product Description.....	4
2.1. Key Features and Capabilities.....	4
2.2. Major Components .....	5
3. Identification of Case Study.....	7
4. A <sup>3</sup> Product Prototype Description.....	7
4.1. Prototype Architecture (Hardware/Software).....	7
4.2. Prototype Features and Capabilities.....	8
4.3. Prototype Development Challenges.....	10
5. Glossary.....	11
6. References .....	13

## List of Figures

Figure 1: Major functional components of A <sup>3</sup> .....	6
---	---

## List of Tables

Table 1: Feature/Capabilities Comparison Chart of A <sup>3</sup> .....	9
--	---

## 1. Introduction

Students and teachers need a framework that allows teachers to share specific knowledge and reference materials for students, without having to rely on outside sources. Currently, students and teachers lack a framework to aggregate, and archive, knowledge artifacts.

*Knowledge Management Support for Teachers* (Carroll, 2003) states that Knowledge Repositories are one of the five sets of methods and tools found to help in successful implantation of knowledge management. The user lacks the ability to track changes over the lifetime of an artifact, not knowing if a certain piece of knowledge is out of date. The current aggregation used cannot be considered centralized, and accessible in one location. Artifacts are often isolated by specialization (J. Brunelle, personal communication, March 2, 2020), which makes accessing that knowledge difficult if outside of a student's specialization. A teacher may have artifacts that relate to a specialization but could also be useful to those outside of it, but not know how to share artifacts, or have a good platform with which to share said artifacts. (T. Kennedy, personal communication, February 12, 2020). Artifacts may vary in formats, not allowing for the comparison of said artifacts. If a teacher leaves their position for any reason, then it is also possible that the artifacts they own are lost. Lastly, artifacts may be abandoned entirely.

Aggregation and Archiving of Artifacts framework, from here on called A<sup>3</sup>, is a centralized repository that can be utilized by both teachers and students to reference knowledge artifacts. A<sup>3</sup> will track changes, allowing the user to see when and how often an artifact has been updated. When an artifact is updated, a report will be supplied to the user, detailing what has changed in the artifact. A<sup>3</sup> will be deployed on a single instanced server, allowing for repositories and artifacts to be in a central location. This approach allows for abstract data, which

would otherwise be locked away by specialization, to be useful to users that would otherwise have more difficulty finding said information. A<sup>3</sup> will normalize artifacts, compare them, and then send a report back to the user detailing the differences between said artifacts. If an artifact is unable to be normalized, then a simple comparison of the two, i.e. file size, date created, etc. will be done instead. Artifacts, once uploaded to the central A<sup>3</sup> repository, will be archived. Artifacts and repositories will be taggable, allowing for users who upload them to associate relative terms with artifacts, and allowing other users to search based on said tags.

## **2. Product Description**

A<sup>3</sup> framework is a repository designed to allow teachers to upload artifacts for the use of students and other faculty for reference. It will allow for the normalization of artifacts, in accepted formats, to be compared using a Diff command, which will output to the user the differences between the two artifacts. A<sup>3</sup> will also allow for the tagging of artifacts and repositories, to help filter when searching through the system.

### **2.1. Key Product Features and Capabilities**

A<sup>3</sup> will connect the user to a single, centralized repository. The user will be able to create their own repositories, from which they can then upload and store their own artifacts to. Both repositories and artifacts may be tagged with a string of characters that may then be used to filter when searching the entire repository for other artifacts or repositories. The user may also filter based on the artifacts last known update date. The user will set up an account that they will then decide a username and password to use to login to the repository. They will be able to set their account to be public or private by default and be able to set any artifacts or repositories they own to be public or private, and which level of user can access them. Through their account, may bookmark artifacts or repositories, to later revisit. Only the user of said bookmarks will be able

to see and access these bookmarks. The owner of the artifact, if in a valid format, may compare differences between an artifact, and an updated version of said artifact, through normalization. The two artifacts will be normalized into mark-down text, which will then be compared line by line, using the Difference command. A<sup>3</sup> will then save a copy of the differences and display them to the user. Through their account, the user may set up to be notified when an artifact or repository that they have bookmarked is updated. The owner of an artifact or repository may set up through their account if they want to be notified after a set amount of time has passed since they have last touched or updated an artifact or repository.

## 2.2 Major Components

A<sup>3</sup> consist of major components: the front-end, which will consist of the Command Line Interface and User Interface/User Experience, from which the user will use to interact with A<sup>3</sup>; the server with which A<sup>3</sup> will be housed; and the Database portion of A<sup>3</sup>, which will consist of all of the functionality needed.




Figure 1: Major functional components of A<sup>3</sup>

Figure 1 illustrates the major functional components of A<sup>3</sup>. The user must first enter their username and password, which will then go through authentication and either allow the user access to a specific account level, based on the credentials provided. From there, the user may

upload or download artifacts, manage their account settings, or tag specific artifacts and repositories, if they are the owner. Through the UI/UX and CLI, the artifacts and notifications, if set up, will be displayed to the user.

On the Database side of things, the Access Control determines what the user has permission to see and do within A<sup>3</sup>. There are five different levels. Guest being the default, which may only view artifacts that are made public. Student, which may bookmark artifacts and repositories. Faculty, which may upload artifacts and create repositories, and set whether they wish for them to be viewable by students or not, as well as invite students to have access to a specific artifact or repository. Administrator, access all artifacts on the repository, manipulate said artifacts, and manipulate user accounts on the database. Lastly, Tester, which is only used during development of A<sup>3</sup> to ensure reliability. Every role has the same capabilities as the one below it, for example every student has the same capabilities as a guest, as well as capabilities allowed to that of a student account.

The User, if permitted, may upload an artifact, which they will then be required to at least add one tag to that artifact. If the artifact is in a valid format, then the artifact may be normalized. If this is an update to an artifact already in the A<sup>3</sup> repository, and is able to be normalized, then a Diff command may be executed and the results will be saved to a file and displayed to the user, which will contain a line by line comparison of the two different versions.

Web Scraping will be set up either to happen at a specific time and date or done via a command. When called, the web scrapper will be told a specific location to search for the artifact desired and proceed to pull the resource. It will then hand the process over to update, and the Diff command will be performed.

### 3. Identification of Case Study

A<sup>3</sup> is targeted towards Faculty and Students of higher academia. Faculty, specifically teachers, would be able to upload and share artifacts with other students and faculty of a university. This would allow for the sharing of knowledge that a student might not have previously but is expected for a class. Students would be able to access artifacts allowed to them, to be able to find information that may be harder to find on their own, and know that they are not wasting their time hoping that the information they are getting is correct.

The specific case will involve faculty uploading artifacts to the repository, being able to create their own repositories, and being able to normalize and compare artifacts, as well as look at other user's artifacts and then export them out of the system.

### 4. A<sup>3</sup> Product Prototype Description

The A<sup>3</sup> prototype application will consist of the Faculty and Tester roles, allowing the user to upload artifacts to the database, view other artifacts, and allow for basic web scraping of artifacts. The application will be running via Command Line Interface, and a basic UI/UX.

#### 4.1. Prototype Architecture (Hardware/Software)

The A<sup>3</sup> prototype will be run using either Windows 10 OS or Linux OS. It will be connected, via an internet connection, to an ODU virtual server, where the database will be housed. The database will be running on MySQL or MongoDB. Visual Studio Code will be used to write and edit the software needed for A<sup>3</sup>. Python 3.8 or newer will be used for A<sup>3</sup> and will be documented with pydoc and Sphinx. The GUI languages will be HTML, CSS, and JavaScript, the latter of which will use Angular and React libraries. The structure of the database and the prototype will be the same as shown in Figure 1, however, some algorithms will be condensed due to time.

## 4.2. Prototype Features and Capabilities

The A<sup>3</sup> prototype will be like the real-world application, however some features will be condensed or missing due to time constraints. A list of what features will be included will be denoted by 'X', and features that will be limited, or features that will be excluded can be seen in Table 1.

Feature/Capabilities Comparison Chart		
Feature/Capability	Real World	A <sup>3</sup> Prototype
Database Storage	X	X
Graphical User Interface	X	Limited
Command Line Interface	X	X
User Authentication	X	Limited
Access Control	X	X
Artifact Upload	X	X
Repository Creation	X	X
Artifact Normalization	X	X
Artifact Comparison	X	X
Artifact Update	X	X
Artifact/Repo Deletion	X	
Webscraping	X	Limited
Artifact Charge Record	X	X
Artifact Exporting	X	X
Artifact/Repo Searching	X	Limited
Artifact Contributor List	X	
Artifact/Repo Sharing	X	
Artifact/Repo Comments	X	

*Table 1: Feature/Capabilities Comparison Chart of A<sup>3</sup>*

The GUI will simply output a requested artifact to the user, as well as allow the user to upload an artifact, however, due to time could be faked using the CLI. User Authentication will be limited, as there will only be two roles, Faculty and Tester, in the prototype. It will also allow



for all users to see each other's artifacts. Authentication will use an email address and a password created for use with the prototype, as opposed to using a school account or MIDAS.

The web scrapper will simply scrape from a pre-determined website or source. Artifact and repository searching will be limited, with pre-determined tags chosen to show how a search in A<sup>3</sup> would work.

#### **4.3. Prototype Development Challenges**

There are myriad challenges that will have to be overcome in the development of A<sup>3</sup>. Some of which are: 1) This is the first time that CS 411W is being offered in the summer, and thus will have a condensed time period of 12 weeks; 2) Successful implementation and creation of the database, as nobody on the team has ever created one from start to finish and having to learn how databases work in a short period of time; 3) Data corruption, data loss, and data interpretation are other challenges, as there will be a lot of data being uploaded, downloaded, and accessed; 4) Workload distribution, ensuring that everyone make meaningful contributions to the project, and do not rely on a couple of members to carry the project; and 5) Making sure that the application is accessible to users, and allowing for users to set preferences.

## 5. Glossary

- **Aggregate:** Data that is composed of smaller pieces that form a larger whole.
- **Algorithm:** Set of instructions designed to perform a specific task.
- **Angular:** A framework for dynamic web apps. Allows for the use of HTML as a template language.
- **Application Programming Interface (API):** Set of functions and procedures allowing the creation of applications that access features of an operating system, applications, etc.
- **Archive:** Contains multiple files and/or folders. May be created by several different utilities and may be saved in different formats.
- **Artifact:** Combination of arte, “by skill”, and factum, “to make”. A file or document.
- **Backlink:** A hyperlink that links from a web page, back to your own web page or website.
- **Blackboard:** A tool that allows faculty to add resources for students to access online.
- **Centralized:** Type of network where all users connect to a central server.
- **Course Websites from Markdown (CoWeM):** A system for building course websites, including notes, slides, and organizational pages, from Markdown documents.
- **Cascading Style Sheet (CSS):** Used to format the layout of web pages. Defines text styles, table sizes, among other things that previously could only be defined in HTML.
- **Database:** Collection of information, that is organized for rapid search and retrieval.
- **Data Loss:** An instance in which information is destroyed by failures or neglect.
- **Diff:** A line by line comparison of normalized artifacts.
- **Docker:** Tool to create, deploy, and run applications by using containers. Allow developers to package up an application, with all parts needed, to be deployed in one package.
- **Export:** Taking data from one program or computer to another.
- **GitLab:** Used to provide internal management of git repositories. Is a self hosted Git-repository management system that keeps the user code private.
- **Graphical User Interface (GUI):** User interface that contains graphical elements. Examples include windows, icons and buttons.
- **Hypertext Markup Language (HTML):** A language used to create web pages. “Hypertext” refers to hyperlinks in a page, and “Markup language” refers to the way tags are used to define page layout.
- **Hyperlink:** An element that links to another file or object.
- **JavaScript (JS):** A language used in web development. While influenced by Java, It’s syntax is more similar to C.
- **Knowledge Management:** The management process of creating, capturing, sharing, retrieving, and storing data, information, knowledge experiences and skills by using appropriate information and network technology.
- **Markdown:** A markup language that can be used to format plain text. Can be converted into another language.
- **Markup:** A language that uses tags to define elements within a document.
- **MySQL:** Open source SQL database management system. Developed and distributed by Oracle Corporation.

- **Normalization:** Converting ingested objects into a small number of pre-selected formats.
- **Python:** An interpreted, object-oriented language.
- **Personal Learning Environment (PLE):** An interface used in flexible online courses. Designed by ODU's Center for Learning and Teaching.
- **pydoc:** Automatically generates documentation from Python modules. Can be presented as pages of text on the console, served to a web browser, or saved to HTML files.
- **Pylint:** A Python static code analysis tool. Looks for programming errors and warnings from within the code, as well as from an extensive configuration file.
- **React:** A JavaScript library that is used to create User Interfaces for web applications.
- **reStructuredText:** A plaintext markup syntax and parser system. Useful for in-line program documentation.
- **Secure File Transfer Protocol (SFTP):** Secure version of File Transfer Protocol. Facilitates data access and data transfer over a Secure Shell data stream
- **Sphinx:** A Python documentation generator. Converts reStructuredText files into HTML websites and other formats.
- **Tags:** Is a keyword or term assigned to a piece of information.
- **tox:** Aims to automate and standardize testing in Python. Is a generic virtualenv management and test command line tool.
- **Visual Studio Code:** A source code editor that runs on Mac, Linux, and Windows.

## 6. References

- Blackboard Archive Extractor*. (2016, December 15) cs.odu.edu. Retrieved March 10, 2020, from <https://www.cs.odu.edu/~cpi/old/411/crystals17/>.
- Carroll, J., Choo, C. W., Dunlap, D., Isenhour, P., Kerr, S., MacLean, A., & Rosson, M. (2003). Knowledge Management Support for Teachers. *Educational Technology Research and Development*, 51(4), 42-64. [www.jstor.org/stable/30221184](http://www.jstor.org/stable/30221184).
- Davenport, T., Long, M. & Beers, M.. (1997). *Building Successful Knowledge Management Projects* [Working Paper]. Retrieved March 8, 2020, from [https://www.researchgate.net/publication/200045855\\_Building\\_Successful\\_Knowledge\\_Management\\_Projects](https://www.researchgate.net/publication/200045855_Building_Successful_Knowledge_Management_Projects).
- Document Management Software | eFileCabinet*. (2020). eFileCabinet. Retrieved February 20, 2020, from <https://www.efilecabinet.com>.
- Domes, S. (2017). *Progressive Web Apps with React: Create lightning fast web apps with native power using React and Firebase*. Packt Publishing Ltd.
- File Sharing and Sync For Education, Schools and Universities - FileCloud*. (2020). FileCloud. Retrieved February 20, 2020, from <https://www.getfilecloud.com/file-sharing-and-sync-for-education/>.
- GitHub Features: The right tools for the job*. (2020). GitHub. Retrieved March 10, 2020, from <https://github.com/features#team-management>.
- Kennedy, T. (2020, January 21). *Home · Wiki · Thomas J. Kennedy / cs-roars-proposal*. GitLab. Retrieved 26 April 2020, from <https://git-community.cs.odu.edu/tkennedy/cs-roars-proposal/-/wikis/home>.
- Nvlpubs.nist.gov. (n.d.). *Glossary of Key Information Security Terms*. From <https://nvlpubs.nist.gov/nistpubs/ir/2013/NIST.IR.7298r2.pdf>.
- MacFarlane, J. (2006). *Pandoc - About pandoc*. Pandoc.org. From <https://pandoc.org/index.html>.
- Tsapps.nist.gov. (2020). *Data Prevention Loss*. From [https://tsapps.nist.gov/publication/get\\_pdf.cfm?pub\\_id=904672](https://tsapps.nist.gov/publication/get_pdf.cfm?pub_id=904672).
- Xie, I., & Matusiak, K. K. (2016, July 29). Digital preservation. *Science Direct* (255-279). Retrieved March 10, 2020, from <https://www.sciencedirect.com/science/article/pii/B9780124171121000090>.
- Zeil, S. (2019, December 26). *Building the Website*. cs.odu.edu. Retrieved 26 April 2020, from <https://www.cs.odu.edu/~zeil/cowem/Public/buildingTheWebsite/index.html>.

Zeil, S. (2020, January 21). *zeil / CoWeM - Course Websites from Markdown*. GitLab.  
From [https://git-community.cs.odu.edu/zeil/Course\\_Website\\_Management](https://git-community.cs.odu.edu/zeil/Course_Website_Management).