

9.8.3


AI25BTECH11001 - ABHISEK MOHAPATRA

October 3, 2025

Question: If a circle is passing through the point (a, b) and it is cutting the circle $x^2 + y^2 = k^2$ orthogonally, then the equation of the locus of its centre is

Solution:

Graph:



Let center of the circle be \mathbf{X}_0 and radius of the circle be r . So, equation of

the circle be

$$\|\mathbf{X} - \mathbf{X}_0\| = r \quad (0.1)$$

$$\|\mathbf{X} - \mathbf{X}_0\|^2 = r^2 \quad (0.2)$$

$$(\mathbf{X} - \mathbf{X}_0)^\top (\mathbf{X} - \mathbf{X}_0) = r^2 \quad (0.3)$$

$$\|\mathbf{X}\|^2 - 2\mathbf{X}_0^\top \mathbf{X} + \|\mathbf{X}_0\|^2 - r^2 = 0 \quad (0.4)$$

And the other given circle be with center $\mathbf{0}$ and radius k .

As evident from the fig, for the circle to be orthogonal, $\angle\alpha = 90^\circ$ and

$$r^2 + k^2 = \|\mathbf{X}_0 - \mathbf{0}\|^2 = \|\mathbf{X}_0\|^2 \quad (0.5)$$

substituting in the equation,

$$\|\mathbf{X}\|^2 - 2\mathbf{X}_0^\top \mathbf{X} + k^2 = 0 \quad (0.6)$$

Putting the given point $\beta = \begin{pmatrix} a \\ b \end{pmatrix}$

$$\|\beta\|^2 - 2\mathbf{X}_0^\top \beta + k^2 = 0 \quad (0.7)$$

So, option (a) is correct.

Graph:

