2.5.34

AI25BTECH11001 - ABHISEK MOHAPATRA

September 26, 2025

Question: Show that the lines

$$\frac{x-a+d}{\alpha-\delta} = \frac{y-a}{\alpha} = \frac{z-a-d}{\alpha-\delta}$$

$$\frac{x-b+c}{\beta-\delta} = \frac{y-b}{\beta} = \frac{z-b-c}{\beta-\delta}$$

are coplanar.

Solution: Given:

$$\mathbf{L_1} = \mathbf{A} + \lambda \mathbf{m_1}$$

$$\mathbf{L_1} = \begin{pmatrix} \mathbf{a} - \mathbf{d} \\ \mathbf{a} \\ \mathbf{a} + \mathbf{d} \end{pmatrix} + \lambda \begin{pmatrix} \alpha - \delta \\ \alpha \\ \alpha + \delta \end{pmatrix}$$

And,

$$L_2 = B + \lambda m_2$$

(0.5)

(0.1)

(0.2)

(0.3)

(0.4)

$$\mathbf{L_2} = \begin{pmatrix} b - c \\ b \\ b + c \end{pmatrix} + \lambda \mathbf{m_2} \begin{pmatrix} \beta - \delta \\ \beta \\ \beta + \delta \end{pmatrix} \tag{0.6}$$
 If the lines lie in a plane, then they satisfy,

nullity
$$\begin{pmatrix} \alpha - \delta & \beta - \delta & a - b + c - d \\ \alpha & \beta & a - b \\ \alpha + \delta & \beta + \delta & a - b - c + d \end{pmatrix} \ge 1 \tag{0.8}$$

nullity $(\mathbf{m_1} \ \mathbf{m_2} \ \mathbf{B} - \mathbf{A}) \geq 1$

$$\xrightarrow{R_2 \leftrightarrow R_3} \begin{pmatrix} \alpha - \delta & \beta - \delta & a - b + c - d \\ \alpha + \delta & \beta + \delta & a - b - c + d \end{pmatrix}$$

$$\frac{R_3 \to R_3 - \frac{R_1 + R_2}{2}}{\longrightarrow} \begin{pmatrix} \alpha - \delta & \beta - \delta & a - b + c - d \\ \alpha + \delta & \beta + \delta & a - b - c + d \end{pmatrix}$$

(0.7)

(0.9)

(0.10)

$$\xrightarrow{R_2 \to R_2 - R_1} \begin{pmatrix} \alpha - \delta & \beta - \delta & a - b + c - d \\ 2\delta & 2\delta & -2c + 2d \\ 0 & 0 & 0 \end{pmatrix} \tag{0.11}$$

$$\xrightarrow{C_1 \to C_1 - C_2} \begin{pmatrix} \alpha - \beta & \beta - \delta & a - b + c - d \\ 0 & 2\delta & -2c + 2d \\ 0 & 0 & 0 \end{pmatrix} \tag{0.12}$$

The matrix is in echelon form and the rank of the matrix is two. And, thus the lines are co-planer.