

12.267

Puni Aditya - EE25BTECH11046

2nd October, 2025

# Question

Two matrices **A** and **B** are said to be similar if

$$\mathbf{B} = \mathbf{P}^{-1}\mathbf{A}\mathbf{P}$$

for some invertible matrix **P**. Which of the following statements is NOT TRUE?

- ①  $\det \mathbf{A} = \det \mathbf{B}$
- ② Trace of **A** = Trace of **B**
- ③ **A** and **B** have the same eigenvectors
- ④ **A** and **B** have the same eigenvalues

# Theoretical Solution

Let **A** and **B** be similar matrices, such that

$$\mathbf{B} = \mathbf{P}^{-1}\mathbf{A}\mathbf{P} \quad (1)$$

for an invertible matrix **P**.

For the determinant in 1),

$$|\mathbf{B}| = |\mathbf{P}^{-1}\mathbf{A}\mathbf{P}| \quad (2)$$

$$= |\mathbf{P}^{-1}| |\mathbf{A}| |\mathbf{P}| \quad (3)$$

$$= \frac{1}{|\mathbf{P}|} |\mathbf{A}| |\mathbf{P}| = |\mathbf{A}| \quad (4)$$

The statement is true.

# Theoretical Solution

For the trace in 2), the cyclic property of trace states

$$\text{Tr}(\mathbf{XYZ}) = \text{Tr}(\mathbf{ZXY}) \quad (5)$$

Using (5)

$$\text{Tr}(\mathbf{B}) = \text{Tr}(\mathbf{P}^{-1}\mathbf{AP}) \quad (6)$$

$$= \text{Tr}(\mathbf{APP}^{-1}) = \text{Tr}(\mathbf{A}) \quad (7)$$

The statement is true.

# Theoretical Solution

For the eigenvalues in 4), we examine the characteristic polynomial.

$$|\mathbf{B} - \lambda \mathbf{I}| = |\mathbf{P}^{-1} \mathbf{A} \mathbf{P} - \lambda \mathbf{I}| \quad (8)$$

$$= |\mathbf{P}^{-1} \mathbf{A} \mathbf{P} - \lambda \mathbf{P}^{-1} \mathbf{I} \mathbf{P}| \quad (9)$$

$$= |\mathbf{P}^{-1} (\mathbf{A} - \lambda \mathbf{I}) \mathbf{P}| \quad (10)$$

$$= |\mathbf{P}^{-1}| |\mathbf{A} - \lambda \mathbf{I}| |\mathbf{P}| \quad (11)$$

$$= |\mathbf{A} - \lambda \mathbf{I}| \quad (12)$$

Since the characteristic polynomials are identical, the eigenvalues are the same. The statement is true.

# Theoretical Solution

For the eigenvectors in 3), let  $\mathbf{v}$  be an eigenvector of  $\mathbf{A}$  with eigenvalue  $\lambda$ , so that

$$\mathbf{A}\mathbf{v} = \lambda\mathbf{v} \quad (13)$$

$$\mathbf{B}(\mathbf{P}^{-1}\mathbf{v}) = (\mathbf{P}^{-1}\mathbf{A}\mathbf{P})(\mathbf{P}^{-1}\mathbf{v}) \quad (14)$$

$$= \mathbf{P}^{-1}\mathbf{A}(\mathbf{P}\mathbf{P}^{-1})\mathbf{v} \quad (15)$$

$$= \mathbf{P}^{-1}\mathbf{A}\mathbf{v} = \mathbf{P}^{-1}(\lambda\mathbf{v}) \quad (16)$$

$$= \lambda(\mathbf{P}^{-1}\mathbf{v}) \quad (17)$$

This shows that if  $\mathbf{v}$  is an eigenvector of  $\mathbf{A}$ , then  $\mathbf{P}^{-1}\mathbf{v}$  is the eigenvector of  $\mathbf{B}$ . Since  $\mathbf{v} \neq \mathbf{P}^{-1}\mathbf{v}$  in general, the statement is not true.

# Conclusion

The statement that is NOT TRUE is **3) A and B have the same eigenvectors.**