GATE 2009 GG: GEOLOGY AND GEOPHYSICS

EE25BTECH11032 -Kartik Lahoti

PART A: COMMON TO BOTH GEOLOGY AND GEOPHYSICS CANDIDATES

Q.1 - Q.20 carry one mark each. Q.1. The Gutenberg discontinuity is located at a depth of around (GATE GG 2009) (C) 2900 km (A) 35 km (B) 150 km (D) 5000 km Q.2. What is the age of the "Barail Series"? (GATE GG 2009) (A) Jurassic (C) Oligocene (B) Paleocene (D) Miocene Q.3. Thermohaline circulation in the oceans is driven by (GATE GG 2009) (A) only salinity gradients (B) both temperature and salinity gradients (C) only temperature gradients (D) only density difference Q.4. Which one of the following minerals cannot be used as an abrasive? (GATE GG 2009) (A) Garnet (C) Quartz (B) Corundum (D) Gypsum Q.5. Which one of the following lakes is interpreted to be of meteoritic impact origin? (GATE GG 2009) (A) Lonar Lake (C) Kolleru Lake (B) Chilika Lake (D) Pulicat Lake Q.6. Which one of the following geomorphic features is **not** related to desert environments? (GATE GG 2009)

	(A) yardang	(C) hamada	
	(B) bajada	(D) esker	
Q.7.	Which one of the following is located of	closest to the Ninety-East Ridg	ge ? (GATE GG 2009)
	(A) Bombay High(B) Lakshwadweep Islands(C) Andaman And Nicobar Islands(D) Maldives		
Q.8.	LPG (Liquefied Petroleum Gas) consi	sts mainly of	(GATE GG 2009)
	(A) propane and butane(B) methane and ethane(C) methane and butane(D) ethane and propane		
Q.9.	Who proposed the principle "the prese	ent is the key to the past"?	(GATE GG 2009)
	(A) Carl von Linnaeus	(C) William Smith	
	(B) James Hutton	(D) Alcide d'Orbigny	
Q.10.	Of the following, which is an ore of ni	ickel?	(GATE GG 2009)
	(A) Pentlandite	(C) Cassiterite	
	(B) Cinnabar	(D) Scheelite	
Q.11.	Over a three layered earth, comprisin layer and hard rock basement, a resistained VES curve is		
	(A) K-type	(C) H-type	
	(B) A-type	(D) Q-type	
Q.12.	The logging tool for direct determinat	ion of permeability is	(GATE GG 2009)
	(A) induction	(C) sonic	
	(B) litho-density	(D) NMR	
Q.13.	Which of the following parameters i data?	is uniquely resolved by resid	ual gravity anomaly (GATE GG 2009)
	(A) lateral density contrast(B) excess/deficit mass(C) absolute density(D) geometric dimensions of geophy	vsical model	
Q.14.	Crude oil density, in degree API (Ame	erican Petroleum Institute), is	a measure of viscos-
	ity. The value of 10 API is of		(GATE GG 2009)

(A) water	(C) average crude	
(B) heavy crude	(D) light crude	
Q.15. For perfectly conducting medium, sk	$\frac{1}{2}$ cin depth (m) is	(GATE GG 2009)
(A) 10^5	(C) 10	
(B) 100	(D) 0	
Q.16. If a planet revolves around the Sun Sun would be (in terms of distance by	-	en its distance from the (GATE GG 2009)
(A) two times	(C) six times	
(B) four times	(D) eight times	
Q.17. A vast majority of earthquake source	es are often linked to	(GATE GG 2009)
(A) inner core		
(B) outer core		
(C) brittle part of the earth's crust		
(D) molten part of earth's mantle		
Q.18. In paleomagnetism, detrital magnetiz	cation is an important process	for study of (GATE GG 2009)
(A) sedimentary rocks		
(B) metamorphic rocks		
(C) basic igneous rocks		
(D) acidic igneous rocks		
Q.19. A Geiger-Muller counter is used for	measuring	(GATE GG 2009)
(A) gamma radiation		
(B) alpha particles		
(C) beta particles		
(D) both alpha and beta particles		
Q.20. The presence of crustal root beneath a	a mountain chain can be best	explained by (GATE GG 2009)
(A) Pratt's model		
(B) Airy's Model		
(C) Vening Meinesz model		
(D) Plume model		

END OF PART A

PART B (SECTION 1): FOR GEOLOGY CANDIDATES ONLY

Q.21 - Q.60 carry two marks each.

- Q.21. Which one of the following is a typical Lower Gondwana plant assemblage? (GATE GG 2009)
 - (A) Glossopteris, Ptilophyllum, Nilssonia, Bucklandia
 - (B) Glossopteris, Gangamopteris, Schizoneura, Sphenophyllum
 - (C) Gangamopteris, Lycopodites, Brachyphyllum, Nilssonia
 - (D) Vertebraria, Alethopteris, Otozamites, Glossopteris
- Q.22. Which of the following is not correct for a Pelecypod shell? (GATE GG 2009)
 - (A) Pedicle is present.
 - (B) Pallial sinus, if present, is on the posterior side.
 - (C) Lunule is towards anterior.
 - (D) Both the valves have teeth and sockets.
- Q.23. Match the following:

(GATE GG 2009)

Group I

- P. Muschelkalk
- Q. Katrol Formation
- R. Uttatur Stage
- S. Baripada beds
- (A) P-3, Q-6, R-5, S-1
- (B) P-1, Q-2, R-3, S-4

Group II

- 1. Cambrian
- 2. Miocene
- 3. Middle Triassic
- 4. Cretaceous
- 5. Pleistocene
- 6. Late Jurassic
- (C) P-3, Q-6, R-4, S-2
- (D) P-6, Q-3, R-1, S-2

Q.24. Match the following:

(GATE GG 2009)

Group I

- P. Pelagic
- Q. Pycnocline
- R. Psychrosphere
- S. Humboldt Current
- (A) P-1, Q-4, R-3, S-6
- (B) P-6, Q-2, R-1, S-5

Group II

- 1. Open ocean
- 2. Cold sphere
- 3. North Atlantic
- 4. Density
- 5. Thermocline
- 6. East Pacific
- (C) P-5, Q-6, R-1, S-3
- (D) P-1, Q-4, R-2, S-6

II:

(GATE GG 2009)

	Group I		Group II	Į.	
	P. Globigerina bullo Q. Olenellus R. Ambulacrum S. Nema	ides	 Lower Cam Echinodern Graptolites Upwelling Coelenterat Silurian 	nata	
	(A) P-1, Q-6, R-2,(B) P-5, Q-6, R-2,(C) P-4, Q-1, R-2,(D) P-2, Q-4, R-5,	S-3 S-3			
Q.26.	Dinosaurs can be dis	stinguished from the	other Mesozoic rep	ptiles by	(GATE GG 2009)
	(A) Large size		(C) Erect stance	e	
	(B) Carnivorous ha	ıbit	(D) Sprawling s	stance	
Q.27.	Which of the follow (A) Globigerenoide (B) Neogloboquad (C) Globorotalia n (D) Orbulina unive	es rubber ina pachyderma nenardii	c formanifer ?		(GATE GG 2009)
Q.28.	Which one of the fol	llowing mass-wasting	g processes is desig	gnated as	a slow flowage type (GATE GG 2009)
	(A) Mudflow	(B) Solifluction	(C) Slump	(D)	Rockslide
Q.29.	(B) Undersaturated(C) Undersaturated	ing accurately descri l ultramafic volcanic l mafic plutonic rock l ultrabasic volcanic kaline plutonic rock	rock	olite'?	(GATE GG 2009)

Q.30. Match the assemblages in Group I with the corresponding metamorphic facies in Group

	Group I	Group II	
	P. Albite-jadeite-glaucophane-lawsonite Q. Garnet-orthopyroxene-clinopyroxene-plagioclase R. Garnet-muscovite-biotite-sillimanite-quartz S. Albite-chlorite-epidote-actinolite	3. Granulitec	
	(A) P-1, Q-6, R-2, S-5	(C) P-2, Q-3, R-4, S-1	
	(B) P-5, Q-1, R-3, S-4	(D) P-3, Q-2, R-1, S-6	
Q.31.	When underplated by mafic magmas, and varience during metamorphism		tal rocks will expe- (GATE GG 2009)
	(A) isobaric heating followed by isotherm	al decompression	
	(B) isothermal compression followed by i	_	
	(C) isobaric heating followed by isotherm	al compression	
	(D) isobaric heating-cooling trajectory		
Q.32.	Match the minerals in Group I with their (GATE GG 2009)	characteristic optical prop	perties in Group II:
	Group I	Group II	
	P. Biotite Q. Sodalite R. Nepheline S. Quartz	 Uniaxial negative Mottled extinction Uniaxial positive Isotropic, low relief Isotropic, high relief Biaxial negative 	
	(A) P-5, Q-1, R-3, S-6	(C) P-3, Q-2, R-4, S-5	
	(B) P-6, Q-2, R-5, S-1	(D) P-2, Q-4, R-1, S-3	
Q.33.	A single slice of rock bound by thrust fault	s on all sides is called a	(GATE GG 2009)
	(A) horse	(C) duplex	
	(B) pop-up structure	(D) graben	
Q.34.	A strike-slip dip fault strikes 30°N, and de (GATE GG 2009)	ips $45^{\circ}SE$. The net slip of	of the fault plunges
	(A) 30° towards $45^{\circ}N$	(C) 45° towards 120°N	
	(B) 0° towards $30^{\circ}N$	(D) 90° towards $30^{\circ}N$	
O 35	The boundary between the Indian and Eura	sian plates is the	(GATE GG 2009)

	(A) Main Central Thrust						
	(B) Main Boundary Thrust						
	(C) South Tibetan Detachment Zone						
	(D) Indus-Tsangpo Suture Zone						
Q.36.	Plagioclase feldspars belong to the	crystal system.	(GATE GG 2009)				
	(A) Triclinic	(C) Orthorhombic					
	(B) Monoclinic	(D) Rhombic					
Q.37.	The plane by which twinned crystals are u	united is called the	(GATE GG 2009)				
	(A) mirror plane	(C) glide plane					
	(B) twin plane	(D) composition plane					
Q.38.	In satellite remote-sensing, the spectral bar of	nds near $1.4\mu m$ and $1.9\mu m$ a	are avoided because (GATE GG 2009)				
	(A) absorption due to H_2O and CO_2 in the	ne atmosphere					
	(B) absorption due to ozone layer in the	atmosphere					
	(C) absorption due to nitrogen in the atmosphere						
	(D) absorption by vegetation						
Q.39.	Formation of chromitite from a basaltic m	agma can be explained by	(GATE GG 2009)				
	(A) liquid immiscibility	(C) magma mixing					
	(B) assimilation	(D) Soret effect					
Q.40.	Match the following economic deposits i Group <i>II</i> :	n Group <i>I</i> with their places	s of occurrences in (GATE GG 2009)				
	Group I	Group II					
	P. Bauxite	1. Naliya					
	Q. Phosphorite	2. Maldeota					
	R. Magnesite	3. Pahalgam					
	S. Barite	4. Salem5. Mangampeta					
		6. Belgaum					
	(A) P-1, Q-2, R-4, S-5	(C) P-3, Q-1, R-6, S-5					
	(B) P-2, Q-3, R-4, S-6	(D) P-6, Q-2, R-4, S-5					
Q.41.	What is the host rock for sulphide minerali	zation in Rampura-Agucha	belt? (GATE GG 2009)				

(A) Graphitic mica schist

	(B) Garnetiferous mica schist					
	(C) Graphitic biotite-sillimanite gneiss					
	(D) Garnetiferous sillimanite-feldspar g	neiss				
Q.42.	Which of the following is the correct orde	r of decreasing permeability? (GATE GG 2009)				
	(A) silty sandstone > siltstone > sandsto	one > pebbly sandstone				
	(B) siltstone > silty sandstone > sandsto	one > pebbly sandstone				
	(C) pebbly sandstone > sandstone > silt	sy sandstone > siltstone				
	(D) pebbly sandstone > sandstone > silt	stone > silty sandstone				
Q.43.	Which of the following varieties of coal l	has the least H/C ratio? (GATE GG 2009)				
	(A) peat	(C) bituminous				
	(B) lignite	(D) anthracite				
Q.44.	What is the age of the reservoir rock in the	ne Cambay basin? (GATE GG 2009)				
	(A) Eocene	(C) Miocene				
	(B) Oligocene	(D) Paleocene				
Q.45.	Which one of the following can be considered the best cap rock for oil and gas traps? (GATE GG 2009)					
	(A) chert	(C) sandstone				
	(B) evaporite	(D) shale				
Q.46.	A negative Eu anomaly will develop in a fractionating magma following separation of (GATE GG 2009)					
	(A) garnet	(C) plagioclase				
	(B) olivine	(D) orthopyroxene				
Q.47.	In which of the following islands is the (GATE GG 2009)	e Mid-oceanic ridge exposed above sea-level?				
	(A) Japan	(C) Hawaii				
	(B) Seychelles	(D) Iceland				
Q.48.	dams are constructed when	re the foundation rock is strong. (GATE GG 2009)				
	(A) Gravity	(C) Buttress				
	(B) Arch	(D) Earth				
Q.49.	Which type of cross-bedding is a definite	indicator of tidal currents? (GATE GG 2009)				


- (A) epsilon cross-bedding
- (C) hummocky cross-bedding
- (B) herring-bone cross-bedding
- (D) trough cross-bedding
- Q.50. Which type of sedimentary basin is formed close to continent-continent collisional settings? (GATE GG 2009)
 - (A) Fore-arc basin

- (C) Back-arc basin
- (B) Peripheral foreland basin
- (D) Retro-arc foreland basin

Common Data Questions

Common Data Questions 51 and 52:

A rock contains 65% forsterite (Fo), 27% enstatite (En) and 8% pigeonite (Pig) and its melting relationships at 1 bar can be represented by the figure given below:



Q.51. The name of the rock is

(GATE GG 2009)

(A) Lherzolite

(C) Wehrlite

(B) Harzburgite

(D) Dunite

Q.52. On partially melting this rock, the first melt will have the composition of point (GATE GG 2009)

(A) P

(C) R

(B) Q

(D) S

Common Data Questions 53 and 54:

An unfossiliferous sedimentary succession is characterized by the following features - (i) sandstone-shale alternation, with sheet-like geometry of the sandstone beds;(ii) the sandstones exhibit graded bedding;(iii) erosional structures under the sandstone beds;(iv) convolute lamination, and (v)ripple marks on the sandstone beds.

Q.53. Which depositional environment is indicated for the above sedimentary succession? (GATE GG 2009)

(A) Fluvial

(C) Intertidal

(B) Eolian

- (D) Deep marine
- Q.54. What type of paleocurrent pattern is expected from the erosional structures in the succession? (GATE GG 2009)
 - (A) Unimodal


(C) Bimodal - bipolar

(B) Bimodal

(D) Polymodal

Common Data Questions 55 and 56:

Examine the given geological section, which contains sedimentary successions interrupted by a dyke, and which contains no tectonic discontinuities.



Q.55. How many unconformities can be identified in the section?

(GATE GG 2009)

(A) 3

(C) 5

(B) 4

(D) 6

Q.56. Which of the following contacts is a nonconformity?

(GATE GG 2009)

- (A) Granite gneiss Red Sandstone
- (B) Black Shale Limestone
- (C) Limestone Red Shale
- (D) Red Shale Arkosic Sandstone

Linked Answer Questions

Statement for Linked Answer Questions 57 and 58:

Microfossils may have following is a siliceous microfossil group?

Q.57. Which of the following is a siliceous microfossil group?

(GATE GG 2009)

(A) Conodonts

(C) Dinoflagellates

(B) Radiolaria

- (D) Foraminifera
- Q.58. What is the preferred microhabitat of the microfossil group that is the correct answer in Q.57? (GATE GG 2009)
 - (A) Benthic

(C) Nektic

(B) Planktic

(D) Nektobenthic

Statement for Linked Answer Questions 59 and 60:

Pb - Zn sulphide deposits can form in different types of host rocks.

- Q.59. Of the following, where do we get predominantly carbonate-hosted Pb Zn sulphide deposits? (GATE GG 2009)
 - (A) Mochia Zawar

(C) Pur - Banera

(B) Sargipalli

- (D) Sindesar-Khurd
- Q.60. What is the age of the host rock to the correct answer in Q.59?

(GATE GG 2009)

(A) Neoproterozoic

- (C) Paleoproterozoic
- (D) Archean

(B) Mesoproterozoic

END OF SECTION 1 OF PART B

PART B (SECTION 2): FOR GEOPHYSICS CANDIDATES ONLY

Q.20 - Q.60 carry two marks each.

Q.21. Match the following functions in time-domain with their Fourier spectra: (GATE GG 2009)

	T
(+rolln	1

P.
$$\Pi(t) = \begin{cases} 1, -1/2 \le t \le 1/2 \\ 0, t < -1/2 & \text{and } t > 1/2 \end{cases}$$

1. 1

Q. Dirac delta function, $\delta(t)$

2. $\frac{\sin{(\pi f)}}{f}$, where f is frequency

 $R. x(t) = e^{-|t|}$

3.

- $\frac{2}{1+4\pi^2 f^2}$, where f is frequency
- S. $\Lambda(t) = \begin{cases} 1+t, -1 < t < 0 \\ 1-t, 0 < t < 1 \\ 0, otherwise \end{cases}$
- 4. $\frac{\sin^2(\pi f)}{f^2}$, where f is frequency

	(B)	P-1, Q-3, R-2, S	S-4		(D)	P-2, Q	2-1, R-3, S	S-4		
Q.22.		teleseismic rays TE GG 2009)	are those	that arrive	at a	seismo	ometer fo	or a dis	stance greater t	:han
	(A)	18°	(B) 28°		(C)	38°		(D) 4	18°	
Q.23.		ch the following s	seismic so	urce genera	ited r	oise ty	pe with it	ts appe	arance on the s (GATE GG 20	
		Group I				Gro	oup II			
	P.	Reverberation					herent hy_1	-		
	Q.	Multiples							first breaks	
	R.	Guided waves					-	_	time intervals a	after
	S.	Diffractions					primary i			
	(A)	P-1, Q-3, R-2, S	5-4		(C)	P-2, Q	2-4, R-3, S	S-1		
	(B)	P-3, Q-4, R-2, S	5-1		(D)	P-4, Q	2-1, R-3, S	S-2		
Q.24.		ch is the parame umental record?	ter for me	asuring the	size	of the	earthqua	ke that	t does not need (GATE GG 20	
	(A)	Richter Magnitu	ıde		(C)	Mome	ent			
	(B)	Intensity			(D)	M_W				
Q.25.	The	standard form of	wave equa	ntion for pro	paga	tion of	cubical d	ilatatio	on (θ) is (GATE	GG
		$\rho \frac{\partial^2 \theta}{\partial t^2} = (\lambda + 2\mu)$	$u) \nabla^2 \theta$							
	The	compressional w	ave veloci	ity is given	by					
	(A)		(B)		(C)			(D)		
		$\sqrt{\frac{2\lambda + \mu}{\rho}}$		$\sqrt{\frac{\lambda + 2\mu}{2\rho}}$,	$\sqrt{\frac{\lambda + \mu}{\rho}}$		$\sqrt{\frac{\lambda + 2\mu}{\rho}}$	
Q.26.	PKII	KP is a seismic b	ody wave	which trave	els th	rough			(GATE GG 20)09)
	(A)	upper mantle								
	(B)	upper and lower	mantle							
	(C)	mantle, outer co	ore and inr	ner core						
	(D)	mantle and oute	r core							

(C) P-1, Q-4, R-2, S-3

2009)

(GATE GG 2009)

(A) P-2, Q-3, R-1, S-4

Q.27. A seismic signal is recorded in a frequency band, $50 - 100 \, Hz$. The sampling interval

(ms) to avoid aliasing would be

	(A) 5	(B) 10	(C) 15	(D) 20
Q.28.	The minimum apprecimum one is 20.0 cm,	-	•	er is 0.2 <i>mm</i> and the max- (GATE GG 2009)

(B) 60

Q.29. Match the following:

(A) 80

(GATE GG 2009)

Group I

P. Primary wave

Q. Secondary wave

R. Rayleigh wave

S. Love wave

(A) P-3, Q-4, R-1, S-2

(B) P-1, Q-4, R-2, S-3

Group II

(C) 40

1. Propagate along surface of the medium

(D) 20

- 2. Particle motion is orthogonal to direction of propagation
- 3. Particle motion describes a retrograde ellipse
- 4. Particle motion in the direction of propagation

(C) P-1, Q-3, R-2, S-4

(D) P-4, Q-2, R-3, S-1

Q.30. Which of the following is a minimum-phase wavelet? The first value in each case is at time zero. (GATE GG 2009)

(A) $\{-2, 5, -2\}$

(C) $\{6, -1, -2\}$

(B) $\{-2, 5, 2\}$

(D) $\{3, 4, -4\}$

Q.31. In a gas zone, true porosity ϕ_t , neutron $\log \phi_n$, and density derived porosity ϕ_d are related (GATE GG 2009)

(A) $\phi_n < \phi_d > \phi_t$

(C) $\phi_n > \phi_d = \phi_t$

(B) $\phi_n > \phi_d > \phi_t$

(D) $\phi_n < \phi_d = \phi_t$

Q.32. Identify the equation for formation water resistivity (Rw_e) estimation from SP log, wherein SSP, K(T), and R_{mfe} are respectively static SP, temperature dependent coefficient and mudfiltrate resistivity. (GATE GG 2009)

(A)
$$SSP = -Rw_e log\left(\frac{K(T)}{R_{mfe}}\right)$$

(B)
$$SSP = -K(T) log \left(\frac{Rw_e}{R_{mfe}}\right)$$


(C)
$$SSP = -R_{mfe}log\left(\frac{K(T)}{Rw_e}\right)$$

(D)
$$SSP = -K(T) log \left(\frac{R_{mfe}}{Rw_e}\right)$$

Q.33.	Gamma ray detected in density log is		(GATE GG 2009)
	(A) natural gamma present in the formati	on	
	(B) gamma ray from epithermal neutron	source	
	(C) gamma ray scattered from the format	ion	
	(D) gamma ray emitted from neutron cap	ture reaction	
Q.34.	In Turam method, one measures the reduce difference between the two coils. In the response is characterized as	-	-
	(A) the successive reduced field ratio is e	qual to 1.0 and phase diffe	erence is 0°
	(B) the successive reduced field ratio is e	qual to 1.0 and phase diffe	erence is 45°
	(C) the successive reduced field ratio is e	-	
	(D) the successive reduced field ratio is e	-	
Q.35.	Electric field (\overrightarrow{E}) through a polarizable dielectric susceptibility (χ_e) and dielectric petor (\overrightarrow{D}) for the medium can be written as		
	(A) $\overrightarrow{D} = \varepsilon_0 (1 + \chi_e)$	(C) $\overrightarrow{D} = \varepsilon_0 \overrightarrow{E} + \chi_e$	
	(B) $\overrightarrow{D} = \varepsilon_0 (\overrightarrow{1} + \chi_e)$	(D) $\overrightarrow{D} = \varepsilon_0 \overrightarrow{E} + \overrightarrow{R} \overrightarrow{P}$	
	(B) $D = \varepsilon_0 E - I$	(D) $D = \varepsilon_0 E + I$	
Q.36.	Using different electrodes configuration, n (GATE GG 2009)	naximum depth of investig	gation is achieved in
	(A) Schlumberger	(C) tri-electrodes	
	(B) dipole	(D) Wenner	
Q.37.	Relevant differential equation to study low conducting target can be written in the form	1 0	tic prospecting for a (GATE GG 2009)
	(A) Wave equation	(C) Helmholtz equation	
	(B) Laplace's equation	(D) Poisson's equation	
Q.38.	In a layered medium, if the basement is response asymptotically approaches to	perfectly conducting, ma	agnetotelluric phase (GATE GG 2009)
	(A) 0°	(C) 60°	
	(B) 45°	(D) 90°	
Q.39.	Magnetotelluric spectral impedance can be	e defined as	(GATE GG 2009)

(A) the ratio of the spatial spectrum from mutually orthogonal horizontal components of the electric and magnetic field

- (B) the ratio of the spatial spectrum of the vertical component to the horizontal component of magnetic field
- (C) the ratio of the spatial spectrum of the vertical component to the horizontal component of electric magnetic field
- (D) the ratio of the spatial spectrum of the two horizontal components of electric field
- **Q.40.** Following four electrodes array: P1, P2 are measuring electrodes and C1, C2 are current electrodes used in resistivity measurement. Inter-electrode separation is also shown in figure. (GATE GG 2009)



The above electrodes configuration is

(A) radial dipole

(C) Schlumberger

(B) parallel dipole

- (D) Wenner
- **Q.41.** In DC resistivity method, direct filter coefficients are used to compute (GATE GG 2009)
 - (A) apparent resistivity data from resistivity transform
 - (B) resistivity transform from apparent resistivity data
 - (C) apparent resistivity from measured potential difference
 - (D) apparent resistivity from one electrode configuration to other electrode configuration
- **Q.42.** A counting rate of 15, 100 counts per minute is recorded by a radiation counter having a dead time of $300 \, \mu sec$. The count rate (counts per minute) in the absence of dead time (GATE GG 2009)
 - (A) 13,333
- (B) 14,333
- (C) 15,333
- (D) 16,333
- **Q.43.** The output of a linear and invariant system for a unit input is $\{3, 1\}$. Then what would be the output for an input $\{-2, 1\}$? (GATE GG 2009)
 - (A) $\{-6, 1, 1\}$
- (B) $\{-1, 1, 6\}$
- (C) $\{-1, 6, 1\}$
- (D) $\{1, -1, 6\}$
- **Q.44.** Geophysical inverse problems are described by

(GATE GG 2009)

- (A) Fredholm's integral equation of first kind
- (B) Fredholm's integral equation of second kind

	(D) Legendre equation	
Q.45.	Spot the ANN method from the following:	(GATE GG 2009)
	(A) Singular value decomposition	
	(B) Monte-Carlo technique	
	(C) Ridge regression procedure	
	(D) Back propagation technique	
Q.46.	The concept of resolving kernel is used in	(GATE GG 2009)
	(A) Tikhonov's regularization method	
	(B) Ridge regression method	
	(C) Backus-Gilbert method	
	(D) Simulated annealing method	
Q.47.	For underwater gravity measurements, the following correction is need	led: (GATE GG 2009)
	(A) Prey correction	
	(B) Free-air correction	
	(C) Bouguer correction	
	(D) Isostatic correction	
Q.48.	The source of magnetic anomalies extend up to	(GATE GG 2009)
	(A) upper mantle	
	(B) core-mantle boundary	
	(C) lower mantle	
	(D) Curie-point isotherm	
Q.49.	In magnetic prospecting scalar magnetometers are used. Then, the involved in magnetic data acquisition is	prime assumption (GATE GG 2009)
	(A) remnant magnetization is predominant	
	(B) both remnant and induced magnetization are responsible	
	(C) induced magnetization plays a dominant role	
	(D) only diamagnetic sources are responsible	
Q.50.	Source of main geomagnetic field is best represented by	(GATE GG 2009)
	(A) a system of electric currents at core-mantle boundary	
	(B) a system of dipoles, quadrupoles, octupoles and multipoles	
	(C) an inclined geomagnetic dipole at center of earth	
	(D) a system of currents in the ionosphere	

(C) Volterra's equation of second kind

Common Data Questions

Common Data Questions 51 and 52:

In a resistivity sounding experiment using Schlumberger configuration the apparent resistivity function asymptotically approaches a sloping straight line of slope 45° with abscissa.

Q.51. From the above data it can be inferred that the basement is

(GATE GG 2009)

(A) Perfectly conducting

(C) Relatively conducting

(B) Relatively resistive

(D) Perfectly resistive

Q.52. If the intercept at $\rho_a = 1$ ohm – m is 5 and resistivity of top layer is 10 ohm – m, then the depth of basement is (GATE GG 2009)

(A) $50.0 \, m$

(C) $2.0 \, m$

(B) $5.0 \, m$

(D) $0.5 \, m$

Common Data Questions 53 and 54:

In a seismic refraction experiment involving a two-layered earth of P-wave velocities, $3 \, km/sec$ and $4.5 \, km/sec$ the delay time is found to be $49.69 \, ms$.

Q.53. From the above data, the depth to the interface is given by

(GATE GG 2009)

(A) $150 \, m$

(C) 100 m

(B) 120 m

(D) 50 m

Q.54. Using the above depth, the computed critical distance (m) would be (GATE GG 2009)

(A) 151.20

(C) 221.67

(B) 178.88

(D) 169.87

Common Data Questions 55 and 56:

The peak gravity anomaly over a 2-D line mass of circular cross-section (horizontalcylinder) of density contrast $500 \, kg/m^3$ is $1.674 \, mgal$. The anomaly decreases to $0.837 \, mgal$ at a distance of $500 \, m$ along a principal profile. The universal gravitation constant, $G = 6.6667 \times 10^{-11} \, m^3 \, sec^{-2} kg^{-1}$

Q.55. The depth (*m*) to center of line mass and radius (*m*) of the horizontal cylinder are (GATE GG 2009)

(A) 500, 199.80

(C) 200, 100.33

(B) 200, 150.93

(D) 100, 60.37

Q.56. Hence compute the excess mass per unit length (kg/m) of the line mass (GATE GG 2009)

(A) 11.0×10^7

(C) 6.27×10^7

(B) 9.0×10^7

(D) 3.67×10^7

Linked Answer Questions

Statement for Linked Answer Questions 57 and 58:

Resistivity log recorded using normal device with measuring electrode, M, is situated close to the current electrode, A, in logging device placed in borehole. A constant current, I, injected from current electrode into the formation.

Q.57. If the spacing between A and M is r, and the potential difference ΔV is measured between the measuring electrode, M and remotely placed surface electrode. Then the expression for the apparent resistivity can be written as (GATE GG 2009)

(A)

 $\rho_a = \frac{2\pi r}{I} \Delta V$

(C)

(D)

 $\rho_a = \frac{2\pi r^2}{I} \Delta V$

(B) $\rho_a = \frac{4\pi r^2}{I} \Delta V$

 $\rho_a = \frac{4\pi r}{I} \Delta V$

Q.58. If $r = 0.40 \, m$; $I = 0.02 \, amp$; $\Delta V = 0.04 \, volt$, then the measured apparent resistivity will be (GATE GG 2009)

(A) $1\Omega m$

(C) $10 \Omega m$

(B) $5\Omega m$

(D) $20 \Omega m$

Statement for Linked Answer Questions 59 and 60:

Given the wavelets, $a = \{3, -2\}$ and $b = \{1, -2\}$

Q.59. The cross-correlation, ϕ_{ab} , is given by

(GATE GG 2009)

(A) $\{-6, 7, -2\}$

(C) $\{-4, -11, -6\}$

(B) $\{-6, 10, -12\}$

(D) $\{-6, 11, -4\}$

Q.60. The inverse of wavelet 'a', W_a^{-1} is given by

(GATE GG 2009)

(A) {4/3, 16/9, 17/7, 64/81}

(C) {4/9, 1/3, 64/81, 16/27}

(B) {1/3, 2/9, 4/27, 8/81}

(D) {16/27, 64/81, 4/9, 1/3}

END OF THE QUESTION PAPER