## EE25BTECH11021 - Dhanush sagar

## **Question:**

Let a, b, c be real numbers. Consider the following system of equations in x, y, z:

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} - \frac{z^2}{c^2} = 1,$$

$$\frac{x^2}{a^2} - \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1,$$

$$-\frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1.$$

The system has:

- 1) no solution
- 2) unique solution
- 3) infinitely many solutions
- 4) finitely many solutions

Solution: Let

$$A = \frac{x^2}{a^2},\tag{1}$$

$$B = \frac{y^2}{b^2},\tag{2}$$

$$C = \frac{z^2}{c^2}. (3)$$

Then the system becomes

$$A + B - C = 1, (4)$$

$$A - B + C = 1, (5)$$

$$-A + B + C = 1. ag{6}$$

The augmented matrix is

$$\begin{pmatrix}
1 & 1 & -1 & 1 \\
1 & -1 & 1 & 1 \\
-1 & 1 & 1 & 1
\end{pmatrix}
\xrightarrow{R_2 \to R_2 - R_1}
\begin{pmatrix}
1 & 1 & -1 & 1 \\
0 & -2 & 2 & 0 \\
-1 & 1 & 1 & 1
\end{pmatrix}
\xrightarrow{R_3 \to R_3 + R_1}
\begin{pmatrix}
1 & 1 & -1 & 1 \\
0 & -2 & 2 & 0 \\
0 & 2 & 0 & 2
\end{pmatrix}$$

$$\xrightarrow{R_3 \to R_3 + R_2}
\begin{pmatrix}
1 & 1 & -1 & 1 \\
0 & -2 & 2 & 0 \\
0 & 0 & 2 & 2
\end{pmatrix}
\xrightarrow{R_2 \to -\frac{1}{2}R_2}
\begin{pmatrix}
1 & 1 & -1 & 1 \\
0 & 1 & -1 & 0 \\
0 & 0 & 2 & 2
\end{pmatrix}$$

$$\xrightarrow{R_3 \to \frac{1}{2}R_3}
\begin{pmatrix}
1 & 1 & -1 & 1 \\
0 & 1 & -1 & 0 \\
0 & 0 & 1 & 1
\end{pmatrix}
\xrightarrow{R_2 \to R_2 + R_3}
\begin{pmatrix}
1 & 1 & -1 & 1 \\
0 & 1 & 0 & 1 \\
0 & 0 & 1 & 1
\end{pmatrix}$$

$$\xrightarrow{R_1 \to R_1 + R_3}
\begin{pmatrix}
1 & 1 & 0 & 2 \\
0 & 1 & 0 & 1 \\
0 & 0 & 1 & 1
\end{pmatrix}
\xrightarrow{R_1 \to R_1 - R_2}
\begin{pmatrix}
1 & 0 & 0 & 1 \\
0 & 1 & 0 & 1 \\
0 & 0 & 1 & 1
\end{pmatrix}.$$
(7)

From the final matrix we read

$$A = 1,$$
  $B = 1,$   $C = 1.$  (8)

Therefore,

$$\frac{x^2}{a^2} = 1,$$
  $\frac{y^2}{b^2} = 1,$   $\frac{z^2}{c^2} = 1,$  (9)

which gives

$$x = \pm a, y = \pm b, z = \pm c. (10)$$

Hence there are  $2^3 = 8$  distinct solutions for (x, y, z), so the correct choice is




Fig. 4.1