Matgeo Presentation - Problem 1.6.13

ee25btech11063 - Vejith

August 26, 2025

Question

The points (0,5), (0,-9) and (3,6) are not collinear.

Solution

Solution:

point	Name
(0,5)	Point A
(0, -9)	Point B
(3,6)	Point C

Table: Variables Used

The collinearity matrix is given by
$$(0.1)$$


$$\begin{pmatrix} \mathbf{B} - \mathbf{A} & \mathbf{C} - \mathbf{A} \end{pmatrix}^T = \begin{pmatrix} 0 & -14 \\ 3 & 1 \end{pmatrix} \tag{0.2}$$

(0.3)

3 points are collinear if the rank of collinearity matrix is 1.but for above matrix by applying any row reduction also we can't create zero rows in matrix.

Solution

 \implies given 3 points A,B,C are not collinear and they form a triangle.



C Code: points.c

Python: call_c.py

```
import subprocess
# Compile the C program
subprocess.run(["gcc", "points.c", "-o", "points"])
# Run the compiled C program
result = subprocess.run(["./points"], capture_output=True, text=True)
# Print the output from the C program
print(result.stdout)
```

Python: plot.py

```
import numpy as np
import matplotlib.pyplot as plt
# Load the file, using comma as delimiter
points = np.loadtxt("points.dat", delimiter=",")
# Take only the first two columns (x, y)
x = points[:, 0]
v = points[:, 1]
# --- Plat ---
plt.figure(figsize=(6, 6))
plt.scatter(x, y, color="red", s=60, label="Points")
plt.plot(x, y, linestyle="--", color="blue", label="Connection")
# Annotate each point
for xi, yi in zip(x, y):
   plt.text(xi + 0.1, vi + 0.1, f"({xi:g}, {vi:g})")
# Axes setup
ax = plt.gca()
ax.spines["left"].set_position("zero")
ax.spines["bottom"].set_position("zero")
ax.spines["right"].set color("none")
ax.spines["top"].set_color("none")
plt.xlabel("X-axis")
plt.ylabel("Y-axis")
plt.title("Plot, of, Points, from, points.dat")
plt.grid(True, alpha=0.4)
plt.legend()
# Save the figure
```

Python: plot.py

```
plt.savefig("points_plot.png", dpi=300, bbox_inches="tight")
# Show the figure
plt.show()
```