Problem 1.5.5

MAHESH CHOLLANGI

August 30, 2025

- Problem
- Solution
 - Section Formula
 - Obtaining k Value
 - Obtaining Point
 - Plot
- C Code
- Python Code

Problem Statement

Find the coordinates of the point which divides the line segment joining the points \mathbf{A} (7,-1) and \mathbf{B} (-3,-4) in the ratio 2:3 is

Variable	Description
X	x coordinate of P
у	y coordinate of P

Table: Variables given

Section Formula

Formula:

$$\mathbf{P} = \frac{k(\mathbf{B}) + (\mathbf{A})}{k+1} \tag{3.1}$$

Where:

'k' is the ratio in which the point divides the line segment

$$\mathbf{A} = \begin{pmatrix} 7 \\ -1 \end{pmatrix} \qquad \mathbf{B} = \begin{pmatrix} -3 \\ -4 \end{pmatrix} \tag{3.2}$$

Obtaining k Value

According to the problem , The point \boldsymbol{P} divides the line segment joining \boldsymbol{A} and \boldsymbol{B} in the ratio 2:3

Hence , k=2/3


Obtaining Point

$$\mathbf{P} = \frac{2\mathbf{B} + 3\mathbf{A}}{5} = \frac{2\begin{pmatrix} 7\\ -1 \end{pmatrix} + \begin{pmatrix} -3\\ -4 \end{pmatrix}}{5} = \frac{\begin{pmatrix} 15\\ -11 \end{pmatrix}}{5}$$

$$\mathbf{P} = \begin{pmatrix} \frac{15}{5}\\ \frac{-11}{5} \end{pmatrix}$$
(3.3)

Hence the coordinates of **P** are $(3, \frac{-11}{5})$

Plot



C Code for generating points on line

```
#include <stdio.h>
//Store the given values as global constants
const int Ax = 7, Ay = -1;
const int bx = -3, By =-4;
const int m = 2, n = 3;
// Function to compute the dividing point
void get_dividing_point(float *Px, float *Py)
*Px=(n*Ax + m*Bx)/(float)(m+n);
*Py=(n*Ay + m*By)/(float)(m+n);
}
//Function to print stored values
```

C Code for generating points on line

```
void print_values()
{
  printf("Point A = (%d,%d)\n",Ax,Ay);
  printf("Point B = (%d,%d)\n",Bx,By);
  printf("Ratio m;n = %d:%d\n",m,n);
  }
```

Python Code for Plotting

```
import sys
import math
sys.path.insert(0, '/home/mahesh-chollangi/Downloads/matgeo/codes
    /CoordGeo')
import numpy as np
import numpy.linalg as LA
import matplotlib.pyplot as plt
import matplotlib.image as mpimg
# local imports
from line.funcs import *
from triangle.funcs import *
# Points A and B
A = np.array([7, -1])
B = np.array([-3, -4])
```

Python Code for Plotting

```
# Ratio m:n = 2:3
 m, n = 2, 3
 | # Section formula in vector form: P = (nA + mB) / (m+n)
 P = (n*A + m*B) / (m+n)
 # Generate line coordinates for plotting
 line_AB = line_gen(A, B)
 # Plotting
 |plt.plot(line_AB[0,:], line_AB[1,:], label="Line AB") # Line AB
plt.scatter(A[0], A[1], color='red', label='A(7,-1)')
plt.scatter(B[0], B[1], color='blue', label='B(-3,-4)')
 plt.scatter(P[0], P[1], color='green', label=f'P({P[0]:.2f},{P
     [1]:.2f})')
 # Add text labels
plt.text(A[0], A[1], ^{\prime} A(7,-1)^{\prime}, fontsize=10)
```

Python Code for Plotting

```
plt.text(B[0], B[1], 'B(-3,-4)', fontsize=10)
 plt.text(P[0], P[1], f' P({P[0]:.2f}, {P[1]:.2f})', fontsize=10)
 # Formatting
 plt.xlabel('x-axis')
 plt.ylabel('y-axis')
plt.legend()
 plt.grid(True)
plt.axis('equal')
 plt.title("Point dividing AB in ratio 2:3")
 plt.savefig("../figs/plot.png")
 plt.show()
```