Matgeo Presentation - Problem 5.5.8

ee25btech11056 - Suraj.N

September 14, 2025

Problem Statement

lf

$$\mathbf{A} = \begin{pmatrix} 1 & 1 & 1 \\ 0 & 1 & 3 \\ 1 & -2 & 1 \end{pmatrix}$$

find A^{-1} . Hence, solve the system of equations

$$x + y + z = 6$$
, $y + 3z = 11$, $x - 2y + z = 0$.

Data

Matrix	Value
	1 1 1
Α	0 1 3
	$\left \begin{array}{cccc} 1 & -2 & 1 \end{array}\right $
	(6)
b	(11)
	\ 0 <i>)</i>

Table : Equations

Forming the augmented matrix,

$$\begin{pmatrix}
1 & 1 & 1 & 1 & 0 & 0 \\
0 & 1 & 3 & 0 & 1 & 0 \\
1 & -2 & 1 & 0 & 0 & 1
\end{pmatrix}$$
(0.1)

Applying elementary row operations to find the inverse,

$$\begin{pmatrix}
1 & 1 & 1 & 1 & 0 & 0 \\
0 & 1 & 3 & 0 & 1 & 0 \\
1 & -2 & 1 & 0 & 0 & 1
\end{pmatrix}
\xrightarrow{R_3 \to R_3 - R_1}
\begin{pmatrix}
1 & 1 & 1 & 1 & 0 & 0 \\
0 & 1 & 3 & 0 & 1 & 0 \\
0 & -3 & 0 & -1 & 0 & 1
\end{pmatrix}$$

$$\xrightarrow{R_3 \to R_3 + 3R_2}
\begin{pmatrix}
1 & 1 & 1 & 1 & 0 & 0 \\
0 & 1 & 3 & 0 & 1 & 0 \\
0 & 0 & 9 & -1 & 3 & 1
\end{pmatrix}$$
(0.2)

$$\begin{pmatrix}
1 & 1 & 1 & 1 & 0 & 0 \\
0 & 1 & 3 & 0 & 1 & 0 \\
0 & 0 & 9 & -1 & 3 & 1
\end{pmatrix}
\xrightarrow{R_3 \to \frac{R_3}{9}}
\begin{pmatrix}
1 & 1 & 1 & 1 & 0 & 0 \\
0 & 1 & 3 & 0 & 1 & 0 \\
0 & 0 & 1 & -\frac{1}{9} & \frac{1}{3} & \frac{1}{9}
\end{pmatrix}$$

$$\xrightarrow{R_2 \to R_2 - 3R_3}
\xrightarrow{R_1 \to R_1 - R_3}
\begin{pmatrix}
1 & 1 & 0 & \frac{10}{9} & -\frac{1}{3} & -\frac{1}{9} \\
0 & 1 & 0 & \frac{1}{3} & 0 & -\frac{1}{3} \\
0 & 0 & 1 & -\frac{1}{9} & \frac{1}{3} & \frac{1}{9}
\end{pmatrix}$$
(0.4)

$$\begin{pmatrix} 1 & 1 & 0 & \frac{10}{9} & -\frac{1}{3} & -\frac{1}{9} \\ 0 & 1 & 0 & \frac{1}{3} & 0 & -\frac{1}{3} \\ 0 & 0 & 1 & -\frac{1}{9} & \frac{1}{3} & \frac{1}{9} \end{pmatrix} \xrightarrow{R_1 \to R_1 - R_2} \begin{pmatrix} 1 & 0 & 0 & \frac{7}{9} & -\frac{1}{3} & \frac{2}{9} \\ 0 & 1 & 0 & \frac{1}{3} & 0 & -\frac{1}{3} \\ 0 & 0 & 1 & -\frac{1}{9} & \frac{1}{3} & \frac{1}{9} \end{pmatrix}$$

$$(0.6)$$

The right side part of the augmented matrix is \mathbf{A}^{-1}

$$\mathbf{A}^{-1} = \begin{pmatrix} \frac{7}{9} & -\frac{1}{3} & \frac{2}{9} \\ \frac{1}{3} & 0 & -\frac{1}{3} \\ -\frac{1}{9} & \frac{1}{3} & \frac{1}{9} \end{pmatrix}$$
 (0.7)

The solution for the system of equations is :

$$\mathbf{A}\mathbf{x} = \mathbf{b} \tag{0.8}$$

$$\mathbf{x} = \mathbf{A}^{-1}\mathbf{b} \tag{0.9}$$

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} \frac{7}{9} & -\frac{1}{3} & \frac{2}{9} \\ \frac{1}{3} & 0 & -\frac{1}{3} \\ -\frac{1}{9} & \frac{1}{3} & \frac{1}{9} \end{pmatrix} \begin{pmatrix} 6 \\ 11 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix} \tag{0.11}$$

(0.10)

Therefore the solution is:

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix} \tag{0.12}$$

Plot




Fig: Planes