Matgeo-q 2.3.2

Harichandana Varanasi-ai25btech11039

September 11, 2025

Question

Q. Find the angle between unit vectors **a** and **b** such that $\sqrt{3}$ **a** - **b** is also a unit vector.

Solution

Solution. Let

$$\mathbf{a} = \begin{pmatrix} a_1 \\ a_2 \\ a_3 \end{pmatrix}, \qquad \mathbf{b} = \begin{pmatrix} b_1 \\ b_2 \\ b_3 \end{pmatrix}, \qquad \mathbf{a}^{\top} \mathbf{a} = \mathbf{b}^{\top} \mathbf{b} = 1.$$

If $\sqrt{3} \mathbf{a} - \mathbf{b}$ is a unit vector, then

$$1 = \|\sqrt{3}\mathbf{a} - \mathbf{b}\|^2 = (\sqrt{3}\mathbf{a} - \mathbf{b})^{\top}(\sqrt{3}\mathbf{a} - \mathbf{b}) = 3\mathbf{a}^{\top}\mathbf{a} + \mathbf{b}^{\top}\mathbf{b} - 2\sqrt{3}\mathbf{a}^{\top}\mathbf{b}.$$

Hence

$$4-2\sqrt{3}(\mathbf{a}^{\mathsf{T}}\mathbf{b})=1 \implies \mathbf{a}^{\mathsf{T}}\mathbf{b}=\frac{\sqrt{3}}{2}.$$

Let θ be the angle between \mathbf{a} and \mathbf{b} ; $\cos \theta = \mathbf{a}^{\top} \mathbf{b}$, so

$$\cos \theta = \frac{\sqrt{3}}{2} \quad \Rightarrow \quad \boxed{\theta = 30^{\circ}}.$$

Plot

2D Illustration (xy-projection): Parallelogram spanned by \vec{a} and \vec{b}




Figure: xy-projection of **a** and **b**; $|\mathbf{a} \times \mathbf{b}| = 13\sqrt{3}$.