


Home Operating System C Java PHP HTML CSS Bootstrap JavaScript jQuery



Process States

State Diagram



The process, from its creation to completion, passes through various states. The minimum number of states is five.

The names of the states are not standardized although the process may be in one of the following states during execution.

1. New

A program which is going to be picked up by the OS into the main memory is called a new process.



STACK IN DS

C PROGRAM TO IMPLEMENT STACK

2. Ready

Whenever a process is created, it directly enters in the ready state, in which, it waits for the CPU to be assigned. The OS picks the new processes from the secondary memory and put all of them in the main memory.

The processes which are ready for the execution and reside in the main memory are called ready state processes. There can be many processes present in the ready state.

3. Running

One of the processes from the ready state will be chosen by the OS depending upon the scheduling algorithm. Hence, if we have only one CPU in our system, the number of running processes for a particular time will always be one. If we have n processors in the system then we can have n processes running simultaneously.

4. Block or wait

From the Running state, a process can make the transition to the block or wait state depending upon the scheduling algorithm or the intrinsic behavior of the process.

When a process waits for a certain resource to be assigned or for the input from the user then the OS move this process to the block or wait state and assigns the CPU to the other processes.

5. Completion or termination

When a process finishes its execution, it comes in the termination state. All the context of the process (Process Control Block) will also be deleted the process will be terminated by the Operating system.

6. Suspend ready

A process in the ready state, which is moved to secondary memory from the main memory due to lack of the resources (mainly primary memory) is called in the suspend ready state.

If the main memory is full and a higher priority process comes for the execution then the OS have to make the room for the process in the main memory by throwing the lower priority process out into the secondary memory. The suspend ready processes remain in the secondary memory until the main memory gets available.



Dell 14 AMD Laptop, Ryzen R5-5500U/8GB/512GB/14.0" (35.56cm) FHD Display w/... [View Details](#)

31% off **Great Freedom Sale**

₹41,990⁰⁰ ₹61,204.00 [View Details](#) [prime](#)

7. Suspend wait

Instead of removing the process from the ready queue, it's better to remove the blocked process which is waiting for some resources in the main memory. Since it is already waiting for some resource to get available hence it is better if it waits in the secondary memory and make room for the higher priority process. These processes complete their execution once the main memory gets available and their wait is finished.

Operations on the Process

1. Creation

Once the process is created, it will be ready and come into the ready queue (main memory) and will be ready for the execution.

2. Scheduling

Out of the many processes present in the ready queue, the Operating system chooses one process and start executing it. Selecting the process which is to be executed next, is known as scheduling.

3. Execution

Once the process is scheduled for the execution, the processor starts executing it. Process may come to the blocked or wait state during the execution then in that case the processor starts executing the other processes.

4. Deletion/killing

Once the purpose of the process gets over then the OS will kill the process. The Context of the process (PCB) will be deleted and the process gets terminated by the Operating system.

आयरिस



UPL Ltd

[Learn More](#)



← Prev

Next →



CloudxLab - Get Certified

Data Science Courses @ 50% Off

Unlimited access to 100+ courses, hands-on projects, get job-ready certificate programs,

[Apply Now >](#)

 For Videos Join Our Youtube Channel: [Join Now](#)

Feedback

- Send your Feedback to feedback@javatpoint.com

Help Others, Please Share



Learn Latest Tutorials



Splunk



SPSS



Swagger



Transact-SQL



Tumblr



ReactJS



Regex

Reinforcement
Learning

R Programming



RxJS



React Native

Python Design
Patterns

Python Pillow



Python Turtle



Keras

Preparation



Aptitude

Logical
Reasoning

Reasoning



Verbal Ability



Interview
Questions

Interview Questions

Company
Interview
Questions

Company Questions



Trending Technologies



Ali**xpress**

[Shop Now >](#)

B.Tech / MCA



[Computer Network](#)[Compiler Design](#) [Computer Organization and Architecture](#)
[Computer Organization](#) [Discrete Mathematics Tutorial](#)
[Discrete Mathematics](#) [Ethical Hacking](#)
[Ethical Hacking](#) [Computer Graphics Tutorial](#)
[Computer Graphics](#) [Software Engineering](#)
[Software Engineering](#) [html tutorial](#)
[Web Technology](#) [Cyber Security tutorial](#)
[Cyber Security](#) [Automata Tutorial](#)
[Automata](#) [C Language tutorial](#)
[C Programming](#) [C++ tutorial](#)
[C++](#) [Java tutorial](#)
[Java](#) [.Net Framework tutorial](#)
[.Net](#) [Python tutorial](#)
[Python](#) [List of Programs](#)
[Programs](#) [Control Systems tutorial](#)
[Control System](#) [Data Mining Tutorial](#)
[Data Mining](#) [Data Warehouse Tutorial](#)
[Data Warehouse](#)