


Cloning Repositories

Name: Aathirainathan P



Date: 11-12-2024

1. Using gitbash for cloning github repository:



A screenshot of a Windows desktop environment. At the top, there's a taskbar with several pinned icons: My Information, Home - Microsoft Azure, Files - Repos, Aathirainathan/de, and a blank new tab. Below the taskbar is a browser window showing the GitHub repository 'Aathirainathan/de'. The repository page has sections for Code, Issues, Pull requests, Actions, Projects, Wiki, Security, Insights, and Settings. On the left, there's a sidebar with a profile icon and a 'de' repository entry. The main content area shows a 'Set up GitHub Copilot' section and a 'Quick setup — if you've done this kind of thing before' section. Below these are instructions for creating a new repository on the command line, followed by a code editor window showing a terminal session in MINGW64. The terminal output includes commands like 'git init', 'git add README.md', 'git commit -m "first commit"', 'git branch -M main', and 'git remote add origin https://github.com/Aathirainathan/de.git'. The system tray at the bottom right shows the date as 12-12-2024 and the time as 10:56.

A screenshot of a Windows desktop environment, identical to the one above but with a different terminal session. The taskbar, browser window, and repository page are the same. The terminal window now shows a different set of directory contents and command history. The terminal output includes 'NTUSER.DAT{2ab6f015-3381-11ee-adba-ea6bed57d9f1}.TM.b1F', 'NTUSER.DAT{2ab6f015-3381-11ee-adba-ea6bed57d9f1}.TMContainer00000000000000000000000000000001.regrtrans-ms', 'NTUSER.DAT{2ab6f015-3381-11ee-adba-ea6bed57d9f1}.TMContainer00000000000000000000000000000002.regrtrans-ms', 'Network', 'OneDrive', 'Print Hood', 'Recent', 'Saved Games', 'Searches', 'SendTo', 'Start Menu', 'Templates', 'Untitled.ipynb', 'Videos', 'annual-enterprise-survey-2023-financial-year-provisional.csv', 'de', 'ntuser.dat.LOG1', 'ntuser.dat.LOG2', 'ntuser.ini', 'numpy.ipynb', 'pandas.ipynb', 'python/', 'student_data.csv'. The system tray at the bottom right shows the date as 12-12-2024 and the time as 10:56.



A screenshot of a Windows desktop environment. At the top, there's a taskbar with several pinned icons: My Information, Home - Microsoft Azure, Files - Repos, Aathirainathan/de, and a search bar. Below the taskbar, the desktop background shows a dark-themed interface for a GitHub repository named 'de'. The repository is public and contains a README file. On the right side of the screen, a terminal window is open with the following command-line session:

```
MINGW64/c/Users/pumak/de
/c/Users/pumak/de
pumak@PUMA MINGW64 ~/de (main)
$ ls
pumak@PUMA MINGW64 ~/de (main)
$ touch myfile
pumak@PUMA MINGW64 ~/de (main)
$ ls
myfile
pumak@PUMA MINGW64 ~/de (main)
$ git status
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    myfile
nothing added to commit but untracked files present (use "git add" to track)
pumak@PUMA MINGW64 ~/de (main)
$ touch data.ipynb
pumak@PUMA MINGW64 ~/de (main)
$ git status
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    data.ipynb
    myfile
nothing added to commit but untracked files present (use "git add" to track)
pumak@PUMA MINGW64 ~/de (main)
$
```

The desktop taskbar also includes a weather widget showing 'NIFTY -0.10%', a search bar, and various pinned application icons like File Explorer, Task View, and Edge. The system tray shows the date and time as 12-12-2024 at 10:59.

A second screenshot of a Windows desktop environment, identical to the first one. It shows the same GitHub repository 'de' and the same terminal session. The desktop setup, including the taskbar with pinned icons and the system tray showing the date and time as 12-12-2024 at 10:59, is also identical.

The screenshot shows a Windows desktop environment with a taskbar at the bottom. The taskbar icons include the Start button, File Explorer, Task View, and several pinned applications like Microsoft Edge, File Explorer, and a file manager. The system tray shows the date as 12-12-2024 and the time as 10:59. The desktop background is white.

The main window is a web browser displaying the GitHub repository page for 'Aathirainathan/de'. The repository is public and has no commits yet. A terminal window is open in the foreground, showing a git session:

```
$ git status
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    data.ipynb
    myfile

nothing added to commit but untracked files present (use "git add" to track)

pumak@PUMA MINGW64 ~/de (main)
$ git add myfile data.ipynb

pumak@PUMA MINGW64 ~/de (main)
$ git status
On branch main
No commits yet
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file: data.ipynb
    new file: myfile

pumak@PUMA MINGW64 ~/de (main)
$
```

This screenshot is nearly identical to the one above, showing the same Windows desktop environment and GitHub repository page for 'Aathirainathan/de'. However, a 'Sign in with GitHub' dialog box is overlaid on the terminal window, indicating that the user is currently signed in.



The terminal session continues from the previous screenshot:

```
pumak@PUMA MINGW64 ~/de (main)
$ git add myfile data.ipynb

pumak@PUMA MINGW64 ~/de (main)
$ git status
On branch main
No commits yet
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file: data.ipynb
    new file: myfile

pumak@PUMA MINGW64 ~/de (main)
$ git commit -m "adding files"
[main (root-commit) f9b15c] adding files
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 data.ipynb
 create mode 100644 myfile

pumak@PUMA MINGW64 ~/de (main)
$ git push
```



A screenshot of a GitHub repository page for a public repository named 'de'. The repository has one branch ('main') and no tags. A commit from user 'Aathirainathan' adds two files: 'data.ipynb' and 'myfile'. The README section is currently empty, with a prominent 'Add a README' button.



2. Using gitbash for cloning Azure Repository:

A screenshot of the Azure DevOps interface, specifically the repository view for 'azdevopsproject'. The repository contains a single file, 'README.md'. A context menu is open over this file, providing options such as 'Set up build', 'Clone', 'Fork', 'New', 'Upload file(s)', and 'Download as Zip'.

A screenshot of the Azure DevOps repository interface. The left sidebar shows project navigation with 'azdevopsproject' selected under 'Files'. The main area displays a file list with 'README.md' and an 'Introduction' section. A modal dialog titled 'Commit' is open, prompting for a file to be added ('Drag and drop files here or click browse') and a comment ('Added Coding Challenge - 4 Aathirainathan P.pdf to /'). The commit message is 'Coding Challenge - 4 Aathirainathan P.pdf'. The dialog also includes fields for 'Branch name' (set to 'main') and 'Work items to link'.

A screenshot of the Azure DevOps repository interface. The left sidebar shows project navigation with 'azdevopsproject' selected under 'Files'. The main area displays a file list with 'Coding Challenge - 4 Aathirainathan P.pdf' and 'README.md'. A terminal window is overlaid on the right side, showing the command-line output of cloning a repository from Azure DevOps:

```
pumak@PUMA MINGW64 ~/de (main)
$ git clone https://myorghexa@dev.azure.com/myorghexa/azdevopsproject/_git/azdevopsproject
Cloning into 'azdevopsproject'...
remote: Azure Repos
remote: Found 6 objects to send. (19 ms)
Unpacking objects: 100% (6/6), 1.09 MiB | 4.46 MiB/s, done.
pumak@PUMA MINGW64 ~/de (main)
$
```



A screenshot of the Azure DevOps repository interface. The left sidebar shows project navigation with 'azdevopsproject' selected under 'Repos'. The main area displays a terminal window with a git commit history:

```
MINGW64:/c/Users/pumak/downloads/azdevopsproject (main)
$ touch myfile
\ 
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git add myfile

pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git commit -m "new file"
[master e6cd945] new file
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 myfile

pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 280 bytes | 140.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Analyzing objects... (3/3) (5 ms)
remote: Validating commits... (1/1) done (0 ms)
remote: Storing packfile... done (124 ms)
remote: Storing index... done (34 ms)
To https://dev.azure.com/myorghexa/azdevopsproject/_git/azdevopsproject
 a2f8aa1..e6cd945 main > main
```

The right side of the screen features a 'Clone Repository' dialog box with fields for 'Repository URL' (https://myorghexa@dev.azure.com/myorghexa/azdevopsproject/_git/azdevopsproject) and 'Clone to' (C:\Users\pumak\Downloads\azdevopsproject). Below the terminal, there's a 'Build and Test' section with a 'TODO' note: 'Describe and show how to build your code and run the tests.'

A screenshot of the Azure DevOps repository interface. The left sidebar shows project navigation with 'azdevopsproject' selected under 'Repos'. The main area displays a list of files in the 'main' branch:

Name	Last change	Commits
Coding Challenge - 4 Aathirai.pdf	17m ago	a2f8aa1d Added Coding Challenge - 4 Aathirai...
myfile	Just now	e6cd945d new file =
README.md	18m ago	f5b569f6 Added README.md azuser2356_mml.lo...

The right side of the screen features sections for 'Introduction' (TODO: Give a short introduction of your project. Let this section explain the objectives or the motivation behind this project.), 'Getting Started' (TODO: Guide users through getting your code up and running on their own system. In this section you can talk about: 1. Installation process, 2. Software dependencies, 3. Latest releases, 4. API references), and 'Build and Test' (TODO: Describe and show how to build your code and run the tests.).

A screenshot of the Azure DevOps interface showing a repository named "azdevopsproject". The left sidebar has "Files" selected. A terminal window is open in the center, showing a command-line session:

```
MINGW64:/c/Users/pumak/downloads/azdevopsproject
$ git add myfile
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git commit -m "new file"
[main e6cd945] new file
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 myfile

pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 280 bytes | 140.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Analyzing objects... (3/3) (5 ms)
remote: Validating commits... (1/1) done (0 ms)
remote: Storing packfile... done (124 ms)
remote: Storing index... done (34 ms)
To https://dev.azure.com/myorghexa/azdevopsproject/_git/azdevopsproject
 a2f8aa1..e6cd945 main -> main

pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ ls
'Coding Challenge - 4 Aathirainathan P.pdf' README.md myfile
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ :
```

The right side of the screen shows a preview of the "Coding Challenge - 4 Aathirainathan P.pdf" file, which contains the text "README.md azuser2356_mml.lo...".

A screenshot of the Azure DevOps interface showing a repository named "azdevopsproject". The left sidebar has "Files" selected. A terminal window is open in the center, showing a command-line session identical to the first one:

```
MINGW64:/c/Users/pumak/downloads/azdevopsproject
$ git add myfile
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git commit -m "new file"
[main e6cd945] new file
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 myfile

pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 280 bytes | 140.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Analyzing objects... (3/3) (5 ms)
remote: Validating commits... (1/1) done (0 ms)
remote: Storing packfile... done (124 ms)
remote: Storing index... done (34 ms)
To https://dev.azure.com/myorghexa/azdevopsproject/_git/azdevopsproject
 a2f8aa1..e6cd945 main -> main

pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ ls
'Coding Challenge - 4 Aathirainathan P.pdf' README.md myfile
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ touch de1 de2 de3 de4 de5.py
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ ls
'Coding Challenge - 4 Aathirainathan P.pdf' de1 de2 de3 de4 de5.py
README.md
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ :
```

The right side of the screen shows a preview of the "Coding Challenge - 4 Aathirainathan P.pdf" file, which contains the text "README.md azuser2356_mml.lo...".

A screenshot of the Azure DevOps interface showing a repository named "azdevopsproject". The left sidebar is open with the "Files" tab selected. A terminal window is displayed, showing the following command and its output:

```
MINGW64:/c/Users/pumak/downloads/azdevopsproject
a2f8aa1..e6cd945 main -> main
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ ls
'Coding Challenge - 4 Aathirainathan P.pdf' README.md myfile
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ touch del de2 de3 de4 de5.py
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ ls
'Coding Challenge - 4 Aathirainathan P.pdf' de1 de2 de3 de5.py README.md
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git add -A
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git commit -m "Adding more files"
[main a58c386] Adding more files
 5 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 del
create mode 100644 de2
create mode 100644 de3
create mode 100644 de4
create mode 100644 de5.py
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
```

The terminal window also contains a "TODO" section with the following items:

- 1. Installation process
- 2. Software dependencies
- 3. Latest releases
- 4. API references

The status bar at the bottom shows the date and time as 12-12-2024 12:02.

A screenshot of the Azure DevOps interface showing the same repository "azdevopsproject". The left sidebar is open with the "Files" tab selected. A terminal window is displayed, showing the following command and its output:

```
MINGW64:/c/Users/pumak/downloads/azdevopsproject
$ git add -A
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git commit -m "Adding more files"
[main a58c386] Adding more files
 5 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 del
create mode 100644 de2
create mode 100644 de3
create mode 100644 de4
create mode 100644 de5.py
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
$ git push
Counting objects: 3, done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 368 bytes | 368.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Analyzing objects... (2/2) (6 ms)
remote: Validating commits... (1/1) done (0 ms)
remote: Storing packfile... done (206 ms)
remote: Storing index... done (39 ms)
To https://dev.azure.com/myorghexa/_git/azdevopsproject
 e6cd945..a58c386 main -> main
pumak@PUMA MINGW64 ~/downloads/azdevopsproject (main)
```

The terminal window also contains a "TODO" section with the following items:

- 1. Installation process
- 2. Software dependencies
- 3. Latest releases
- 4. API references

The status bar at the bottom shows the date and time as 12-12-2024 12:03.

My Information | Session expired | azdevopsproject - Repos

dev.azure.com/myorghexa/_git/azdevopsproject

Azure DevOps myorghexa / azdevopsproject / Repos / Files / azdevopsproject

Search

azdevopsproject

azdevopsproject

Coding Challenge - 4 Aathiraiar
de1
de2
de3
de4
de5.py
myfile
README.md

main

Type to find a file or folder...

Set up build | Clone

Files

Contents History

Name	Last change	Commits
Coding Challenge - 4 Aathirainathan P.pdf	19m ago	a2f8aa1d Added Coding Challenge - 4 Aathirainat...
de1	Just now	a58c3864 Adding more files =
de2	Just now	a58c3864 Adding more files =
de3	Just now	a58c3864 Adding more files =
de4	Just now	a58c3864 Adding more files =
de5.py	Just now	a58c3864 Adding more files =
myfile	3m ago	e6cd945d new file =
README.md	20m ago	f5b569f6 Added README.md azuser2356_mml.lo...

Introduction

TODO: Give a short introduction of your project. Let this section explain the objectives or the motivation behind this project.

23°C Light rain | Search | Weather icons | ENG IN | 12-12-2024

My Information | Session expired | Commits - Repos

dev.azure.com/myorghexa/_git/azdevopsproject/commits

Azure DevOps myorghexa / azdevopsproject / Repos / Commits / azdevopsproject

Search

azdevopsproject

main

Commits

Graph Commit Pull Request Status

Graph	Commit	Pull Request	Status
	Adding more files a58c3864 Just now		
	new file e6cd945d Today at 12:00 PM		
	Added Coding Challenge - 4 Aathirainathan P.pdf to / a2f8aa1d azuser2356_mml.local Today at 11:44 AM		
	Added README.md f5b569f6 azuser2356_mml.local Today at 11:43 AM		

23°C Light rain | Search | Weather icons | ENG IN | 12-12-2024

A screenshot of the Azure DevOps repository interface. On the left, the sidebar shows 'azdevopsproject' selected under 'Repos'. The main area shows a file tree for the 'main' branch with files like 'Coding Challenge - 4 Aathirai.pdf', 'de1', 'de2', 'de3', 'de4', 'de5.py', 'myfile', and 'README.md'. A 'Commit' dialog box is open on the right, prompting for a file to add ('Custom Job creation.html'), a comment ('Added Custom Job creation.html to /'), a branch name ('main'), and work items to link. The status bar at the bottom shows it's 12:14 on 12-12-2024.

A screenshot of the Azure DevOps repository interface. The terminal window shows the command line output of a 'git pull' operation:

```
pumak@PUMA MINGW64 ~
$ cd downloads
pumak@PUMA MINGW64 ~\downLoads
$ cd azdevopsproject
pumak@PUMA MINGW64 ~\downLoads\azdevopsproject (main)
$ git pull
remote: Azure Repos
remote: Found 3 objects to send (0 ms)
Unpacking objects: 100% (3/3), 27.06 KiB | 1.29 MiB/s, done.
From https://dev.azure.com/myorghexa/azdevopsproject/_git/azdevopsproject
   a58c3864..fa9b630 main      -> origin/main
Fast-forward
  Custom Job creation.html | 45 ++++++-----+
  1 file changed, 45 insertions(+), 45 deletions(-)
  create mode 100644 Custom Job creation.html
pumak@PUMA MINGW64 ~\downLoads\azdevopsproject (main)
```

The right side of the interface shows a list of commits:

- a2f8aa1d Added Coding Challenge - 4 Aathirainath...
- fa9b630e Added Custom Job creation.html to / az...
- a58c3864 Adding more files =
- e6cd945d new file =

The status bar at the bottom shows it's 12:14 on 12-12-2024.

3. Using VsCode for Azure Repository Cloning:

The screenshot shows the VS Code interface with the Marketplace extension search bar at the top. A search for "git" has been entered. On the left, a sidebar lists various extensions, with "Azure Repos" highlighted. The main panel displays the "Azure Repos" extension details page. The extension is version v0.40.0, marked as a preview, with 3,094,230 downloads and a 5-star rating. It is described as "Remotely browse and edit any Azure Repos". The "DETAILS" tab is selected, showing the extension's purpose: "The Azure Repos extension lets you quickly browse and search any remote Azure Repos git repository directly from within Visual Studio Code." Below this, the "Why do you need Azure Repos?" section explains that developers often clone Git repos locally just to browse them or make small edits. It notes that cloning repos takes time and maintenance, and that the Azure Repos extension provides a fast, convenient, and safe way to open and browse repos quickly. The "Getting started" section provides instructions for opening an Azure Repos repository either by searching for "Remote Repositories: Open Remote Repository..." in the Command Palette or by choosing "Open Remote Repository..." from the remote indicator in the status bar. A note indicates that users will be prompted to authenticate with their Azure account. The "More Info" section on the right contains publication and update details.

The screenshot shows the VS Code interface with the Marketplace extension search bar at the top. A search for "git" has been entered. On the left, a sidebar lists various extensions, with "Start git-bash" highlighted. The main panel displays the "Start git-bash" extension details page. The extension is version v1.2.1, developed by McCarter, with 723,062 downloads and a 5-star rating. It is described as adding a bash command to VSCode that allows you to start git-bash in the current workspace's root folder. The "DETAILS" tab is selected, showing the extension's README. It states that this small Visual Studio Code extension adds two "bash" commands to VSCode that allow you to start git-bash, either in the folder of the current file or in the workspace's root folder. The "Plugin provides two commands:" section lists two bullet points: "`bash` will open bash in your current file's directory." and "`bash in workspace` will open bash always in the root workspace directory, despite what file is opened." Below this, it says "Just press F1 and then type any of above commands to start git-bash." The "Note that you will need to have git-bash.exe on the environment path." section provides a note about the required environment. The "More Info" section on the right contains publication and update details.

Azure DevOps myorghexa / azdevopsproject / Repos / Files / azdevopsproject

azdevopsproject is empty. Add some code!

Clone to your computer

HTTPS SSH https://myorghexa@dev.azure.com/myorghexa/azdevopsproject/_git

Generate Git Credentials

Having problems authenticating in Git? Be sure to get the latest version [Git for Windows](#) or our plugins for [IntelliJ IDEA](#), [Android Studio](#), and [Visual Studio](#).

OR Clone in VS Code

Push an existing repository from command line

HTTPS SSH

git remote add origin https://myorghexa@dev.azure.com/myorghexa/azdevopsproject/_git/azdevopsprojec

Import a repository

Import

MINGW64:/c/Users/pumak/downloads

pumak@PUMA MINGW64 ~/Downloads

\$ git clone https://myorghexa@dev.azure.com/myorghexa/azdevopsproject/_git/azdevopsproject

Azure DevOps myorghexa / azdevopsproject / Repos / Files / azdevopsproject

azdevopsproject is empty. Add some code!

Clone to your computer

HTTPS SSH https://myorghexa@dev.azure.com/myorghexa/azdevopsproject/_git

Generate Git Credentials

Having problems authenticating in Git? Be sure to get the latest version [Git for Windows](#) or our plugins for [IntelliJ IDEA](#), [Android Studio](#), and [Visual Studio](#).

OR Clone in VS Code

Push an existing repository from command line

HTTPS SSH

git remote add origin https://myorghexa@dev.azure.com/myorghexa/azdevopsproject/_git/azdevopsprojec

Import a repository



Import



MINGW64:/c/Users/pumak/downloads

pumak@PUMA MINGW64 ~/Downloads

\$ git clone https://myorghexa@dev.azure.com/myorghexa/azdevopsproject/_git/azdevopsproject

Cloning into 'azdevopsproject'...





Submitted by:
Aathirainathan P