



Nicole Winer
Designer




CROCHET | SKILL LEVEL: INTERMEDIATE

ABBREVIATIONS

Approx = Approximately
Beg = Begin(ning)
Ch = Chain(s)
Cont = Continue(ity)
Dec(d)(s) = Decrease(d)(s)
Hdc = Half double crochet
Inc(d)(s) = Increase(d)(s)
Pat = Pattern
PM = Place marker
Rem = Remain(ing)(s)
Rep = Repeat
RS = Right side
Sc = Single crochet
Sl st = Slip stitch
Sp(s) = Space(s)

Splhdc = Split half double crochet: work hdc between 'legs' at front and back of stitches (splitting stitch) instead of through top loops. Stitches should appear as "V"s on RS and WS of work.



Splhdc2tog = Split half double crochet 2 together: Yoh and draw up a loop in each of next 2 stitches (or into ch-1 sp as appropriate), working between 'legs' at front and back of stitches. Yoh and draw through all loops on hook.
St(s) = Stitch(es)
Tog = Together
WS = Wrong side
Yoh = Yarn over hook
Yoslst = Yarn over slip stitch: Yoh and draw up a loop in next stitch and draw through 2 loops on hook.

MATERIALS

Patons® Inspired™ (5.3 oz/150 g; 222 yds/203 m)

Sizes	XS/S	M	L	XL	2/3XL	4/5XL	
Contrast A	5	5	5	6	6	6	balls
Purple Gray (92010)	1000	1072	1110	1148	1214	1259	yds
	914	980	1015	1050	1110	1151	m
Contrast B	2	2	2	2	2	3	balls
Ginger (92031)	260	333	371	406	444	473	yds
	237	305	339	371	406	432	m

Sizes U.S. L/11 (8 mm) and U.S. M/13 (9 mm) Susan Bates® Silvalume crochet hooks **or size needed to obtain gauge**. Susan Bates® yarn needle. Susan Bates® stitch markers. 5 buttons 1" [2.5 cm] diameter.

SIZES

To fit chest measurement

XS/S	28-34" [71-86.5 cm]
M	36-38" [91.5-96.5 cm]
L	40-42" [101.5-106.5 cm]
XL	44-46" [112-117 cm]
2/3XL	48-54" [122-137 cm]
4/5XL	56-62" [142-157.5 cm]

Finished chest

XS/S	42" [106.5 cm]
M	46" [117 cm]
L	50" [127 cm]
XL	54" [137 cm]
2/3XL	58" [147.5 cm]
4/5XL	64" [162.5 cm]

GAUGE

8 hdc and 10 rows = 4" [10 cm] in Split Hdc Pat with larger hook.

INSTRUCTIONS

The instructions are written for **XS/S**. If changes are necessary for larger sizes the instructions will be written **XS/S (M-L-XL-2/3XL-4/5XL)**. Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Notes:

- Body of Cardigan is worked in one piece to armholes.
- When working rows in Contrast B, **do not** break A. Carry A loosely up side of work. When 2 rows of B are complete, break B and rejoin when used.
- Vertical 'lines' of Contrast B are worked when pieces are complete using surface slip stitch.

BODY

With larger hook and A, ch **86** (94-102-110-118-130).

1st row: (RS). 1 hdc in 3rd ch from hook. 1 hdc in each of next **3** (7-5-3-7-1) ch. *Ch 1. Skip next ch. 1 hdc in each of next 2 ch. Ch 1. Skip next ch. 1 hdc in each of next 8 ch. Rep from * to last **8** (12-10-8-12-6) ch. Ch 1. Skip next ch. 1 hdc in each of next 2 ch. Ch 1. Skip next ch. 1 hdc in each of last **4** (8-6-4-8-2) ch. Turn. **84** (92-100-108-116-128) sts (including ch-1 sp). See diagram on page 6.

2nd row: Ch 1. 1 splhdc in each of first **4** (8-6-4-8-2) sts. *Ch 1. Skip next st. 1 splhdc in each of next 2 sts. Ch 1. Skip next st. 1 splhdc in each of next 8 sts. Rep from * to last **8** (12-10-8-12-6) sts. Ch 1. Skip next st. 1 splhdc in each of next 2 sts. Ch 1. Skip next st. 1 splhdc in each of last **4** (8-6-4-8-2) sts. Turn. Rep last row for Split Hdc Pat.

Beg working Stripe Pat as follows:
With B, work 2 rows.

With A, work 10 rows.

These 12 rows form Stripe Pat.

Work even in Split Hdc and Stripe Pat until Body measures 12" [30.5] from bottom edge, ending on a WS row.

Notes:

- When working splhdc2tog over a ch-1 sp, insert hook into ch-1 sp. Draw up a loop and complete st.
- When working splhdc into splhdc2tog of previous row, be sure to insert hook into center of splhdc2tog.
- Keep cont of Split Hdc Pat by taking dec sts into Pat.

Keeping cont of Split Hdc and Stripe Pat, divide for Right Front and beg V-neck shaping as follows:

Right Front: 1st row: (RS). Ch 1. Pat across first **18** (20-22-24-25-28) sts. **Turn.** Leave rem sts unworked.

2nd row: Ch 1. Pat to end of row. Turn.

See diagram on page 6.

Right Front V-neck shaping: 1st row: (RS). Ch 1. 1 splhdc in first st. Splhdc2tog over next 2 sts. Pat to end of row. Turn. **17** (19-21-23-24-27) sts. PM at beg of row to mark beg of V-neck shaping.

2nd row: Ch 1. Pat to end of row. Turn.

Rep last 2 rows **3** (5-5-9-9-14) times more. **14** (14-16-14-15-13) sts.

Size 4/5XL only: Fasten off.

Sizes XS/S, M, L, XL and 2/3XL only: 1st row: Ch 1. 1 splhdc in first st. Splhdc2tog over next 2 sts (neck edge). Pat to end of row. Turn. **13** (13-15-13-14) sts.

2nd and 3rd rows: Ch 1. Pat to end of row. Turn.

4th row: Ch 1. Pat to last 3 sts. Splhdc2tog over next 2 sts. 1 splhdc in last st. Turn. **12** (12-14-12-13) sts.
5th and 6th rows: As 2nd and 3rd rows.
 Rep last 6 rows **1** (1-1-0-0) time(s) more. **10** (10-12-12-13) sts.
 Fasten off.

Back: With RS facing, skip next **6** (6-6-6-8-8) unworked sts. Join appropriate color of Stripe Pat with sl st to next st.

1st row: (RS). Ch 1. 1 splhdc in same sp as sl st. Pat across next **35** (39-43-47-49-55) sts. **Turn.** Leave rem sts unworked. **36** (40-44-48-50-56) sts.

2nd row: Ch 1. Pat to end of row. Turn.

Rep last row, working even in Split Hdc and Stripe Pat until Back measures same length as Right Front to shoulder.
 Fasten off.

Left Front: With RS facing, skip next **6** (6-6-6-8-8) unworked sts. Join appropriate color of Stripe Pat with sl st to next st.

1st row: (RS). Ch 1. Pat to end of row. Turn. **18** (20-22-24-25-28) sts.

2nd row: Ch 1. Pat to end of row. Turn.

Left Front V-neck shaping:

1st row: (RS). Ch 1. Pat to last 3 sts. Splhdc2tog over next 2 sts. 1 splhdc in last st. Turn. **17** (19-21-23-24-27) sts. PM at end of row to mark beg of V-neck shaping.

2nd row: Ch 1. Pat to end of row. Turn.

Rep last 2 rows **3** (5-5-9-9-14) times more. **14** (14-16-14-15-13) sts.

Size 4/5XL only: Fasten off.

Sizes XS/S, M, L, XL and 2/3XL only: **1st row:** (RS). Ch 1. Pat to last 3 sts. Splhdc2tog over next 2 sts. 1 splhdc in last st. Turn. **13** (13-15-13-14) sts.

2nd and 3rd rows: Ch 1. Pat to end of row. Turn.

4th row: Ch 1. 1 splhdc in first st. Splhdc2tog over next 2 sts. Pat to end of row. Turn. **12** (12-14-12-13) sts.

5th and 6th rows: As 2nd and 3rd rows.

Rep last 6 rows **1** (1-1-0-0) time(s) more. **10** (10-12-12-13) sts.

Fasten off.

Bottom Body Edging: With RS of work facing and smaller hook, join A with sl st to first ch of foundation ch through rem loops.

1st row: Ch 1. Working in rem loops of foundation ch, 1 sc in each st or ch-1 sp to end of row. **84** (92-100-108-116-128) sts. Fasten off.

SLEEVES

With larger hook and A, ch **22** (22-24-24-26-26).

1st row: (RS). 1 hdc in 3rd ch from hook. 1 hdc in each of next **1** (1-2-2-3-3) ch. Ch 1. Skip next ch. 1 hdc in each of next 2 ch. Ch 1. Skip next ch. 1 hdc in each of next 8 ch. Ch 1. Skip next ch. 1 hdc in each of next 2 ch. Ch 1. Skip next ch. 1 hdc in each of last **2** (2-3-3-4-4) ch. Turn. **20** (20-22-22-24-24) sts (including ch-1 sps).

2nd row: Ch 1. 1 splhdc in first st. 1 splhdc in each of next **1** (1-2-2-3-3) st(s). Ch 1. Skip next ch-1 sp. 1 splhdc in each of next 2 sts. Ch 1. Skip next ch-1 sp. 1 splhdc in each of next 8 sts. Ch 1. 1 splhdc in each of next 2 sts. Ch 1. 1 splhdc in each of last **2** (2-3-3-4-4) sts. Turn.

Notes:

- During sleeve shaping work 'taking inc'd sts into pat' as follows: after inc 10 split hdc at either end of row, incorporate Split Hdc Pat into inc'd sts as follows:
Next row: Ch 1. 1 splhdc in first st. Ch 1. Skip next st. Pat to last 2 sts. Ch 1. Skip next st. 1 splhdc in last st. Turn.
- After a further 3 sts have been inc'd at either end of row, beg working a full rep of Split Hdc Pat as follows:
Next row: Ch 1. 1 splhdc in first st. Ch 1. Skip next st. 1 splhdc in each of next 2 sts Ch 1. Pat to last 3 sts. 1 splhdc in next st. Ch 1. Skip next st. 1 splhdc in last st. Turn.

Join B and beg working in Stripe Pat as for Body:

1st row (inc row): (RS). Ch 1. 2 splhdc in first st. Pat to last st. 2 splhdc in last st. Turn. **22** (22-24-24-26-26) sts.

2nd to 4th rows: Ch 1. Pat to end of row. Turn.

Rep last 4 rows, keeping cont of Stripe Pat and inc 1 st at each end of every following 4th row **7 (5-5-5-6-6)** times more. **36 (32-34-34-38-38)** sts.

Sizes M, L, XL, 2/3XL, 4/5XL only: 1st row (inc row): (RS). Ch 1. 2 splhdc in first st. Pat to last st. 2 splhdc in last st. Turn. (**34-36-36-40-40**) sts.

2nd row: Ch 1. Pat to end of row. Turn.

Rep last 2 rows, inc 1 st at each end of every other row (**4-3-4-2-4**) times more to (**42-42-44-44-48**) sts, taking inc'd sts into pat (see note above).

All sizes: Work even in Split Hdc and Stripe Pat until Sleeve measures 16" [40.5 cm]. Fasten off.

Sleeve edging: With RS of work facing and smaller hook, join A with sl st to first ch of foundation ch through rem loops.

1st row: Ch 1. Working into rem loops of foundation ch sps, work 1 sc in each st or ch-1 sp to end of row. **22 (22-24-24-26-26)** sts. Fasten off.

SLEEVE CUFFS

Note: You may find it helpful to PM on RS of work to keep track of RS and WS rows.

With smaller hook and A ch 9.

1st row: (RS). Sl in in 2nd ch from hook. Sl st in each ch to end of ch. Turn. 8 sts.

2nd row: Ch 1. *Working in back loops only*, *Yoslst in back loop of next st. Rep from * to end of row. Turn.

3rd row: Ch 1. *Working in back loops only*, *Sl st in back loop of next st. Rep from * to end of row. Turn.


Rep 2nd and 3rd rows for Ribbing Pat until long edge of Cuff measures same as bottom edge of Sleeve when slightly stretched. Fasten off at end of row.

Sew Cuff into place along bottom of Sleeve edging, stretching Cuff slightly to fit length.

FINISHING

Vertical Surface sl sts: Worked on Body and Sleeve pieces. Position garment piece with RS of bottom edge facing to work vertically from bottom to top.

With larger hook, join B with sl st to any skipped ch along foundation row. Holding yarn at back of work, insert hook into ch-1 sp of row above and pull up a loop enough to maintain row height. Sl st into each ch-1 sp in row above to top edge. Fasten off at top edge. Rep for each column of ch-1 sps along foundation rows of Body and Sleeves.



VERTICAL SURFACE CHAIN

Sew shoulder seams. Fold Sleeve in half and PM at fold-line to mark center of Sleeve.

Sew Sleeves to Body, having rows at top of Sleeve against unworked sts of armhole to form square armholes and matching fold-line at top of sleeve to shoulder seam. Sew Sleeve seams.

BOTTOM RIBBING

Work as given for Sleeve Cuffs, until long side edge of Bottom Ribbing measures same as bottom edge of Body when slightly stretched. Sew Bottom Ribbing into place along bottom of Body Edging, stretching Ribbing very slightly to fit length.

FRONT BAND

With RS facing and smaller hook, join A with sl st to bottom corner of Right Front.

1st row: Ch 1. Work 1 sc in same sp as sl st. Work 36 sc evenly up Right Front to neck shaping marker, **18 (21-21-22-22-24)** sc evenly up to shoulder, **16 (20-20-24-24-26)** sc evenly across back neck edge, **18 (21-21-22-22-24)** sc evenly down Left Front edge to neck shaping marker and 36 sc evenly down to lower edge. Turn. **124 (134-134-140-140-146)** sc.

2nd row: (WS). Ch 1. *Working in back loops only*, yoslst in each st to end of row. Turn.

3rd row: Ch 1. *Working in back loops only*, sl st in each st to end of row. Turn.



4th row: As 2nd row.




5th row (Buttonholes): (RS). Ch 1. Sl st in back loop of each of next 2 sts. *Ch 2. Skip next 2 sts. Sl st in back loop of each of next 6 sts. Rep from * 3 times more. Ch 2. Skip next 2 sts. Sl st in back loop of each st to end of row. Turn.

6th row: Ch 1. Yoslst in back loop of each st to end of row, working yoslst in each ch of ch-2. Join B. Break A. Turn.

7th row: With B, as 3rd row. Fasten off.

Weave in ends. Sew on buttons to match buttonholes.





STITCH KEY

- = chain (ch)
- = slip stitch (sl st)
- ↑ = yarn over slip stitch (yoslst)
- ┤ = half double crochet (hdc)
- ┤ = split half double crochet (splhdc)
- ┤ = split half double crochet 2 together (splhdc2tog)
- ⤿ = worked in back loop