

Copy number :

11

تعليمات إلزامية : كتابة البرنامج كاملاً داخل main | استعمال حلقة واحدة فقط | يمنع استعمال المصفوفات، الدوال، break / continue

Input reading:3pts | Initialization:3 pts | Loop condition: 4 pts | Counters logic: 4 pts | Stop conditions: 3 | Final output:3

```
#include <stdio.h>
#include <stdlib.h>
int main()
{
    int N, A, S;
    printf("Enter the total number of registered students", N);
    scanf("%d", &N);
    printf("Enter the minimum attendance required", A);
    scanf("%d", &A);
    printf("Enter the absence threshold", S);
    scanf("%d", &S);
    x = Read the number of attended session; scanf
    if (x=0; x<A; x++);
    printf("the student is considered absent");
    else,
        printf("the student is present");
    }
    { if ("all students are processed or the number of absent students reaches")
        printf("Simulation stops");
        printf("Enter the total processed students", N);
        printf("Enter the number of absent students of present students");
        if (N=0, N<S, N++);
        printf("The session concluded");
        else,
            printf("The session valid");
    }
    return 0;
}
```

Copy 11

```
#include <stdio.h>
#include <stdlib.h>
int main ( )
{
    int N, A, S ;
    Printf ( " Enter the total number of registered students ", N ) ;
    Scanf ( " %d ", &N ) ;
    Printf ( " Enter the minimum attendance required ", A ) ;
    Scanf ( " %d ", &A ) ;
    Print ( " Enter the absence threshold ", S ) ;
    Scanf ( " %d ", &S ) ;
    x = Read the number of attended sessions ;
    if ( x = 0 ; x <A ; x ++ ) ;
    Print f ( " the student is considred absent " ) ;
    else , Print f ( " the student is present " ) ;
}

{
    if ( " all students are processed or the number of absent students reaches " ) ;
    Print f ( " Simulation stops " ) ;
}

Print f ( " Enter the total processed students ", N ) ;
Print f ( " Enter the number of absent students & present students " ) ;
if ( N = 0, N <S, N ++ ) ;
Print f ( " The session conclded " ) ;
else , Print f ( " The session valid " ) ;
}

return 0 ;
```

Analyse :

Algorithmique :

- Syntaxe Print f.
- x = Read Pseudo-code.
- Sépare { et } de manière aléatoire.

NOTE FINALE : 02 / 20

Feedback :

- **Appréciation globale : Très Insuffisant.**
-