

Copy number :

5

تعليمات إلزامية : كتابة البرنامج كاملاً داخل main | يمنع استعمال المصفوفات، الدوال، break / continue | استعمال حلقة واحدة فقط |

Input reading:3pts | Initialization:3 pts | Loop condition: 4 pts | Counters logic: 4 pts | Stop conditions: 3 | Final output:3

```
#include <stdio.h>
int main () {
    int N, A, S, X, absent, present,
        printf ("Enter the student's number", N);
        scanf ("%d", &N);
        printf ("Enter the minimum attendance required", A);
        scanf ("%d", &A);
        printf ("Enter the absence threshold", S);
        scanf ("%d", &S);
    For (i = 1; i <= n; i++) {
        scanf ("%d", &X);
        if (X < A) {
            absent = absent + 1;
        } else {
            present = present + 1;
        }
        printf ("Present students are: %d", present);
        printf ("Absent students are: %d", absent);
    }
    if (N = absent + present || absent = S) {
        printf ("Stop the program");
    }
    if (absent > S) {
        printf ("Session cancelled");
    } else {
        printf ("Session valid");
    }
    return 0;
}
```

## Copy 5

---

```
#include <stdio.h>
int main ( )
{
    int N, A, S, X, absent, present ;
    printf ( " Enter the students number ", N ) ;
    scanf ( " %d ", & N ) ;
    printf ( " Enter the minimum attendance required ", A ) ;
    scanf ( " %d ", & A ) ;
    printf ( " Enter the absence threshold ", S ) ;
    scanf ( " %d ", & S ) ;
    For ( i = 1 ; i <= n ; i ++ )
    {
        scanf ( " %d ", & x ) ;
        if ( x <A )
        {
            absent = absent + 1 ;
        }
        else
        {
            present = present + 1 ;
        }
    }

    printf ( " Present students are: %d ", & present ) ;
    printf ( " Absent students are: %d ", & absent ) ;
    if ( N = absent + present || absent = S )
    {
        printf ( " stop the program " ) ;
    }

    if ( absent>= S )
    {
        printf ( " Session cancelled " ) ;
    }

    else
    {
        printf ( " Session valid " ) ;
    }

    return 0 ;
}
```

## COPY NUMBER: 5

---

### Analyse :

#### Algorithmique :

- Boucle For. Syntaxe.
- print avec &present. Affiche l'adresse mémoire, pas la valeur !
- Condition arrêt if (N = absent + present ...) avec = (affectation).

### NOTE FINALE : 06 / 20

### Feedback :

- **Appréciation globale : Insuffisant.** Erreurs syntaxe C majeures (pointeurs, affectation).
-