

Input reading:3pts | Initialization:3 pts | Loop condition: 4 pts | Counters logic: 4 pts | Stop conditions: 3 | Final output:3

```

#include <stdio.h>
int main () {
    int A, S, N, X;
    int present = 0;
    int absent = 0;
    int i = 1, processed = 0;
    printf("Enter The total numbers of regised students");
    scanf("%d", &N);
    printf("Enter The minimum attendance required");
    scanf("%d", &A);
    printf("Enter The absence threshold");
    scanf("%d", &S);
    while (i <= N && absent < S) {
        printf("Enter The numbers of attended session");
        scanf("%d", &X);
        if (X < A) {
            printf("The student is absent");
            absent++;
        } else {
            printf("The student is present");
            present++;
        }
        printf("present students");
        printf("absent students");
        i++;
    }
    if (absent)

```

Copy 14

```
#include <stdio.h>
int main ( )
{
    int A, S, N, X ;
    int present = 0 ;
    int absent = 0 ;
    int i = 1 ;
    processed = 0 ;
    printf ( " Enter The total numbers of regised students " ) ;
    Scanf ( " %d ", & N ) ;
    printf ( " Enter The minimum attendance required " ) ;
    Scanf ( " %d ", & A ) ;
    printf ( " Enter The absence threshold " ) ;
    Scanf ( " %d ", & S ) ;
    while ( i <= N && absent <S )
    {
        printf ( " Enter The numbers of attended session " Scanf ( " %d ", & x ) ;
        if ( X <A )
        {
            printf ( " The student is absent " ) ;
            absent ++ ;
        }

        else
        {
            printf ( " The student is present " ) ;
            present ++ ;
        }

        printf ( " present students " ) ;
        printf ( " absent students " ) ;
        i ++
    }

    if (absent)
```

Analyse :

Algorithmique :

- Boucle `while` correcte.
- Logique interne correcte.
- Compteurs OK.
- Condition fin incomplet `if (absent)`. Code coupé fin ?
- Dans l'ensemble, début solide.

NOTE FINALE : 13 / 20

Feedback :

- **Appréciation globale : Moyen.** Bon début, mais fin manquante/incorrecte.
-