



HTML

CSS

MORE ▼



# NumPy Logs

[< Previous](#)[Next >](#)

## Logs

NumPy provides functions to perform log at the base 2, e and 10.

We will also explore how we can take log for any base by creating a custom ufunc.

All of the log functions will place -inf or inf in the elements if the log can not be computed.

## Log at Base 2

Use the `log2()` function to perform log at the base 2.

## Example

Find log at base 2 of all elements of following array:

```
import numpy as np

arr = np.arange(1, 10)

print(np.log2(arr))
```

[Try it Yourself »](#)

**Note:** The `arange(1, 10)` function returns an array with integers starting from 1 (included) to 10 (not included).

---

## Log at Base 10

Use the `log10()` function to perform log at the base 10.

### Example

Find log at base 10 of all elements of following array:

```
import numpy as np

arr = np.arange(1, 10)

print(np.log10(arr))
```

[Try it Yourself »](#)

---

## Natural Log, or Log at Base e

Use the `log()` function to perform log at the base e.

### Example

Find log at base e of all elements of following array:

```
import numpy as np

arr = np.arange(1, 10)

print(np.log(arr))
```

[Try it Yourself »](#)

---

# Log at Any Base

NumPy does not provide any function to take log at any base, so we can use the `frompyfunc()` function along with inbuilt function `math.log()` with two input parameters and one output parameter:

## Example

```
from math import log
import numpy as np


nplog = np.frompyfunc(log, 2, 1)

print(nplog(100, 15))
```

Try it Yourself »

[< Previous](#)[Next >](#)

## COLOR PICKER



## HOW TO

- Tabs
- Dropdowns
- Accordions
- Side Navigation
- Top Navigation
- Modal Boxes
- Progress Bars

Parallax  
Login Form  
HTML Includes  
Google Maps  
Range Sliders  
Tooltips  
Slideshow  
Filter List  
Sort List

SHARE



CERTIFICATES

HTML  
CSS  
JavaScript  
SQL  
Python  
PHP  
jQuery  
Bootstrap  
XML

[Read More »](#)

---

REPORT ERROR

PRINT PAGE

FORUM

ABOUT

---

## Top Tutorials

HTML Tutorial  
CSS Tutorial  
JavaScript Tutorial  
How To Tutorial  
SQL Tutorial  
Python Tutorial  
W3.CSS Tutorial  
Bootstrap Tutorial  
PHP Tutorial  
jQuery Tutorial  
Java Tutorial  
C++ Tutorial

## Top References

HTML Reference  
CSS Reference  
JavaScript Reference  
SQL Reference  
Python Reference  
W3.CSS Reference  
Bootstrap Reference  
PHP Reference  
HTML Colors  
jQuery Reference  
Java Reference  
Angular Reference

## Top Examples

HTML Examples  
CSS Examples  
JavaScript Examples  
How To Examples  
SQL Examples  
Python Examples  
W3.CSS Examples  
Bootstrap Examples  
PHP Examples  
jQuery Examples  
Java Examples  
XML Examples

## Web Certificates

HTML Certificate  
CSS Certificate  
JavaScript Certificate  
SQL Certificate  
Python Certificate  
jQuery Certificate  
PHP Certificate  
Bootstrap Certificate

## XML Certificate

[Get Certified »](#)

---

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

