


Feature			Scer	nario			Step		
Name	Duration	T	P	F	S	T	P	F	S
Parallel Test Feature	37.404 s	3	1	2	0	11	11	0	0


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Parallel	3	1	2	0	1	0	1	0
@ParallelGoogle	1	0	1	0	1	0	1	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Parallel Test Feature	3	1	2	0	37.404 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Parallel Test Feature	Form Test	5	5	0	0	13.401 s
2	Parallel Test Feature	Google Test	3	3	0	0	11.459 s
3	Parallel Test Feature	LinkedIn Test	3	3	0	0	12.392 s

DETAILED SECTION -- 6 --

Parallel Test Feature


FAILED	DURATION - 37.404 s	Scenarios		Steps	
		Total - 3		Total - 11	
/ 12:58:13.473 AN	M // 12:58:50.877 AM /	Pass - 1	3	Pass - 11	11
		Fail - 2	S J	Fail - 0	
		Skip - 0		Skip - 0	

Form Test



#	Step / Hook Details	Status	Duration
1	Given user goes to home page	PASSED	4.207 s
2	When user enters username	PASSED	0.151 s
3	And user enters password	PASSED	0.138 s
4	And user enters comment	PASSED	0.201 s
5	Then user closes driver	PASSED	2.913 s


Google Test



DETAILED SECTION -- 7

#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://google.com"	PASSED	5.616 s
2	When user verifies title contains "Google"	PASSED	0.014 s
3	Then user closes driver	PASSED	2.625 s
	AFTER - StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	3.068 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, maximizeCurrentWindow {}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.162, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:\Users\MONSTER\AppData\Lo}, fedcm:accounts: true, goog:chromeoQrions: {debuggerAddress: localhost:56863}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56863/devtoo, se:cdpVersion: 121.0.6167.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at Org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:1039) at Utilities.Driver.getDriver(Driver.java:45) at StepDefinitions.Hooks.tearDown(Hooks.java:36)		

LinkedIn Test



#	Step / Hook Details	Status	Duration
1	Given user goes to url "https://linkedin.com"	PASSED	6.102 s
2	When user verifies title contains "LinkedIn"	PASSED	0.204 s
3	Then user closes driver	PASSED	3.047 s

#	Step / Hook Details	Status	Duration
	AFTER - StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	3.024 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.162, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:\UsersIMONSTER\AppDatalLo}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56863}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56863/devtoo, se:cdpVersion: 121.0.6167.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver*RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1039) at Utilities.Driver.getDriver(Driver.java:45) at StepDefinitions.Hooks.tearDown(Hooks.java:36)		