

National University of Computer and Emerging Sciences, Lahore Campus



Course: Applied Programming
Program: MS (Computer Science)
Duration: 60 Minutes
Paper Date: 02-Nov-17
Section: N/A
Exam: Midterm 2

Course Code: CS 319
Semester: Fall 2017
Total Marks: 100
Weight: 15 %
Page(s): 4
Reg. No.

Instruction/Notes:


- Please read the questions carefully before answering
- Multiple Choice Questions (MCQs) **MUST** be marked on the question paper. All other questions must be answered in an answer script
- You **MUST** return the question paper to the invigilator
- No marks will be given for an MCQ, if there is overwriting
- Write valid C++ code on programming problem(s)
- Example tree given in section B, question 1 is just one example. You are responsible for any generalization that you make from it

Section A - Multiple choice questions (Choose the most appropriate answer)

1. The minimum number of nodes in a complete binary tree of height 3 is:
 - a) 3
 - b) 4
 - c) 8
 - d) 15
2. The maximum number of internal nodes in a complete binary tree of height 3 is:
 - a) 3
 - b) 5
 - c) 7
 - d) 15
3. The minimum height of a binary tree with 14 nodes is:
 - a) 3
 - b) 4
 - c) 5
 - d) 14
4. The height of the left and right subtrees in an AVL Tree may differ by:
 - a) 0
 - b) 1
 - c) All of the above
 - d) None of the above
5. A node in a complete binary tree is stored in an array at $A[i]$. Its right child will be stored at:
 - a) $A[i + 1]$
 - b) $A[i + 2]$
 - c) $A[2 * i]$
 - d) $A[2 * i + 1]$

6. The pre-order traversal for the given binary tree visits nodes in the order:

- a) 1, 2, 3, 7, 10, 11, 14, 30, 40
- b) 1, 2, 3, 14, 7, 10, 11, 40, 30
- c) 1, 3, 2, 7, 10, 40, 30, 11, 14
- d) 14, 2, 1, 3, 11, 10, 7, 30, 40



7. The post-order traversal for the given binary tree visits nodes in the order:

- a) 1, 2, 3, 7, 10, 11, 14, 30, 40
- b) 1, 2, 3, 14, 7, 10, 11, 40, 30
- c) 1, 3, 2, 7, 10, 40, 30, 11, 14
- d) 14, 2, 1, 3, 11, 10, 7, 30, 40

8. The in-order traversal for the given binary tree visits nodes in the order:

- a) 1, 2, 3, 7, 10, 11, 14, 30, 40
- b) 1, 2, 3, 14, 7, 10, 11, 40, 30
- c) 1, 3, 2, 7, 10, 40, 30, 11, 14
- d) 14, 2, 1, 3, 11, 10, 7, 30, 40

9. Given a binary search tree, which traversal will print the nodes in sorted order:

- a) Pre order
- b) Post order
- c) In order
- d) None of the above

10. How many times is the symbol “#” printed by the call foo(4)?


- a) 3
- b) 4
- c) 7
- d) 8

```
void foo(int i){  
    if (i > 1){  
        foo( i / 2);  
        foo( i / 2);  
    }  
    cout << “#”;  
}
```

Section B

Q. 1: An m-ary tree is a tree in which each node can have as many as m children. For a node v in an m-ary tree, define $f(v)$ as the sum of that node's key and its children's keys. We need to find the max of $f(v)$ over all v belonging to the m-ary tree. For the example tree shown below, the node with maximum $f(v)$ is the node with key equal to 4 and your function should return $4 + 7 + 8 + 9 = 28$. Write a recursive C++ function for this problem, assuming that the node structure is defined as:


```
struct Node{  
    int key;  
    struct Node* firstChild, *nextSibling;  
};
```



Q. 2: Solve the following recurrence using any appropriate method with the initial conditions $a_0 = 4$ and $a_1 = 13$:

$$a_n = 3a_{n-1} + 10a_{n-2}$$

Start the next three questions using the following AVL tree.



Q. 3: Show the tree after the key 10 is inserted into it. Also show the intermediate steps.

Q. 5: Show the tree after the key 50 is deleted from it. Also show the intermediate steps.

Q. 6: Insert the keys 11, 9, 12, 14, 3, 15 and 7 (in that order) into an initially empty min heap.