

Kex at SBFT 2023 Tool Competition


Azat Abdullin

May 14, 2023


- a platform for analysis of JVM programs
 - mainly focused on automatic test generation
- based on symbolic execution
 - also has a concolic execution engine
- research prototype, under development
- third time participation in SBST/SBFT tool competition

¹Azat Abdullin and Vladimir Itsykson. 2022. Kex: A platform for analysis of JVM programs. Information and Control Systems 1 (2022), 30–43.
<http://www.ius.ru/index.php/ius/article/view/15201>

Kex overview



Kfg²: CFG for JVM bytecode



- class management
- CFG in SSA form
- bytecode analysis and transformation

²<https://github.com/vorpai-research/kfg>

Predicate state: IR for symbolic transformations

```
(
  @S kotlin/jvm/internal/Intrinsics.checkNotNullParameter(arg$0, 'a')
  @S kotlin/jvm/internal/Intrinsics.checkNotNullParameter(arg$1, 'b')
  @S term166 = *(arg$0.x)
  @S term355 = *(arg$1.x)
  @S term587 = term166 < term355
  @S term1050 = term355 > 0
  @S term1368 = new java/lang/IllegalArgumentException
  @S throw term1368
) -> (
  @P arg$0 == null = false
  @P arg$0 instanceof org/example/Point = true
  @P arg$1 == null = false
  @P arg$1 instanceof org/example/Point = true
  @P term587 = true
  @P term1050 = false
)
```

- symbolic representation of a program
- SMT-specific transformations

- PS allows support of multiple “backend” solvers
 - Z3, Boolector, CVC4, KSMT
- SBFT configuration used KSMT³
 - efficient asynchronous API for Z3 solver

³<https://github.com/UnitTestBot/ksmt>


JUnit test case generation

```
public class ArrayListValuedHashMap-init-90775276022 {
    Object term22200;
    // number of utility methods here
    // ...
    @Before
    public void setup() throws Throwable {
        try {;
            Object term22072 = newInstance(Class.forName("org.apache.commons.collections4.multimap.ArrayListValuedHashMap"));
            HashMap term22248 = new HashMap();
            term22200 = newInstance(Class.forName("org.apache.commons.collections4.multimap.HashSetValuedHashMap"));
            setField(term22200, term22200.getClass(), "map", term22248);
        } catch (Throwable e) {};
    }
    @Test
    public void test() throws Throwable {
        try {;
            Class<?> klass = Class.forName("org.apache.commons.collections4.multimap.ArrayListValuedHashMap");
            Class<?>[] argTypes = new Class<?>[1];
            argTypes[0] = Class.forName("org.apache.commons.collections4.MultiValuedMap");
            Object[] args = new Object[1];
            args[0] = term22200;
            callConstructor(klass, argTypes, args);
        } catch (Throwable e) {};
    }
};
```

Kex-rt⁴: Java standard library approximations


- approximations for standard library of Java 8
- simplifies the semantics of standard library classes
- contains approximations for
 - collections
 - primitive type wrappers
 - string buffers
 - etc.

⁴<https://github.com/AbdullinAM/kex-rt>



- traditional symbolic execution engine for automatic test generation
- traverses the CFG of PUT on a basic block level
- uses breadth-first search for path selection
 - early prototype

⁵<https://github.com/vorpai-research/kex/releases/tag/sbft2023>



- traditional concolic engine for automatic test generation
- uses instrumentation to collect symbolic state during concrete execution
- uses Easy-Random⁶ library for initial seed generation
- uses context-guided search for path exploration

⁶<https://github.com/j-easy/easy-random>

⁷<https://github.com/vorpai-research/kex/releases/tag/sbft2023>

Results

Metric	Kex-symbolic		Kex-concolic	
	30 s	120 s	30 s	120 s
Line coverage, %	53.2	59.5	57.0	65.3
Branch coverage, %	38.9	47.5	35.0	50.0
Mutation coverage, %	0.0		0.0	
Test case understandability	3.95		3.69	
Overall ranking	4.89		3.92	

Conclusions

- Kex significantly improved coverage metrics compared to previous years
 - performed on par with the other SE-based tools
- Kex has several implementation issues that affect its reliability
 - e.g. Kex failed on ta4j project because of bug in Kfg
- Kex needs to improve the quality of generated tests
 - generate test oracles
 - improve understandability

Contact information

email:

- azat.abdullin@jetbrains.com

repository:

- <https://github.com/vorpal-research/kex>

