

Assignment 9

Abhay Shankar K : CS21BTECH11001

Outline

- 1 Question
- 2 Solution : (i)
- 3 Solution : (ii)
- 4 Result
- 5 Graph

Question

Express the density $f_y(y)$ of the random variable $y = g(x)$ in terms of $f_x(x)$ if :

- (i) $g(x) = |x|$
- (ii) $g(x) = e^{-x} U(x)$ where $U(x)$ is the Uniform Distribution, say over the interval $[-1, 1]$.

Solution : (i)

Clearly, $f_y(0) = f_x(0)$. For nonzero x :

We know

$$\begin{aligned}
 F_y(y_1) &= P(g(x) \leq g(x_1)) \\
 &= P(|x| \leq |x_1|) \\
 &= P(-|x_1| \leq x \leq |x_1|) \\
 &= (F_x(x_1) - F_x(-x_1)) \times \text{sgn}(x_1)
 \end{aligned}$$

$$\therefore F_y(y) = (F_x(x) - F_x(-x)) \text{sgn}(x) \quad (1)$$

Assuming $f_x(x)$ is a normal distribution, clearly the normalization factor is 0.5. Differentiating and normalizing (1),

$$f_y(y) = \frac{1}{\sigma\sqrt{2\pi}} \times e^{\frac{x^2}{2\sigma^2}} \quad (2)$$

Solution : (ii)

We know

$$\begin{aligned}
 F_y(y_1) &= P(g(x) \leq g(x_1)) \\
 &= P(e^{-x} \leq e^{-x_1}) \\
 &= P(x \geq x_1) \\
 &= 1 - P(x \leq x_1) + P_x(x_1) \\
 &= 1 - F_x(x_1)
 \end{aligned}$$

$$\therefore F_y(y) = 1 - F_x\left(\frac{-\ln y}{U(x)}\right) \quad (3)$$

Assuming $f_x(x)$ is a normal distribution and $\sigma = 0.3$, the normalization constant is 0.1618. Differentiating and normalizing (3),

$$f_y(y) = \left(1 + \frac{4}{\sigma\sqrt{2\pi}} e^{x - \frac{x^2}{2\sigma^2}}\right) \times 0.1618 \quad (4)$$

Result

$$(i) \ y = |x| \implies f_y(y) = f_x(y) = \frac{1}{\sigma\sqrt{2\pi}} \times e^{-\frac{y^2}{2\sigma^2}} \rightarrow (2)$$

$$(ii) \ y = e^{-x} U(x) \implies f_y(y) = \left(1 + \frac{4}{\sigma\sqrt{2\pi}} e^{x - \frac{x^2}{2\sigma^2}}\right) \times 0.1618 \rightarrow (4)$$

Graph

Assuming : $\sigma = 0.3$

