1

NCERT Maths 10.5.3 Q14

EE23BTECH11201 - ABBURI TANUSHA*

Question: Find the sum of odd numbers between 0 and 50.

Solution:

Symbol	Value	Description
x(0)	1	first term of AP
d	2	common difference
x(n)	(1+2n)u(n)	n-th term of AP

TABLE 0
GIVEN PARAMETERS

Last term of the given sequence is 49.

$$x(n) = (2n+1)u(n)$$
 (1)

$$\therefore (2n+1) = 49 \tag{2}$$

$$\implies n = 24$$
 (3)

Applying Z transform From equation (??):

$$X(z) = \frac{1 + z^{-1}}{(1 - z^{-1})^2}, \quad |z| > |1| \tag{4}$$

For AP, the sum of first n+1 terms can be written as

$$y(n) = x(n) * u(n) \tag{5}$$

$$Y(z) = X(z)U(z) \tag{6}$$

$$= \frac{1}{(1-z^{-1})^2} + \frac{2z^{-1}}{(1-z^{-1})^3}, \quad |z| > |1| \quad (7)$$

Using contour integration to find inverse Z transform

$$y(n) = \frac{1}{2\pi i} \oint_C Y(z) z^{n-1} dz \tag{8}$$

$$y(24) = \frac{1}{2\pi j} \int Y(z)z^{23}dz$$

$$= \frac{1}{2\pi j} \int \frac{1.z^{25}}{(z-1)^2} dz - \frac{1}{2\pi j} \int \frac{2.z^{25}}{(z-1)^3} dz$$
(10)

$$\therefore R = \frac{1}{(m-1)!} \lim_{z \to a} \frac{d^{m-1}}{dz^{m-1}} \left((z-a)^m f(z) \right) \tag{11}$$

For R1, m = 2, where m corresponds to number of repeated poles

$$R_1 = \frac{1}{1!} \lim_{z \to 1} \frac{d}{dz} \left((z - 1)^2 \cdot \frac{1 \cdot z^{25}}{(z - 1)^2} \right)$$
 (12)

$$= 25 \tag{13}$$

For R2, m = 3

$$R_2 = \frac{1}{2!} \lim_{z \to 1} \frac{d^2}{dz^2} \left((z - 1)^3 \cdot \frac{2 \cdot z^{25}}{(z - 1)^3} \right) \quad (14)$$

$$=600$$
 (15)

$$\implies y(24) = R_1 + R_2 \tag{16}$$

$$= 625$$
 (17)




Fig. 0. Combination of stem and scatter plot of y(n)