

Comparators

Array Run on IDE

```
#include <iostream>
#include <algorithm>
using namespace std;
bool myCompare(int a,int b){
    return a>b;
int main() {
    int a[] = \{5,4,3,1,2,6,7\};
    int n = sizeof(a)/sizeof(int);
    sort(a,a+n,myCompare);
```

```
for(int i=0;i<n;i++){
    cout<<a[i]<<" ";
}

return 0;
}</pre>
```

Vector Run on IDE

```
#include <iostream>
#include <vector>
#include <algorithm>
using namespace std;
bool compare(int a,int b){
    return a>b;
}
int main() {
    vector<int> v;
    v.reserve(100);
    int n;
    cin>>n;
```

```
for(int i=0;i<n;i++){</pre>
         int temp;
         cin>>temp;
         v.push back(temp);
    }
    v.pop_back();
    //v.clear();
    cout<<v.capacity()<<endl;</pre>
    sort(v.begin(),v.end(),compare);
    //Print these
    for(int i=0;i<v.size();i++){</pre>
        cout<<v[i]<<" ";
    }
    cout<<v.max_size()<<endl;</pre>
    return 0;
}
```

String Run on IDE

```
#include <iostream>
#include <vector>
```

```
#include <algorithm>
using namespace std;
bool compare(int a,int b){
    return a>b;
}
int main() {
    vector<int> v;
    v.reserve(100);
    int n;
    cin>>n;
    for(int i=0;i<n;i++){</pre>
        int temp;
        cin>>temp;
        v.push_back(temp);
    v.pop_back();
    //v.clear();
    cout<<v.capacity()<<endl;</pre>
    sort(v.begin(),v.end(),compare);
    //Print these
    for(int i=0;i<v.size();i++){</pre>
```

```
cout<<v[i]<<" ";
}

cout<<v.max_size()<<endl;

return 0;
}</pre>
```