

# Exploring methods of quantifying intelligence using theories in Machine Learning

Abhi Agarwal (abhi@nyu.edu)

Intelligence has been defined as many different things, and each of these definitions have allowed us to quantify or understand intelligence in a different way. The simple act of telling an individual how intelligent she is, is the most basic act of quantifying intelligence that we do day-to-day. By stating that a particular individual is intelligent we could mean a couple things. For example, we could be commenting on her ability to gain knowledge at speed, her accomplishments, her society/community group, her ability to reason, and much more. These are certain characteristics that we think about when making a judgement about an individual's intelligence, and the majority of society does this. The most intelligent individuals part-take in this by accepting awards that claim they have a high IQ such as high IQ society awards or genius grants, and less intelligent individuals part-take in this as well by observing this phenomenon and participating by discussing it. Therefore, there is an inherit part of our society and the way we perceive of the world that needs to compare or judge intelligence.

The idea of trying to quantify intelligence or measuring intelligence was first introduced by the field of Phrenology, and Franz Joseph Gall who is known to be the founder of the field. Gall wanted to try study the localization of the mental functions in the brain by observing skull sizes, and facial features of people. Even though the field of Phrenology

wasn't ultimately success, some of the concepts such as attempting to quantify intelligence intrigued the scientific community. Moreover, another individual we studied in class that tried to attempt to define intellectual ability was Samuel George Morton. Morton, similarly, in his work *Crania Americana* claimed in his paper that you could measure the intellectual ability of a race by their skull capacity.

This idea become more popular when Alfred Binet and Theodore Simon, in France, designed the first wide-used intelligence test known as the Binet-Simon Scale. Binet personally believed that intelligence is too broad of a concept to quantify with a single numerical value. However, he did agree that intelligence is influenced by a number of factors, and can be compared if broken down into its parts. In 1916, the Binet-Simon Scale was brought to the U.S. to Stanford University and researchers adapted it to become the Intelligent Quotient or IQ. The reason for the U.S. to create an intelligent test, as we read in class, was to screen army recruits during World War 1. In addition, IQ tests were also used to screen immigrants as they arrived at Ellis island, and became increasingly more useful to governments as the century progressed.

Throughout the 20th century the IQ test was used to filter out individuals in different ways. It has been used to filter individuals for prizes and grants, for military and government recruitment, in medicine, job interviews, universities, and much more. We're depended on ways to quantify intelligence in order to pick individuals out, and narrow down our search fields in the same way we have used strength or speed. It's becoming increasingly more important as we move from jobs being in the primary and secondary sector to the tertiary sector.

In the same way in Computer Science there has been a big push from giant organizations to make computers increasingly more intelligent to help reduce costs. This push, as well as a goal for Computer Scientists to create artificial life, has driven Computer Scientists to

define intelligence. Since the development of computers there has been a vision of creating an intelligent agent, and the community of individuals studying Artificial Intelligence have had a vision and different approaches to solving this problem. An intelligent agent is an autonomous entity that is goal driven and uses previous knowledge or learns to reach its goal.

In 2007 Włodzisław published a paper on computational intelligence, and wrote “Artificial Intelligence (AI) was the first large scientific community, established already in the mid 1950s, working on problems that require intelligence to be solved” (Włodzisław, 1). Intelligence is important to the field because it’s an inherent part of building artificial life, and to build systems that mimic human life. Most of the Artificial Intelligence community is still debating on ways to solve this problem as building an intelligent agent inherently requires a mathematical or computational definition of intelligence. It’s required in order for the intelligent agent to learn, and be able to make intelligent decisions on its own. Building an intelligent agent requires for us to define a program algorithmically that would allow it to act autonomously, and in order to do that we need some methodology or steps that it could follow to learn.

Given the limitations in terms of computational power in pre-2000, research in building an intelligent agent branched of into two perspectives. The first was looking at this problem from a mathematical perspective, and the second was exploring neuroscience and the human anatomy to apply the principles of our intelligence to building an intelligent agent. Building an intelligent agent from a mathematical perspective is looking at features, or aspects of intelligence and trying to model them mathematical in order to later bring them together into one coherent model. The latter looks at how our cerebral cortex was formed and borrows the architecture and the way neurons make connections between things we learn to apply the same methodology to learning as our brain does. Since we are trying to

mimic human beings in creating intelligent agents the theory of learning from our brains became a desirable theory in the community.

During the next decade individuals worked on advancing these fields theoretically until they reached a point where processing power would catch up with their research. The decade gave both the branches time to grow their communities and to improve traction around their work, and this created a separation in ideology and the way individuals dealt with the aspects of quantifying intelligence.

In order to understand the task of building an algorithm that does learning, it needs to be explicitly stated what learning is and how a computer is able to achieve this task of learning. This particular task falls into a field that started within the field of Artificial Intelligence called Machine Learning. “Machine learning studies computer algorithms for learning to do stuff. We might, for instance, be interested in learning to complete a task, or to make accurate predictions, or to behave intelligently” (Schapire, 1). The basic process of Machine Learning is the training of the algorithm. In the training process, the algorithm is fed some data, for example data about the weather, whilst attaching details of the outcome. An example of this would be to see if it rained given that the temperature was 4°C and it was cloudy. The algorithm would use the fact that it rained when it was 4°C and it was cloudy in the future to make a prediction when you give it a similar scenario. In summary, “machine learning is about learning to do better in the future based on what was experienced in the past” (Schapire, 1).

Prediction is key in Machine Learning because it’s not certain that it will rain given the weather conditions outside, but it’s returning the most likely answer. This particular type of algorithm is called a classification algorithm where it’s using some detail to classify it into a set number of options: sunny, rainy, etc. A learning algorithm would work the same way, you would teach it how to react in certain scenarios and their outcomes, and it

would be able to associate things you teach it together. Learning algorithms are extremely flexible, and there are many ways to approach them. Both the task of defining intelligence mathematically, and through neuroscience approach the problem from a Machine Learning prospective because this allows us to teach the computer without explicitly having to program it into the computer. Machine Learning can be done in many ways as the basic principle of taking in data and returning a prediction applies across all the Machine Learning algorithms, but what you do in the middle to find the best prediction is what differentiates the methodology.

The two different methodology I will present next try to quantify intelligence in a different way, and each of these theories have been presented by different types of people and are also taught to different kinds of students. Students who first learn the mathematical side of machine learning, and are taught to view intelligence as being able to be represented by building blocks where these blocks make up intelligence of a person. On the other hand, students who move from a more biological side to machine learning have experience with understanding intelligence as inherent to the brain and have an understanding of how the human brain processes this information, and so they are drawn towards the neuroscience approach to machine learning. Nowadays, there are an equal number of students from each discipline as mathematicians usually get fixated with trying to solve the mathematical puzzle behind learning, while biologists have a passion to simulate and form the human brain.

Most individuals who look at Machine Learning, and Artificial Intelligence wonder if this is a problem worth solving? Is it required for us to create a framework for intelligence? In Computer Science it has been a dream of most individuals to create a computer intelligent enough for communication with us. Going forward into the future it is also extremely useful as argued by a lot of individuals to create such a system, as it would allow us to advance

more quickly given that we could train it to learn fields such as Physics and Biology, and allow it to assist us in our research. An intelligent agent potentially could have endless amounts of possibilities as it could encapsulate a lot of human knowledge, and be able to run simulations and answer questions. In Hawkin’s book, ‘On Intelligence’, he points out that “a basic computer operation is five million times slower than the basic operations in [our brains]!” (Hawkins, 66). The only problem remains that we haven’t devised algorithms that are able to make predictions as well and as fast as our brain does.

Hawkins is an electrical engineer, and hasn’t had any professional experience in neuroscience. His framework approaches the problem from an engineer’s perspective as well as his personal study of the research done on the cerebral cortex to formulate his framework.

Jeff Hawkin’s Intelligence

Intelligence in the Machine Learning community with just a mathematical training

An useful example, and prominent example of Machine Learning techniques implemented is Google’s intelligent personal assistant Google Now. It uses techniques that are described by Hawkins above to achieve this goal. It uses a technique called neural networks, which try and utilize the research in neuroscience and behaves very closely to the actual neurons in our brains. Google Now was a breakthrough when it was introduced in the Machine Learning, and Artificial Intelligence community. However, not a breakthrough to the intelligent agents Computer Scientists are trying to create. These particular applications are utilizing these technologies, but they are utilizing them in specific applications, such as to do speech recognition or predicting what you’re going to type next. The particular goal of building an intelligent agent is that it would be able to learn and behave on its own regardless of any application, and it should not be focused and programmed to do something specific. This introduces a new problem, and Jeff Hawkins proposes a solution to this problem called the One-Learning algorithm.

After understanding these approaches, the question we have to answer becomes: Is quantifying intelligence using the framework of our brain any better than quantifying intelligence using mathematics?

Intelligence and why create a framework for intelligence?

Quantifying and defining intelligence and frameworks around it became important when

Conclusion

## References

- [1] Hawkins, Jeff, and Sandra Blakeslee, *On Intelligence*. New York: Henry Holt, 2005. Print.
- [2] Duch, Włodzisław. "*What Is Computational Intelligence and What Could It Become?*" *Challenges for Computational Intelligence*. 2007: n. pag. Print.
- [3] Schapire, Rob. "*Theoretical Machine Learning*." (n.d.): n. pag. COS 511: Theoretical Machine Learning. Princeton University. Web.