

```
import os
import numpy as np
import tensorflow as tf
from tensorflow.keras import layers
import matplotlib.pyplot as plt

print("TensorFlow version:", tf.__version__)
```

TensorFlow version: 2.19.0

```
dataset_choice = "mnist"      # "mnist" or "fashion"
epochs = 50
batch_size = 128
noise_dim = 100
learning_rate = 0.0002
save_interval = 5
```

```
dataset_choice = "fashion"
epochs = 50
batch_size = 128
noise_dim = 100
learning_rate = 0.0002
save_interval = 5
```

```
if dataset_choice == "mnist":
    (x_train, y_train), _ = tf.keras.datasets.mnist.load_data()
elif dataset_choice == "fashion":
    (x_train, y_train), _ = tf.keras.datasets.fashion_mnist.load_data()
```

```
# Normalize to [-1,1]
x_train = (x_train.astype("float32") - 127.5) / 127.5
x_train = np.expand_dims(x_train, axis=-1)
```

```
BUFFER_SIZE = x_train.shape[0]
train_dataset = tf.data.Dataset.from_tensor_slices(x_train)\
    .shuffle(BUFFER_SIZE).batch(batch_size)
```

```
img_shape = (28, 28, 1)
```

```
Downloading data from https://storage.googleapis.com/tensorflow/tf-keras-datasets/train-labels-idx1-ubyte.gz
29515/29515 ————— 0s 0us/step
Downloading data from https://storage.googleapis.com/tensorflow/tf-keras-datasets/train-images-idx3-ubyte.gz
26421880/26421880 ————— 0s 0us/step
Downloading data from https://storage.googleapis.com/tensorflow/tf-keras-datasets/t10k-labels-idx1-ubyte.gz
5148/5148 ————— 0s 1us/step
Downloading data from https://storage.googleapis.com/tensorflow/tf-keras-datasets/t10k-images-idx3-ubyte.gz
4422102/4422102 ————— 0s 0us/step
```

```
def build_generator():
    model = tf.keras.Sequential([
        layers.Dense(7 * 7 * 256, use_bias=False, input_shape=(noise_dim,)),
        layers.BatchNormalization(),
        layers.LeakyReLU(),

        layers.Reshape((7, 7, 256)),

        layers.Conv2DTranspose(128, 5, strides=1, padding="same", use_bias=False),
        layers.BatchNormalization(),
        layers.LeakyReLU(),

        layers.Conv2DTranspose(64, 5, strides=2, padding="same", use_bias=False),
        layers.BatchNormalization(),
        layers.LeakyReLU(),

        layers.Conv2DTranspose(1, 5, strides=2, padding="same",
                               activation="tanh", use_bias=False)
    ])
    return model

generator = build_generator()
generator.summary()
```

/usr/local/lib/python3.12/dist-packages/keras/src/layers/core/dense.py:93: UserWarning: Do not pass an `input\_shape`/`input\_dim`
 super().__init__(activity_regularizer=activity_regularizer, **kwargs)

Model: "sequential"

Layer (type)	Output Shape	Param #
dense (Dense)	(None, 12544)	1,254,400
batch_normalization (BatchNormalization)	(None, 12544)	50,176
leaky_re_lu (LeakyReLU)	(None, 12544)	0
reshape (Reshape)	(None, 7, 7, 256)	0
conv2d_transpose (Conv2DTranspose)	(None, 7, 7, 128)	819,200
batch_normalization_1 (BatchNormalization)	(None, 7, 7, 128)	512
leaky_re_lu_1 (LeakyReLU)	(None, 7, 7, 128)	0
conv2d_transpose_1 (Conv2DTranspose)	(None, 14, 14, 64)	204,800
batch_normalization_2 (BatchNormalization)	(None, 14, 14, 64)	256
leaky_re_lu_2 (LeakyReLU)	(None, 14, 14, 64)	0
conv2d_transpose_2 (Conv2DTranspose)	(None, 28, 28, 1)	1,600

Total params: 2,330,944 (8.89 MB)

Trainable params: 2,305,472 (8.79 MB)

```
def build_discriminator():
    model = tf.keras.Sequential([
        layers.Conv2D(64, 5, strides=2, padding="same", input_shape=img_shape),
        layers.LeakyReLU(),
        layers.Dropout(0.3),

        layers.Conv2D(128, 5, strides=2, padding="same"),
        layers.LeakyReLU(),
        layers.Dropout(0.3),

        layers.Flatten(),
        layers.Dense(1, activation="sigmoid")
    ])
    return model
```

```
discriminator = build_discriminator()
discriminator.summary()
```

/usr/local/lib/python3.12/dist-packages/keras/src/layers/convolutional/base_conv.py:113: UserWarning: Do not pass an `input\_shape`
 super().__init__(activity_regularizer=activity_regularizer, **kwargs)

Model: "sequential_1"

Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 14, 14, 64)	1,664
leaky_re_lu_3 (LeakyReLU)	(None, 14, 14, 64)	0
dropout (Dropout)	(None, 14, 14, 64)	0
conv2d_1 (Conv2D)	(None, 7, 7, 128)	204,928
leaky_re_lu_4 (LeakyReLU)	(None, 7, 7, 128)	0
dropout_1 (Dropout)	(None, 7, 7, 128)	0
flatten (Flatten)	(None, 6272)	0
dense_1 (Dense)	(None, 1)	6,273

Total params: 212,865 (831.50 KB)

Trainable params: 212,865 (831.50 KB)

Non-trainable params: 0 (0.00 B)

```
loss_fn = tf.keras.losses.BinaryCrossentropy()

gen_optimizer = tf.keras.optimizers.Adam(learning_rate, beta_1=0.5)
disc_optimizer = tf.keras.optimizers.Adam(learning_rate, beta_1=0.5)
```

```
@tf.function
def train_step(images):
    noise = tf.random.normal([batch_size, noise_dim])

    with tf.GradientTape() as gen_tape, tf.GradientTape() as disc_tape:
        fake_images = generator(noise, training=True)

        real_output = discriminator(images, training=True)
        fake_output = discriminator(fake_images, training=True)

        gen_loss = loss_fn(tf.ones_like(fake_output), fake_output)
        disc_loss = (
            loss_fn(tf.ones_like(real_output), real_output) +
            loss_fn(tf.zeros_like(fake_output), fake_output)
        )

        gen_gradients = gen_tape.gradient(gen_loss, generator.trainable_variables)
        disc_gradients = disc_tape.gradient(disc_loss, discriminator.trainable_variables)

        gen_optimizer.apply_gradients(zip(gen_gradients, generator.trainable_variables))
        disc_optimizer.apply_gradients(zip(disc_gradients, discriminator.trainable_variables))

    disc_acc = tf.reduce_mean(tf.cast(real_output > 0.5, tf.float32))
    return gen_loss, disc_loss, disc_acc
```

```
def save_images(epoch):
    os.makedirs("generated_samples", exist_ok=True)
    noise = tf.random.normal([25, noise_dim])
    images = generator(noise, training=False)
    images = (images + 1) / 2

    fig, axs = plt.subplots(5, 5, figsize=(5,5))
    idx = 0
    for i in range(5):
        for j in range(5):
            axs[i,j].imshow(images[idx,:,:,:], cmap="gray")
            axs[i,j].axis("off")
            idx += 1

    plt.savefig(f"generated_samples/epoch_{epoch:02d}.png")
    plt.close()
```

```
for epoch in range(1, epochs + 1):
    for batch in train_dataset:
        g_loss, d_loss, d_acc = train_step(batch)

    print(f"Epoch {epoch}/{epochs} | "
          f"D_loss: {d_loss:.2f} | "
          f"D_acc: {d_acc*100:.2f}% | "
          f"G_loss: {g_loss:.2f}")

    if epoch % save_interval == 0:
        save_images(epoch)
```

Epoch 1/50	D_loss: 1.20	D_acc: 81.25%	G_loss: 0.76
Epoch 2/50	D_loss: 1.35	D_acc: 14.58%	G_loss: 1.00
Epoch 3/50	D_loss: 1.17	D_acc: 56.25%	G_loss: 1.01
Epoch 4/50	D_loss: 1.24	D_acc: 29.17%	G_loss: 1.24
Epoch 5/50	D_loss: 1.26	D_acc: 52.08%	G_loss: 0.91
Epoch 6/50	D_loss: 1.38	D_acc: 69.79%	G_loss: 0.68
Epoch 7/50	D_loss: 1.37	D_acc: 65.62%	G_loss: 0.71
Epoch 8/50	D_loss: 1.31	D_acc: 51.04%	G_loss: 0.86
Epoch 9/50	D_loss: 1.48	D_acc: 42.71%	G_loss: 0.79
Epoch 10/50	D_loss: 1.34	D_acc: 60.42%	G_loss: 0.76
Epoch 11/50	D_loss: 1.32	D_acc: 21.88%	G_loss: 1.12
Epoch 12/50	D_loss: 1.23	D_acc: 72.92%	G_loss: 0.81
Epoch 13/50	D_loss: 1.32	D_acc: 62.50%	G_loss: 0.79
Epoch 14/50	D_loss: 1.24	D_acc: 71.88%	G_loss: 0.80
Epoch 15/50	D_loss: 1.26	D_acc: 68.75%	G_loss: 0.79
Epoch 16/50	D_loss: 1.26	D_acc: 65.62%	G_loss: 0.85
Epoch 17/50	D_loss: 1.34	D_acc: 37.50%	G_loss: 0.92

Epoch 18/50	D_loss: 1.33	D_acc: 76.04%	G_loss: 0.68
Epoch 19/50	D_loss: 1.36	D_acc: 54.17%	G_loss: 0.77
Epoch 20/50	D_loss: 1.31	D_acc: 76.04%	G_loss: 0.71
Epoch 21/50	D_loss: 1.20	D_acc: 68.75%	G_loss: 0.86
Epoch 22/50	D_loss: 1.23	D_acc: 67.71%	G_loss: 0.86
Epoch 23/50	D_loss: 1.19	D_acc: 67.71%	G_loss: 0.98
Epoch 24/50	D_loss: 1.29	D_acc: 72.92%	G_loss: 0.74
Epoch 25/50	D_loss: 1.25	D_acc: 62.50%	G_loss: 0.87
Epoch 26/50	D_loss: 1.23	D_acc: 62.50%	G_loss: 0.84
Epoch 27/50	D_loss: 1.25	D_acc: 73.96%	G_loss: 0.76
Epoch 28/50	D_loss: 1.41	D_acc: 37.50%	G_loss: 0.99
Epoch 29/50	D_loss: 1.32	D_acc: 65.62%	G_loss: 0.78
Epoch 30/50	D_loss: 1.30	D_acc: 71.88%	G_loss: 0.74
Epoch 31/50	D_loss: 1.30	D_acc: 59.38%	G_loss: 0.80
Epoch 32/50	D_loss: 1.31	D_acc: 76.04%	G_loss: 0.68
Epoch 33/50	D_loss: 1.30	D_acc: 56.25%	G_loss: 0.83
Epoch 34/50	D_loss: 1.51	D_acc: 33.33%	G_loss: 0.90
Epoch 35/50	D_loss: 1.25	D_acc: 56.25%	G_loss: 0.96
Epoch 36/50	D_loss: 1.27	D_acc: 61.46%	G_loss: 0.97
Epoch 37/50	D_loss: 1.34	D_acc: 46.88%	G_loss: 0.87
Epoch 38/50	D_loss: 1.34	D_acc: 61.46%	G_loss: 0.84
Epoch 39/50	D_loss: 1.32	D_acc: 63.54%	G_loss: 0.75
Epoch 40/50	D_loss: 1.26	D_acc: 45.83%	G_loss: 0.97
Epoch 41/50	D_loss: 1.30	D_acc: 61.46%	G_loss: 0.80
Epoch 42/50	D_loss: 1.29	D_acc: 63.54%	G_loss: 0.86
Epoch 43/50	D_loss: 1.32	D_acc: 43.75%	G_loss: 0.93
Epoch 44/50	D_loss: 1.27	D_acc: 54.17%	G_loss: 0.91
Epoch 45/50	D_loss: 1.34	D_acc: 62.50%	G_loss: 0.79
Epoch 46/50	D_loss: 1.35	D_acc: 54.17%	G_loss: 0.85
Epoch 47/50	D_loss: 1.32	D_acc: 48.96%	G_loss: 0.86
Epoch 48/50	D_loss: 1.33	D_acc: 57.29%	G_loss: 0.79
Epoch 49/50	D_loss: 1.30	D_acc: 54.17%	G_loss: 0.85
Epoch 50/50	D_loss: 1.31	D_acc: 79.17%	G_loss: 0.67

```
os.makedirs("final_generated_images", exist_ok=True)

noise = tf.random.normal([100, noise_dim])
final_images = generator(noise, training=False)
final_images = (final_images + 1) / 2

for i in range(100):
    plt.imshow(f"final_generated_images/img_{i+1}.png",
               final_images[i,:, :, 0], cmap="gray")
```

```
classifier = tf.keras.Sequential([
    layers.Conv2D(32, 3, activation='relu', input_shape=(28,28,1)),
    layers.MaxPooling2D(),
    layers.Flatten(),
    layers.Dense(10, activation='softmax')
])

classifier.compile(
    optimizer='adam',
    loss='sparse_categorical_crossentropy',
    metrics=['accuracy']
)

classifier.fit(x_train, y_train, epochs=5, verbose=0)

preds = classifier.predict(final_images)
labels = np.argmax(preds, axis=1)

print("\nLabel Distribution of Generated Images:")
unique, counts = np.unique(labels, return_counts=True)
for u, c in zip(unique, counts):
    print(f"Label {u}: {c}")
```

4/4 ————— 1s 120ms/step

```
Label Distribution of Generated Images:
Label 0: 5
Label 1: 1
Label 2: 5
Label 3: 7
Label 4: 2
Label 5: 1
Label 6: 9
Label 7: 8
Label 8: 46
Label 9: 16
```

