

# **Image Generation using stable diffusion & Comfy UI (P1)**

A Project Report

submitted in partial fulfillment of the requirements

of

AICTE Internship on AI: Transformative Learning  
with

TechSaksham – A joint CSR initiative of Microsoft & SAP

by

**Abhijeet Kumar, jsrabhi819@gmail.com**

Under the Guidance of

**Jay Rathod**

## ACKNOWLEDGEMENT

---

I would like to express my sincere gratitude to **TechSaksam** for providing the opportunity to explore and understand **Image Generation using Stable Diffusion & Comfy**. Their guidance and resources have been invaluable in deepening my knowledge of AI-driven image synthesis and workflow-based generation techniques.

I extend my heartfelt thanks to my mentors and instructors for their continuous support, insightful feedback, and encouragement throughout this project. Their expertise and willingness to share knowledge have greatly contributed to the successful completion of this report.

I also appreciate my peers for their constructive discussions and collaborative learning, which helped enhance my understanding of the topic. Lastly, I am grateful to my family and friends for their unwavering motivation and support.

This project has been a significant learning experience, and I look forward to applying the skills and insights gained in future AI-driven projects.

## ABSTRACT

---

Image generation using AI has seen significant advancements with the development of deep learning models like **Stable Diffusion**. This report explores the capabilities of **Stable Diffusion** and its integration with **Comfy**, a powerful node-based workflow tool for AI-driven image synthesis. The study delves into the underlying mechanisms of **latent diffusion models**, their ability to generate high-quality images from text prompts, and the customization options available through **Comfy's modular workflow**.

The report provides an in-depth analysis of **Stable Diffusion's architecture**, including text-to-image generation, fine-tuning techniques, and model optimizations for enhanced output quality. Additionally, practical implementation steps using **Comfy UI** are demonstrated, showcasing how users can create, modify, and optimize image generation pipelines without extensive coding.

Through experimentation and evaluation, this report highlights the efficiency, flexibility, and creative potential of **Stable Diffusion & Comfy** in AI-based image synthesis. The findings underscore the importance of **workflow-based AI models** in democratizing creative content generation and expanding possibilities in digital art, design, and media.

## TABLE OF CONTENT

---

<b>Abstract</b> .....	<b>I</b>
<b>Chapter 1. Introduction</b> .....	<b>1</b>
1.1 Problem Statement .....	1
1.2 Motivation .....	1
1.3 Objectives.....	2
1.4. Scope of the Project .....	3
<b>Chapter 2. Literature Survey</b> .....	<b>4-6</b>
<b>Chapter 3. Proposed Methodology</b> .....	<b>7-10</b>
<b>Chapter 4. Implementation and Results</b> .....	<b>11-12</b>
<b>Chapter 5. Discussion and Conclusion</b> .....	<b>13-14</b>
<b>References</b> .....	<b>14</b>



## LIST OF FIGURES

<b>Figure No.</b>	<b>Figure Caption</b>	<b>Page No.</b>
Figure 1	ComfyUI Flow chart	7
Figure 2	Castle in town surrounded with water, Pirates ship sailoring in ocean	11
Figure 3	A marine drive	12
Figure 4	Iron Man and Avenger	12



## CHAPTER 1

### Introduction

#### 1.1 Problem Statement:

With the growing demand for AI-driven image generation, there is a need for an efficient and flexible framework that allows users to create high-quality images with minimal technical expertise. Traditional deep learning-based image synthesis models often require extensive computational resources, complex coding knowledge, and manual fine-tuning, making them less accessible to non-experts.

**Stable Diffusion**, a state-of-the-art latent diffusion model, offers a powerful solution for text-to-image generation. However, effectively utilizing and customizing its capabilities remains a challenge for many users. **Comfy**, a node-based workflow tool, aims to simplify the process by providing a modular, visual approach to AI-driven image synthesis.

This project addresses the challenges of **ease of use, accessibility, and optimization** in AI-based image generation. It explores how **Stable Diffusion and Comfy** can be leveraged to enhance the image creation process, allowing users to generate, modify, and refine images without requiring deep expertise in AI or coding. The study aims to evaluate the effectiveness, flexibility, and creative potential of this approach in making AI-powered image generation more intuitive and user-friendly.

#### 1.2 Motivation:

The rapid advancements in artificial intelligence have revolutionized the field of image generation, enabling the creation of high-quality, realistic images from simple text prompts. **Stable Diffusion**, a cutting-edge latent diffusion model, has demonstrated remarkable capabilities in AI-driven art, design, and creative content generation. However, effectively utilizing such models often requires significant coding expertise, computational resources, and fine-tuning, making them less accessible to a broader audience.

**Comfy**, a node-based workflow tool, offers an innovative solution by providing a **visual, modular, and customizable approach** to AI-driven image generation. By integrating Stable Diffusion with Comfy, users can easily construct and optimize workflows for generating high-quality images without deep programming knowledge.

The motivation behind this project is to **bridge the gap between advanced AI models and user-friendly implementation** by exploring how **Stable Diffusion and Comfy** can be leveraged to democratize AI-powered creativity. This project aims to make AI-generated art more accessible to artists, designers, and developers while optimizing the workflow for enhanced flexibility and ease of use.

By understanding and implementing these tools, this project seeks to contribute to the growing field of AI-assisted creativity, empowering users to **experiment, innovate, and push the boundaries of digital content generation.**

### 1.3Objective:

The primary objectives of this project on **Image Generation using Stable Diffusion & Comfy** are:

1. **Understanding Stable Diffusion** – Explore the architecture and working principles of **Stable Diffusion**, including its text-to-image generation process and latent diffusion model.
2. **Exploring Comfy UI** – Analyze how **Comfy**, a node-based workflow tool, enhances the usability and customization of **Stable Diffusion** for AI-driven image generation.
3. **Developing an Optimized Workflow** – Implement and refine **image generation pipelines** using Comfy, focusing on improving efficiency, flexibility, and output quality.
4. **Customization and Fine-Tuning** – Investigate techniques for modifying and optimizing images by adjusting model parameters, integrating different diffusion models, and experimenting with various prompts.
5. **Enhancing Accessibility** – Demonstrate how Comfy's **visual, no-code** approach makes AI-powered image generation more accessible to non-experts, artists, and designers.
6. **Evaluating Performance and Use Cases** – Assess the effectiveness, accuracy, and creative potential of Stable Diffusion and Comfy across different applications, including digital art, media, and design.
7. **Encouraging AI-Driven Creativity** – Promote the use of AI-powered tools in creative fields by showcasing **real-world applications** of AI-generated images in artistic and commercial projects.

## 1.4 Scope of the Project:

This project on **Image Generation using Stable Diffusion & Comfy** focuses on exploring and implementing AI-driven image synthesis techniques. The scope includes:

1. **Understanding AI-Based Image Generation**
  - Studying the fundamentals of **Stable Diffusion**, including its **latent diffusion model** and **text-to-image generation** process.
  - Exploring the role of deep learning in **image synthesis and enhancement**.
2. **Implementation Using Comfy UI**
  - Utilizing **Comfy**, a node-based workflow tool, to design and execute **image generation pipelines**.
  - Customizing workflows for **better efficiency, ease of use, and enhanced image quality**.
3. **Optimization and Fine-Tuning**
  - Experimenting with **different model configurations, sampling methods, and hyperparameters** to optimize output quality..
4. **Usability and Accessibility**
  - Analyzing how Comfy simplifies **image generation for non-technical users** through its **visual, modular approach**.
  - Comparing traditional **code-based** vs. **workflow-based** AI image generation methods.
5. **Applications and Use Cases**
  - Demonstrating **real-world applications** of AI-generated images in **art, design, media, gaming, and advertising**.
  - Evaluating the potential of **Stable Diffusion and Comfy** in **commercial and creative industries**.
6. **Limitations and Ethical Considerations**
  - Identifying the **limitations** of Stable Diffusion and Comfy, including computational constraints and biases in AI-generated images.
  - Discussing the **ethical aspects** of AI-generated content, such as copyright concerns and responsible AI usage.

## CHAPTER 2

# Literature Survey

### 2.1 Review relevant literature or previous work in this domain.

AI-driven image generation has evolved from GANs (Goodfellow et al., 2014) and VAEs (Kingma & Welling, 2013) to Diffusion Models (Ho et al., 2020), which overcome training challenges and improve image quality. Stable Diffusion (Rombach et al., 2022) introduced Latent Diffusion Models (LDMs), enabling high-resolution text-to-image synthesis with lower computational costs. Unlike GANs, it gradually refines images from noise using a latent space representation.

Comfy provides a node-based, no-code workflow to simplify Stable Diffusion usage, offering modularity, customization, and accessibility. Prior research shows that diffusion models outperform GANs in quality and diversity, while workflow-driven AI (like Comfy) enhances usability. However, challenges remain in ease of use, fine-tuning, and computational efficiency. This project builds on previous work to improve accessibility, workflow optimization, and creative flexibility in AI-powered image generation.

### 2.2 Mention any existing models, techniques, or methodologies related to the problem.

Several models, techniques, and methodologies have been developed for AI-driven image generation. This section highlights the key approaches related to Stable Diffusion and Comfy.

#### 1. Existing AI Models for Image Generation

- Generative Adversarial Networks (GANs) – Introduced by Goodfellow et al. (2014), GANs consist of a generator and discriminator competing to produce realistic images. Examples include StyleGAN and BigGAN, known for their high-quality outputs but challenging training processes.
- Variational Autoencoders (VAEs) – Proposed by Kingma & Welling (2013), VAEs focus on latent space representation for image synthesis. While they ensure good diversity, they often produce blurry outputs.
- Diffusion Models (DDPMs) – Developed by Ho et al. (2020), these models iteratively denoise random noise into meaningful images. They provide superior quality and stability compared to GANs.
- Stable Diffusion (Latent Diffusion Models - LDMs) – A state-of-the-art text-to-image model by Rombach et al. (2022), which optimizes diffusion models by working in a compressed latent space instead of pixel space, improving efficiency.

#### 2. Key Techniques for Image Generation

- Text-to-Image Synthesis – Models like Stable Diffusion and DALL·E (OpenAI) use CLIP (Radford et al., 2021) embeddings to interpret text prompts and generate corresponding images.
- Image Inpainting and Outpainting – Used for filling missing parts of an image or extending images beyond their original frame (e.g., Photoshop's AI-powered tools).

- Fine-Tuning and Customization – Methods like DreamBooth and LoRA (Low-Rank Adaptation) allow personalized model training to generate images in a specific style or domain.
  - Upscaling and Super-Resolution – Techniques like ESRGAN (Enhanced Super-Resolution GAN) improve the resolution and quality of generated images.
3. Methodologies in Workflow-Based AI (Comfy UI)
- Node-Based Image Generation – Unlike script-based implementations (e.g., Stable Diffusion WebUI), Comfy uses a modular, drag-and-drop workflow for better control and customization.
  - Pipeline Customization – Users can create custom workflows with multiple models, noise schedulers, and control parameters, allowing flexibility in generation.
  - Multi-Step Processing – Comfy supports iterative processing, enabling image refinement, blending, and transformation without requiring deep coding expertise.

This project leverages these models and methodologies to create a flexible, efficient, and user-friendly AI image generation system.

### **2.3 Highlight the gaps or limitations in existing solutions and how your project will address them.**

### **2.3 Gaps in Existing Solutions and How This Project Addresses Them**

Despite significant advancements in AI-driven image generation, existing solutions still face key challenges in usability, accessibility, and optimization. This project aims to address these gaps by leveraging Stable Diffusion and Comfy to enhance workflow efficiency and user experience.

#### *1. Gaps and Limitations in Existing Solutions*

Challenge	Limitations in Existing Solutions
Technical Complexity	Many AI-based image generation tools (e.g., Stable Diffusion WebUI, Python-based implementations) require coding knowledge, limiting accessibility for non-technical users.
Computational Requirements	GANs and full-scale diffusion models are computationally intensive, making them difficult to run on consumer hardware without optimizations.
Limited Customization & Workflow Control	Traditional implementations lack modular workflow control, restricting users from fine-tuning and optimizing the image generation process.
Difficult Fine-Tuning	Model personalization (e.g., DreamBooth, LoRA) requires manual configuration and additional training, which can be challenging.
Lack of Visual Workflow Interfaces	Most existing tools rely on command-line interfaces or pre-set UI options without offering flexible, node-based workflow design.



## 2. How This Project Addresses These Gaps

Problem	Solution Using Stable Diffusion & Comfy
Technical Complexity	Comfy UI provides a drag-and-drop, no-code workflow, making AI image generation accessible to users with minimal coding knowledge.
Computational Efficiency	Stable Diffusion's Latent Diffusion Models (LDMs) reduce computational costs while maintaining high-quality output. Comfy optimizes processing by enabling workflow-based model execution.
Customizable Workflow	Comfy's modular node system allows users to create custom pipelines, enabling layered processing, blending, and iterative improvements in image generation.
Improved Fine-Tuning	Integrating LoRA, ControlNet, and other AI models in Comfy simplifies fine-tuning without requiring extensive coding.
Visual Workflow Interface	Unlike script-based solutions, Comfy UI enables users to build, modify, and experiment with AI models visually, improving usability and flexibility.

## Conclusion


By addressing these gaps in existing AI image generation tools, this project makes Stable Diffusion more user-friendly, customizable, and efficient through Comfy's node-based workflow, reducing technical barriers and enhancing creative flexibility.

## CHAPTER 3

### Proposed Methodology

#### 3.1 System Design

Provide the diagram of your Proposed Solution and explain the diagram in detail.



This diagram represents the workflow of an image generation system using ComfyFlowApp, illustrating how creators interact with the system to generate images and how users access the results through web applications.

#### Key Components & Workflow

1. Creator
  - The process begins with a creator (developer or designer) who initiates a new workflow in the ComfyFlowApp.
2. ComfyFlowApp:creator
  - This is the core application where workflows are built and executed.
  - It includes a Workspace where creators can design and manage image generation pipelines.
  - Runs on a LocalHost environment, meaning it operates on the creator's local machine.
3. Workflow Creation & Saving

- The creator creates a new workflow, which is saved as Workflow.png (possibly a representation of the workflow structure).
- The saved image can be further modified or reloaded into the system for adjustments.

#### 4. Processing & Image Generation

- The ComfyFlowApp processes the workflow and generates images.
- The generated images are stored and can be retrieved for use.

#### 5. Integration with Web Apps

- The system can start or stop processing via Web Apps, allowing user interaction.
- Web applications provide an interface for users to access and generate images without direct involvement in workflow creation.

#### 6. User Interaction

- Users interact with the Web Apps to request and obtain AI-generated images.
- This makes the system more accessible to non-technical users.

### Conclusion

This diagram illustrates a modular and structured workflow for AI-based image generation using ComfyFlowApp. It highlights the interaction between creators, the processing system, and end-users, enabling an efficient and accessible image generation process.

### 3.2 Requirement Specification

Mention the tools and technologies required to implement the solution.

#### 3.2.1 Hardware Requirements:

Since ComfyUI is a node-based workflow system for Stable Diffusion, it requires a powerful GPU for efficient image generation.

Component	Minimum Requirement	Recommended Requirement
Processor (CPU)	Intel i5 (10th Gen) / AMD Ryzen 5	Intel i7/i9 (12th Gen) / AMD Ryzen 7/9
Graphics Card (GPU)	NVIDIA GTX 1660 (6GB VRAM)	NVIDIA RTX 3060/4060 (12GB) or higher
RAM	16GB DDR4	32GB DDR5
Storage	256GB SSD	1TB NVMe SSD
Power Supply	500W+ (for GPU support)	750W+ (for high-end GPUs)
Operating System	Windows 10 / Linux (Ubuntu)	Windows 11 / Ubuntu 22.04+
Internet Connection	Required for model downloads	High-speed for cloud integration

*Note:* A CUDA-compatible NVIDIA GPU is highly recommended for Stable Diffusion and ComfyUI to generate images faster.

### 3.2.2 Software Requirements:

Software Component	Details
Operating System	Windows 10/11, Ubuntu 20.04+ (Linux)
AI Framework	PyTorch (Stable Diffusion backend)
Stable Diffusion Model	Stable Diffusion v1.5, v2.1, SDXL
User Interface	ComfyUI (Node-based workflow for Stable Diffusion)
Python Version	Python 3.10+
Libraries & Dependencies	NumPy, OpenCV, Matplotlib, Pillow, diffusers
CUDA & cuDNN (For GPU Acceleration)	NVIDIA CUDA 11.7+, cuDNN 8+
Web Deployment (If Needed)	Flask / FastAPI (for backend), React / Streamlit (for frontend)
Version Control	Git, GitHub / GitLab
Cloud & Hosting (Optional)	Google Colab, AWS EC2, Lambda Labs, RunPod



#### Additional Dependencies for ComfyUI



- Torch & torchvision (for deep learning models)
- xformers (for faster inference)
- ControlNet (for advanced image control)
- LoRA & DreamBooth (for fine-tuning models)

# CHAPTER 4

## Implementation and Result

### 4.1 Snap Shots of Result:





**4.2 GitHub Link for Code: - <https://github.com/Abhijeet-035/-Image-Generation-.git>**

## CHAPTER 5

### Discussion and Conclusion

#### 5.1 Future Work:

The Image Generation using Stable Diffusion & ComfyUI project demonstrates the effectiveness of AI-based image synthesis. However, there is room for further improvement. Future work can focus on the following areas:

1. Model Optimization & Acceleration
  - Implement TensorRT or ONNX Runtime to accelerate inference speed.
  - Improve memory efficiency for better handling of high-resolution image generation.
2. Advanced Control Mechanisms
  - Integrate Multi-ControlNet support for more precise image conditioning.
  - Enhance prompt-based editing for finer image manipulation.
3. Fine-Tuning & Personalization
  - Develop LoRA or DreamBooth fine-tuned models for personalized styles.
  - Enable adaptive learning based on user feedback to improve results.
4. Better UI & User Experience
  - Expand ComfyUI's node system with additional prebuilt workflows.
  - Create a web-based version with cloud deployment for broader accessibility.
5. Ethical & Responsible AI
  - Implement content moderation and bias reduction techniques.
  - Develop methods for watermarking AI-generated images to prevent misuse.

## 5.2 Conclusion:

This project successfully implemented Stable Diffusion using ComfyUI, offering a user-friendly, node-based workflow for generating high-quality AI images. By leveraging advanced diffusion models, the system provides customizable and scalable image generation.

The project's key contributions include:

- Enhanced usability through a no-code, drag-and-drop interface.
- Efficient model execution leveraging GPU acceleration for faster results.
- Integration of ControlNet, LoRA, and fine-tuning options for better control.
- Potential for real-world applications in art, design, and automation.

With future improvements in model efficiency, personalization, and ethical AI, this system can become a powerful creative tool for both artists and developers.

## REFERENCES

- [1]. Ming-Hsuan Yang, David J. Kriegman, Narendra Ahuja, “Detecting Faces in Images: A Survey”, IEEE Transactions on Pattern Analysis and Machine Intelligence, Volume. 24, No. 1, 2002.