# Reporting Aggregated Data Using the Group Functions

#### **Objectives**

After completing this lesson, you should be able to do the following:

- Identify the available group functions
- Describe the use of group functions
- Group data by using the GROUP BY clause
- Include or exclude grouped rows by using the HAVING clause


### What Are Group Functions?

Group functions operate on sets of rows to give one result per group.

#### **EMPLOYEES**


DEPARTMENT_ID	SALARY
90	24000
90	17000
90	17000
60	9000
60	6000
60	4200
50	5800
50	3500
50	3100
50	2600
50	2500
80	10500
80	11000
80	8600
	7000
10	4400

Maximum salary in EMPLOYEES table



### **Types of Group Functions**

- AVG
- COUNT
- MAX
- MIN
- STDDEV
- SUM
- VARIANCE



### **Group Functions: Syntax**

```
SELECT [column,] group_function(column), ...

FROM table
[WHERE condition]
[GROUP BY column]
[ORDER BY column];
```

### Using the AVG and SUM Functions

#### You can use AVG and SUM for numeric data.

```
SELECT AVG(salary), MAX(salary),
MIN(salary), SUM(salary)

FROM employees
WHERE job_id LIKE '%REP%';
```

AVG(SALARY)	MAX(SALARY)	MIN(SALARY)	SUM(SALARY)
8150	11000	6000	32600

### Using the MIN and MAX Functions

You can use MIN and MAX for numeric, character, and date data types.

```
SELECT MIN(hire_date), MAX(hire_date)
FROM employees;
```

MIN(HIRE_	MAX(HIRE_
17-JUN-87	29-JAN-00

### Using the COUNT Function

#### **COUNT (\*)** returns the number of rows in a table:

1

```
SELECT COUNT(*)
FROM employees
WHERE department_id = 50;
```

## COUNT (expr) returns the number of rows with non-null values for the expr:

(2)

```
SELECT COUNT (commission_pct)

FROM employees
WHERE department_id = 80;

COUNT(COMMISSION_PCT)
```

### Using the DISTINCT Keyword


- COUNT (DISTINCT expr) returns the number of distinct non-null values of the expr.
- To display the number of distinct department values in the EMPLOYEES table:

```
SELECT COUNT(DISTINCT department_id)
FROM employees;
```

COUNT(DISTINCTDEPARTMENT\_ID)
7

### **Group Functions and Null Values**

#### Group functions ignore null values in the column:



## The NVL function forces group functions to include null values:

SELECT AVG(NVL(commission\_pct, 0))
FROM employees;

AVG(NVL(COMMISSION PCT.0))

.0425

### **Creating Groups of Data**

#### **EMPLOYEES**

DEPARTMENT_ID		SALARY
	10	4400
	20	13000
	20	6000
	50	5800
	50	3500
	50	3100
	50	2500
	50	2600
	60	9000
	60	6000
	60	4200
	80	10500
	80	8600
	80	11000
	90	24000
	90	17000

4400

9500

3500 Average
salary in
EMPLOYEES
6400 table for each
department

10033

DEPARTMENT_ID	AVG(SALARY)
10	4400
20	9500
50	3500
60	6400
80	10033.3333
90	19333.3333
110	10150
	7000

. . .

## **Creating Groups of Data: GROUP BY Clause Syntax**

```
SELECT column, group_function(column)

FROM table

[WHERE condition]

[GROUP BY group_by_expression]

[ORDER BY column];
```

You can divide rows in a table into smaller groups by using the GROUP BY clause.

constraint any attribute writen beside the group function should be added in the group by

select department\_id , avg (salary ) from employees group by department\_id ;

#### Using the GROUP BY Clause

All columns in the SELECT list that are not in group functions must be in the GROUP BY clause.

```
SELECT department_id, AVG(salary)
FROM employees
GROUP BY department_id;
```

DEPARTMENT_ID	AVG(SALARY)
10	4400
20	9500
50	3500
60	6400
80	10033.3333
90	19333.3333
110	10150
	7000

#### Using the GROUP BY Clause

The GROUP BY column does not have to be in the SELECT list.

```
SELECT AVG(salary)
FROM employees
GROUP BY department_id ;
```

AVG(SALARY)	
	4400
	9500
	3500
	6400
	10033.3333
	19333.3333
	10150
	7000

### **Grouping by More Than One Column**

#### **EMPLOYEES**

DEPARTMENT_ID	JOB_ID	SALARY
90	AD_PRES	24000
90	AD_VP	17000
90	AD_VP	17000
60	IT_PROG	9000
60	IT_PROG	6000
60	IT_PROG	4200
50	ST_MAN	5800
50	ST_CLERK	3500
50	ST_CLERK	3100
50	ST_CLERK	2600
50	ST_CLERK	2500
80	SA_MAN	10500
80	SA_REP	11000
80	SA_REP	8600
• • •		
20	MK_REP	6000
110	AC_MGR	12000

20 MK_REP	6000
110 AC_MGR	12000
110 AC_ACCOUNT	8300

20 rows selected.

Add the salaries in the EMPLOYEES table for each job, grouped by department

group by the two elements

DEPARTMENT_ID	JOB_ID	SUM(SALARY)
10	AD_ASST	4400
20	MK_MAN	13000
20	MK_REP	6000
50	ST_CLERK	11700
50	ST_MAN	5800
60	IT_PROG	19200
80	SA_MAN	10500
80	SA_REP	19600
90	AD_PRES	24000
90	AD_VP	34000
110	AC_ACCOUNT	8300
110	AC_MGR	12000
	SA_REP	7000

# Using the GROUP BY Clause on Multiple Columns

```
SELECT department_id dept_id, job_id, SUM(salary)
FROM employees
GROUP BY department_id, job_id;
```

DEPT_ID	JOB_ID	SUM(SALARY)
10	AD_ASST	4400
20	MK_MAN	13000
20	MK_REP	6000
50	ST_CLERK	11700
50	ST_MAN	5800
60	IT_PROG	19200
80	SA_MAN	10500
80	SA_REP	19600
90	AD_PRES	24000
90	AD_VP	34000
110	AC_ACCOUNT	8300
110	AC_MGR	12000
	SA_REP	7000

<sup>13</sup> rows selected.

# Illegal Queries Using Group Functions

Any column or expression in the SELECT list that is not an aggregate function must be in the GROUP BY clause:

```
SELECT department_id, COUNT(last_name)
FROM employees;
```

```
SELECT department_id, COUNT(last_name)

*

ERROR at line 1:

ORA-00937: not a single-group group function
```

Column missing in the GROUP BY clause

# Illegal Queries Using Group Functions

- You cannot use the WHERE clause to restrict groups.
- You use the HAVING clause to restrict groups.
- You cannot use group functions in the WHERE clause.

```
SELECT department_id, AVG(salary)
FROM employees
WHERE AVG(salary) > 8000
GROUP BY department_id;
```

```
WHERE AVG(salary) > 8000
     *
ERROR at line 3:
ORA-00934: group function is not allowed here
```

Cannot use the WHERE clause to restrict groups

### **Restricting Group Results**

#### **EMPLOYEES**

DEPARTMENT_ID	SALARY
90	24000
90	17000
90	17000
60	9000
60	6000
60	4200
50	5800
50	3500
50	3100
50	2600
50	2500
80	10500
80	11000
80	8600
20	6000
110	12000
110	8300

The maximum salary per department when it is greater than \$10,000

DEPARTMENT_ID	MAX(SALARY)
20	13000
80	11000
90	24000
110	12000

## Restricting Group Results with the HAVING Clause

When you use the HAVING clause, the Oracle server restricts groups as follows:

- 1. Rows are grouped.
- 2. The group function is applied.
- 3. Groups matching the HAVING clause are displayed.

```
SELECT column, group_function

FROM table

[WHERE condition]

[GROUP BY group by expression]

[HAVING group_condition]

[ORDER BY column];
```

#### Using the HAVING Clause

```
SELECT department_id, MAX(salary)
FROM employees
GROUP BY department_id
HAVING MAX(salary)>10000;
```

DEPARTMENT_ID	MAX(SALARY)
20	13000
80	11000
90	24000
110	12000

#### Using the HAVING Clause

```
SELECT job_id, SUM(salary) PAYROLL
FROM employees
WHERE job_id NOT LIKE '%REP%'
GROUP BY job_id
HAVING SUM(salary) > 13000
ORDER BY SUM(salary);
```

JOB_ID	PAYROLL
IT_PROG	19200
AD_PRES	24000
AD_VP	34000

### **Nesting Group Functions**

#### Display the maximum average salary:

```
SELECT MAX(AVG(salary))

FROM employees

GROUP BY department_id;
```

```
MAX(AVG(SALARY))
19333.3333
```

#### **Summary**

#### In this lesson, you should have learned how to:

- Use the group functions COUNT, MAX, MIN, and AVG
- Write queries that use the GROUP BY clause
- Write queries that use the HAVING clause

```
SELECT column, group_function

FROM table

[WHERE condition]

[GROUP BY group_by_expression]

[HAVING group_condition]

[ORDER BY column];
```

#### **Practice 4: Overview**

#### This practice covers the following topics:

- Writing queries that use the group functions
- Grouping by rows to achieve more than one result
- Restricting groups by using the HAVING clause