




Boxplot de Ploidy



Boxplot de Ty1_ratio_over_ploidy



Boxplot de Ty2_ratio_over_ploidy




Clade




Box plot showing the distribution of the number of SNPs per site for 26 different clades. The y-axis represents the number of SNPs per site, ranging from 0 to 10. The x-axis lists the clades. The distributions are color-coded: European (black), African (yellow), Asian (green), and other groups (blue, purple, pink). The distributions show a general increase in the number of SNPs per site from left to right, with the highest values observed in the 16 CHNII clade.



Boxplot de Ty4_ratio_over_ploidy




Boxplot de Ty5_ratio_over_ploidy




Clade




Boxplot de Total_ratio_over_ploidy




Boxplot de Ty1_count



Boxplot de Ty2_count




Boxplot de Ty3_count



Clade

- | | |
|------------------------|-------------------------|
| 01.Wine_European | 25.Sake |
| 02.Alpechin | 07.Mosaic_beer |
| 05.French_Dairy | 03.Brazilian_Bioethanol |
| 06.African_beer | M3.Mosaic_Region_3 |
| 10.French_Guiana_human | 99.Other |
| 17.Taiwanese | 12.West_African_cocoa |
| 19.Malaysian | 26.Asian_fermentation |
| 11.Ale_beer | M2.Mosaic_Region_2 |
| M1.Mosaic_Region_1 | 15.CHNII |
| 13.African_palm_wine | 20.CHNV |
| 09.Mexican_Agave | 04.Mediterranean_oak |
| 08.Mixed_origin | 23.North_American |
| 24.Asian_islands | 21.Ecuadorean |
| 18.Far_East_Asia | 14.CHNIII |
| 22.Russian | 16.CHNI |


Boxplot de Ty4_count



Clade



Boxplot de Ty5_count



Boxplot de Total_count

