

# Cucumber Report

09-Feb-2021, 7:00:22 PM

Started At : Feb 09,  
7:00:20.471 PM



Finished At : Feb 09,  
7:00:21.749 PM

Duration :  
1.278 s

Features

Scenarios

Steps




Passed - 1  
Failed - 0  
Skipped - 0

Passed - 3  
Failed - 0  
Skipped - 0

Passed - 21  
Failed - 0  
Skipped - 0




FEATURES SUMMARY 1 - 1



#	Feature Name	T	P	F	S	Duration
1	Testing the transfer scenarious	3	3	0	0	1.278 s

SCENARIOS SUMMARY 1 - 3



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the transfer ...	I am scenariou A	7	7	0	0	0.414 s
2	Testing the transfer ...	I am scenariou B	7	7	0	0	0.411 s
3	Testing the transfer ...	I am scenariou C	7	7	0	0	0.390 s


## (F) - Testing the transfer scenariou

// Feb 09, 7:00:20.471 PM // Feb 09, 7:00:21.749 PM //


@Tags - @Regression

Duration  
1.278 s

Scenarios  
Total 3  
Pass 3  
Fail 0  
Skip 0



Steps  
Total 21  
Pass 21  
Fail 0  
Skip 0




(F) - Testing the transfer scenariou

## (S) - I am scenariou A

// Feb 09, 7:00:20.484 PM // Feb 09, 7:00:20.898 PM //

@Tags - @Regression @smoke

Duration  
0.414 s



Steps  
Total 7  
Pass 7  
Fail 0  
Skip 0




#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.002 s
2	And some other precondition	PASSED	0.000 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.001 s
5	And yet another action	PASSED	0.000 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.000 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou A ----- Media saved - ../screenshot/embedded1.png	PASSED	0.361 s

(F) - Testing the transfer scenarious

**(S) - I am scenariou B**

// Feb 09, 7:00:20.929 PM // Feb 09, 7:00:21.340 PM //

@Tags - @Regression



Steps

Total 7

Pass 7

Fail 0

Skip 0

Duration

0.411 s




#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.000 s
2	And some other precondition	PASSED	0.000 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.001 s
5	And yet another action	PASSED	0.003 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou B ----- Media saved - ../screenshot/embedded2.png	PASSED	0.385 s

(F) - Testing the transfer scenarious

**(S) - I am scenariou C**

// Feb 09, 7:00:21.359 PM // Feb 09, 7:00:21.749 PM //

@Tags - @Regression



Steps

Total 7

Pass 7

Fail 0

Skip 0

Duration

0.390 s



#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.000 s
2	And some other precondition	PASSED	0.001 s
3	When I complete action	PASSED	0.001 s
4	And some other action	PASSED	0.000 s

#	Step / Hook Text	Status	Duration
5	And yet another action	PASSED	0.000 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou C ----- Media saved - ../screenshot/embedded3.png	PASSED	0.370 s