

Cucumber Report

09-Feb-2021, 7:04:34 PM

Started At : Feb 09,
7:04:31.144 PM



Finished At : Feb 09,
7:04:32.299 PM

Duration :
1.155 s

Features

Scenarios

Steps




Passed - 1
Failed - 0
Skipped - 0

Passed - 3
Failed - 0
Skipped - 0

Passed - 21
Failed - 0
Skipped - 0




FEATURES SUMMARY 1 - 1



#	Feature Name	T	P	F	S	Duration
1	Testing the transfer scenarious	3	3	0	0	1.155 s

SCENARIOS SUMMARY 1 - 3



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the transfer ...	I am scenariou A	7	7	0	0	0.408 s
2	Testing the transfer ...	I am scenariou B	7	7	0	0	0.335 s
3	Testing the transfer ...	I am scenariou C	7	7	0	0	0.336 s


(F) - Testing the transfer scenariou

// Feb 09, 7:04:31.144 PM // Feb 09, 7:04:32.299 PM //


@Tags - @Regression

Duration
1.155 s

Scenarios
Total 3
Pass 3
Fail 0
Skip 0



Steps
Total 21
Pass 21
Fail 0
Skip 0




(F) - Testing the transfer scenariou

(S) - I am scenariou A

// Feb 09, 7:04:31.166 PM // Feb 09, 7:04:31.574 PM //

@Tags - @Regression @smoke

Duration
0.408 s



Steps
Total 7
Pass 7
Fail 0
Skip 0




#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.001 s
2	And some other precondition	PASSED	0.001 s
3	When I complete action	PASSED	0.001 s
4	And some other action	PASSED	0.001 s
5	And yet another action	PASSED	0.001 s
6	Then I validate the outcomes	PASSED	0.000 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou A ----- Media saved - null	PASSED	0.319 s

(F) - Testing the transfer scenarious

(S) - I am scenariou B

// Feb 09, 7:04:31.613 PM // Feb 09, 7:04:31.948 PM //

@Tags - @Regression



Steps

Total 7

Pass 7

Fail 0

Skip 0

Duration

0.335 s




#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.001 s
2	And some other precondition	PASSED	0.006 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.000 s
5	And yet another action	PASSED	0.002 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou B ----- Media saved - null	PASSED	0.291 s

(F) - Testing the transfer scenarious

(S) - I am scenariou C

// Feb 09, 7:04:31.963 PM // Feb 09, 7:04:32.299 PM //

@Tags - @Regression



Steps

Total 7

Pass 7

Fail 0

Skip 0

Duration

0.336 s



#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.001 s
2	And some other precondition	PASSED	0.001 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.000 s

#	Step / Hook Text	Status	Duration
5	And yet another action	PASSED	0.000 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.000 s
	<div>after - Hooks.hook.afterScenario(io.cucumber.java.Scenario)</div> <div>-----</div> <div>I am scenariou C</div> <div>-----</div> <div>Media saved - null</div>	PASSED	0.312 s