

# Cucumber Report

23-Feb-2021, 12:31:11 PM

Started At : Feb 23,  
12:31:08.005 PM



Finished At : Feb 23,  
12:31:09.256 PM

Duration :  
1.251 s

Features

Scenarios

Steps




Passed - 1  
Failed - 0  
Skipped - 0

Passed - 3  
Failed - 0  
Skipped - 0

Passed - 21  
Failed - 0  
Skipped - 0




FEATURES SUMMARY 1 - 1



#	Feature Name	T	P	F	S	Duration
1	Testing the transfer scenarious	3	3	0	0	1.251 s

SCENARIOS SUMMARY 1 - 3



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the transfer ...	I am scenariou A	7	7	0	0	0.507 s
2	Testing the transfer ...	I am scenariou B	7	7	0	0	0.336 s
3	Testing the transfer ...	I am scenariou C	7	7	0	0	0.348 s

## (F) - Testing the transfer scenariou

// Feb 23, 12:31:08.005 PM // Feb 23, 12:31:09.256 PM //

@Tags - @Regression

Duration

1.251 s


### Scenarios

Total 3

Pass 3

Fail 0

Skip 0



### Steps

Total 21

Pass 21

Fail 0

Skip 0



(F) - Testing the transfer scenariou


## (S) - I am scenariou A

// Feb 23, 12:31:08.019 PM // Feb 23, 12:31:08.526 PM //

@Tags - @Regression @smoke

Duration

0.507 s



### Steps

Total 7

Pass 7

Fail 0

Skip 0




#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.002 s
2	And some other precondition	PASSED	0.001 s
3	When I complete action	PASSED	0.001 s
4	And some other action	PASSED	0.001 s
5	And yet another action	PASSED	0.001 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou A ----- Media saved - null	PASSED	0.422 s

(F) - Testing the transfer scenarious

### (S) - I am scenariou B

// Feb 23, 12:31:08.550 PM // Feb 23, 12:31:08.886 PM //

@Tags - @Regression



Steps

Total 7

Pass 7

Fail 0

Skip 0

Duration

0.336 s




#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.001 s
2	And some other precondition	PASSED	0.001 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.000 s
5	And yet another action	PASSED	0.002 s
6	Then I validate the outcomes	PASSED	0.000 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou B ----- Media saved - null	PASSED	0.303 s

(F) - Testing the transfer scenarious

### (S) - I am scenariou C

// Feb 23, 12:31:08.908 PM // Feb 23, 12:31:09.256 PM //

@Tags - @Regression



Steps

Total 7

Pass 7

Fail 0

Skip 0

Duration

0.348 s



#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.001 s
2	And some other precondition	PASSED	0.000 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.005 s

#	Step / Hook Text	Status	Duration
5	And yet another action	PASSED	0.000 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.000 s
	<div>after - Hooks.hook.afterScenario(io.cucumber.java.Scenario)</div> <div>-----</div> <div>I am scenariou C</div> <div>-----</div> <div>Media saved - null</div>	PASSED	0.306 s