
Started At: Feb 23, 6:06:23.724 PM


Finished At: Feb 23, 6:07:06.644 PM

Duration : **42.920 s**






FEATURES SUMMARY 1 - 1



#	Feature Name	T	P	F	S	Duration
1	Testing the transfer scenarious	3	2	1	0	42.920 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the transfer	I am scenariou B	7	0	0	7	10.975 s
2	Testing the transfer	I am scenariou A	7	7	0	0	40.389 s
3	Testing the transfer	I am scenariou C	7	7	0	0	42.908 s

(F) - Testing the transfer scenarious

// Feb 23, 6:06:23.724 PM // Feb 23, 6:07:06.644 PM //

Duration 42.920 s

Duration

10.975 s

@Tags - @Regression








(F) - Testing the transfer scenarious

(S) - I am scenariou B

// Feb 23, 6:06:23.733 PM // Feb 23, 6:06:34.708 PM //

@Tags - @Regression







#	Step / Hook Text	Status	Duration
	before - Hooks.hook.beforeScenario()	FAILED	10.790 s
	org.openqa.selenium.WebDriverException: Timed out waiting for driver		
	Build info: version: '4.0.0-alpha-7', revision: 'de8579b6d5'		
	System info: host: 'SATYAM', ip: '192.168.1.6', os.name: 'Windows 10',		
	Driver info: driver.version: ChromeDriver		
	at org.openqa.selenium.remote.service.DriverService.start(DriverServi		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.exec		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteW		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(Remo		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWeb</init>		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumD</init>		
	Given I want to write a step with precondition	SKIPPED	0.001 s
	And some other precondition	SKIPPED	0.002 s
	When I complete action	SKIPPED	0.000 s
	And some other action	SKIPPED	0.000 s
	And yet another action	SKIPPED	0.001 s
	Then I validate the outcomes	SKIPPED	0.002 s
	And check more outcomes	SKIPPED	0.000 s
	I .		


#	Step / Hook Text	Status	Duration
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) java.lang.NullPointerException	FAILED	0.004 s
	at Utility.Util.takeScreenShot(Util.java:20) at Hooks.hook.afterScenario(hook.java:40)		


(F) - Testing the transfer scenarious

(S) - I am scenariou A

// Feb 23, 6:06:23.735 PM // Feb 23, 6:07:04.124 PM //

@Tags - @Regression @smoke







7	۱
	,


#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	23.410 s
2	And some other precondition	PASSED	0.949 s
3	When I complete action	PASSED	0.001 s
4	And some other action	PASSED	0.000 s
5	And yet another action	PASSED	0.000 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.000 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario)	PASSED	1.632 s
	I am scenariou A		
	Media saved - null		

(F) - Testing the transfer scenarious

(S) - I am scenariou C

// Feb 23, 6:06:23.736 PM // Feb 23, 6:07:06.644 PM //

@Tags - @Regression





Steps

Total 7

Pass 7

Skip 0



#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	23.743 s
2	And some other precondition	PASSED	0.498 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.000 s
5	And yet another action	PASSED	0.001 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario)	PASSED	5.129 s
	I am scenariou C		
	Media saved - null		