

Title: Version Control System – GIT

Date: 06/01/2021

Name: Sheik Abudhahir K

Git mv command:

```
MINGW64/e/git/project2
ksabu@DESKTOP-KP9R8TM MINGW64 /e/git/project2 (master)
$ ls
file1.txt  file2.txt

ksabu@DESKTOP-KP9R8TM MINGW64 /e/git/project2 (master)
$ git add .

ksabu@DESKTOP-KP9R8TM MINGW64 /e/git/project2 (master)
$ git mv file1.txt file3.txt

ksabu@DESKTOP-KP9R8TM MINGW64 /e/git/project2 (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   file2.txt
        new file:   file3.txt

ksabu@DESKTOP-KP9R8TM MINGW64 /e/git/project2 (master)
$ git commit -m "initial commit"
[master a34d0bd] initial commit
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file2.txt
create mode 100644 file3.txt

ksabu@DESKTOP-KP9R8TM MINGW64 /e/git/project2 (master)
$ git status
On branch master
nothing to commit, working tree clean

ksabu@DESKTOP-KP9R8TM MINGW64 /e/git/project2 (master)
$ git mv file2.txt file4.txt

ksabu@DESKTOP-KP9R8TM MINGW64 /e/git/project2 (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        renamed:   file2.txt -> file4.txt

ksabu@DESKTOP-KP9R8TM MINGW64 /e/git/project2 (master)
$ git commit -m "file renamed"
[master 89930db] file renamed
1 file changed, 0 insertions(+), 0 deletions(-)
rename file2.txt -> file4.txt (100%)

ksabu@DESKTOP-KP9R8TM MINGW64 /e/git/project2 (master)
$ git status
On branch master
```

Here git mv command is used before and after commit.

Git mv with git diff --staged command:

```
MINGW64/e/git/diff
ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/diff
$ git init
Initialized empty Git repository in E:/git/diff/.git/

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/diff (master)
$ git add file.txt

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/diff (master)
$ git commit -m "initial commit"
[master (root-commit) fcf9963] initial commit
1 file changed, 1 insertion(+)
create mode 100644 file.txt

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/diff (master)
$ git mv file.txt f.txt

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/diff (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        renamed:   file.txt -> f.txt

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/diff (master)
$ git diff --staged
diff --git a/file.txt b/f.txt
similarity index 100%
rename from file.txt
rename to f.txt

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/diff (master)
$ git commit -m "renamed"
[master 3386972] renamed
1 file changed, 0 insertions(+), 0 deletions(-)
rename file.txt -> f.txt (100%)

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/diff (master)
$ git log
commit 338697201b59d5eb1f2778b4f812009b61ffc9 (HEAD -> master)
Author: Abu Sharp <k.s.abudhahir@gmail.com>
Date:   Wed Jan 6 23:15:16 2021 +0530

    renamed

commit fcf9963f6570cc440f91f9bd079044504ba566d
Author: Abu Sharp <k.s.abudhahir@gmail.com>
Date:   Wed Jan 6 23:13:43 2021 +0530

    initial commit

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/diff (master)
```

Here diff --staged shows the difference in staged state and recent commit state

Git rm command:

```
MINGW64/e/git/project2
ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/project2 (master)
$ ls
file1.txt file2.txt file3.txt

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/project2 (master)
$ git add .

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/project2 (master)
$ git rm file1.txt -f
rm 'file1.txt'

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/project2 (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   file2.txt
        new file:   file3.txt

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/project2 (master)
$ git commit -m "initial commit"
[master e6e71d1] initial commit
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file2.txt
create mode 100644 file3.txt

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/project2 (master)
$ git rm file2.txt
rm 'file2.txt'

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/project2 (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    file2.txt

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/project2 (master)
$ git commit -m "file2 deleted"
[master 99d97f9] file2 deleted
1 file changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 file2.txt

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/project2 (master)
$ git status
On branch master
nothing to commit, working tree clean

ksabu@DESKTOP-KP9R8TH MINGW64 /e/git/project2 (master)
```

Here I use rm before commit and after commit

Git tag:

```
MINGW64/e/git/assignment

ksabu@DESKTOP-KP9RBTM MINGW64 /e/git/tagdemo (master)
$ git tag -a v2.0.0 -m "Latest commit version"

ksabu@DESKTOP-KP9RBTM MINGW64 /e/git/tagdemo (master)
$ git tag
v2.0.0

ksabu@DESKTOP-KP9RBTM MINGW64 /e/git/tagdemo (master)
$ git show v2.0.0
tag v2.0.0
Tagger: Abu Sharp <k.s.abudhahir@gmail.com>
Date:   Wed Jan 6 22:44:44 2021 +0530

Latest commit version

commit 9a7abb0b23de53167f33a0b0422dd3830fbb5647 (HEAD -> master, tag: v2.0.0)
Author: Abu Sharp <k.s.abudhahir@gmail.com>
Date:   Wed Jan 6 22:43:31 2021 +0530

    last commit

diff --git a/file.txt b/file.txt
index 70c379b..474c5a3 100644
--- a/file.txt
+++ b/file.txt
@@ -1,2 @@
+Hello world
Hello world
\ No newline at end of file

ksabu@DESKTOP-KP9RBTM MINGW64 /e/git/tagdemo (master)
$ git log b72d9b2
commit b72d9b2fccf238e9b9a7622d9585a48a28b56fff
Author: Abu Sharp <k.s.abudhahir@gmail.com>
Date:   Wed Jan 6 22:42:30 2021 +0530

    first commit

ksabu@DESKTOP-KP9RBTM MINGW64 /e/git/tagdemo (master)
$ git tag -a v1.0.0 -m "First commit version"

ksabu@DESKTOP-KP9RBTM MINGW64 /e/git/tagdemo (master)
$ git tag
v1.0.0
v2.0.0

ksabu@DESKTOP-KP9RBTM MINGW64 /e/git/tagdemo (master)
$ git show v1.0.0
tag v1.0.0
Tagger: Abu Sharp <k.s.abudhahir@gmail.com>
Date:   Wed Jan 6 22:45:29 2021 +0530

First commit version

commit 9a7abb0b23de53167f33a0b0422dd3830fbb5647 (HEAD -> master, tag: v2.0.0, tag: v1.0.0)
Author: Abu Sharp <k.s.abudhahir@gmail.com>
Date:   Wed Jan 6 22:43:31 2021 +0530

    last commit

diff --git a/file.txt b/file.txt
index 70c379b..474c5a3 100644
--- a/file.txt
+++ b/file.txt
@@ -1,2 @@
+Hello world
Hello world
\ No newline at end of file
```

Here I mention 2 versions of commit.

Git clone:

```
ksabu@DESKTOP-KP9RBTM MINGW64 /e/git/assignment
$ git clone https://github.com/AbuSharp1215/SAU-2021-Jan-Batch-Hyderabad.git
Cloning into 'SAU-2021-Jan-Batch-Hyderabad'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (6/6), done.

ksabu@DESKTOP-KP9RBTM MINGW64 /e/git/assignment
$
```