## Erratalist for 4th Edition of A Primer on Scientific Programming with Python

## Hans Petter Langtangen

Oct 20, 2014

Page 4. The one-line program to be written in a text editor must have t\*\*2 and not  $t^2$ .

Page 95. In the program c2f.py, the print statement has a wrong formatting of the F(C) value: %.51f must read %5.1f, i.e., the same formatting as used for the C value.

**Page 99.** Heading in Section 3.1.5 should be Function argument or global variable? (or instead of of).

**Page 130.** In Exercise 3.6, Equation (3.10), the sum must be  $\sum_{i=0}^{n-1}$ .

**Page 158.** The terminal output for the integral  $\int_0^{\pi/2} \sin x \, dx$  should read 1, not 0.583009.

Page 189. In the mymod.py module, an import sys is needed in the test block before print add1(float(sys.argv[1])).

Page 189. The last code showing the test block of the interest module needs two corrections: division by 365 if the expression for years and an f in the print statement:

```
if __name__ == '__main__':
import sys
p = float(sys.argv[1])
years = days(1, 2, p)/365.0
print 'With p=%.2f it takes %.1 years to double' % (p, years)
```

Page 215. In Exercise 4.17, the reference to the program user\_formula.py should be integrate.py. The name of the resulting program is then better named integrate2.py than user\_formula2.py.

Page 273. In the first code block, x3 = mat(x).transpose() should be x3 = mat(x1).transpose().

Page 315. End of first paragraph: Sun is to be replaced by Apple.

Page 426. The argument in the rase ValueError call, after if c\*d <= 0, needs a final % other.

Page 447. The title of the chapter should be Random numbers and simple games.

Page 845-846. To successfully execute the c2f.py program, cmd must be python c2f.y 21 or ./c2f.py 21 (if c2f.py is an executable file) unless . is in the user's PATH variable.

**Page 846.** 2. Under *Split file or folder name*, the name user in the text should be replaced by /home/hpl according to the interactive session.