# Midterm exam 1

Duration: three hours

Documents and calculators not allowed

#### Exercise 1 (2 points)

1. Determine the Taylor expansion around 0 at the order 3 of  $\cos(x)^{\sin(x)}$ .

2. Determine 
$$\lim_{x\to 0} \frac{\ln(1+\sin(x)) - \sin(\ln(1+x))}{x^2\sin(x^2)}$$
.

# Exercise 2 (4,5 points)

1. Using the d'Alembert rule, determine the nature of  $\sum \frac{2n}{n+2^n}$ .

2. Using the d'Alembert rule, determine the nature of  $\sum \frac{1+n^2}{n!}$ .

3. Determine the nature of  $\sum \frac{\sin(\sqrt{n}+1)}{n^2}$ .

4. Let  $\alpha \in \mathbb{R}$ . Determine, with precise and detailed arguments, the nature of  $\sum \frac{(-1)^n}{n^{\alpha}}$ .

## Exercise 3 (8 points)

For all  $n \in \mathbb{N}^*$ , we set

$$a_n = \sum_{k=1}^n \frac{1}{\sqrt{k}}$$

1. a. What is the nature of the series  $\sum \frac{1}{\sqrt{n}}$ ?

b. What is the limit of  $a_n$  when n tends to  $+\infty$ ?

2. We consider the sequence  $(u_n)_{n\geqslant 2}$  defined for all  $n\geqslant 2$  by

$$u_n = \frac{(-1)^n}{(-1)^n + a_n}$$

a. Show that for all  $n \ge 2$ ,

$$u_n = \frac{(-1)^n}{a_n} - \frac{1}{a_n^2} + o\left(\frac{1}{a_n^2}\right)$$

b. Show that the sequence  $\left(\frac{1}{a_n}\right)_{n\in\mathbb{N}^*}$  is decreasing and converges to 0.

c. Deduce the nature of the series  $\sum \frac{(-1)^n}{a_n}$ .

d. Show by induction that, for all  $n \in \mathbb{N}^*$ ,

$$2\sqrt{n+1}-2 \leqslant a_n \leqslant 2\sqrt{n}-1$$

N.B.: you can use the fact, without proving it, that for all  $n \in \mathbb{N}^*$ ,  $2\sqrt{n+2} - 2\sqrt{n+1} \leqslant \frac{1}{\sqrt{n+1}}$  and  $2\sqrt{n+1} - 2\sqrt{n} \geqslant \frac{1}{\sqrt{n+1}}$ .

- e. Deduce the limit of  $\frac{a_n}{2\sqrt{n}}$  when n tends to  $+\infty$ . Give an equivalent of  $a_n$  in  $+\infty$ .
- f. Deduce the nature of the series  $\sum \left(-\frac{1}{a_n^2} + o\left(\frac{1}{a_n^2}\right)\right)$ .
- 3. Determine the nature of the series  $\sum u_n$ .

#### Exercise 4 (4,5 points)

We consider the sequence  $(u_n)_{n\geqslant 2}$  such that

$$u_n = \ln\left(\frac{\sqrt{n} + (-1)^n}{\sqrt{n+1}}\right)$$

For  $n \geqslant 2$ , we set

$$v_n = \frac{\sqrt{n}}{\sqrt{n+1}}$$

1. Show that

$$u_n = \ln(v_n) + \ln\left(1 + \frac{(-1)^n}{\sqrt{n}}\right)$$

2. Determine  $(\alpha, \beta) \in \mathbb{R}^2$  such that

$$v_n = 1 - \frac{\alpha}{n} + \frac{\beta}{n^2} + o\left(\frac{1}{n^2}\right)$$

3. Determine  $\gamma \in \mathbb{R}$  such that

$$\ln(v_n) = -\frac{\alpha}{n} + \frac{\gamma}{n^2} + o\left(\frac{1}{n^2}\right)$$

4. Show that

$$u_n = \frac{(-1)^n}{\sqrt{n}} - \frac{1}{n} + \frac{(-1)^n}{3n\sqrt{n}} + o\left(\frac{1}{n\sqrt{n}}\right)$$

5. Deduce the nature of  $\sum u_n$ .

N.B.: your reduction at this last question is expected to be particularly precise and rigorous.

## Exercise 5 (2 points)

- 1. Let  $(u_n)$  be a real sequence. Show that :  $\sum (u_{n+1} u_n)$  convergent  $\iff (u_n)$  convergent.
- 2. Let  $(a_n)_{n\in\mathbb{N}}$  be a real sequence with strictly positive terms and  $u_0\in\mathbb{R}_+^*$ . We define  $(u_n)_{n\in\mathbb{N}}$  by

$$\forall n \in \mathbb{N}, \quad u_{n+1} = u_n + \frac{a_n}{u_n}$$

Show that :  $(u_n)$  convergent  $\iff \sum a_n$  convergent.

N.B.: you may use the fact (without proving it) that  $(u_n)$  is strictly positive ans strictly increasing.