

# 1.8.11

EE24BTECH11019 - DWARAK A

## Question:

Find a relation between  $x$  and  $y$  such that the point  $(x, y)$  is equidistant from the point  $(3, 6)$  and  $(-3, 4)$ .

## Solution:

Variable	Description	Value
<b>A</b>	First point	$\begin{pmatrix} 3 \\ 6 \end{pmatrix}$
<b>B</b>	Second point	$\begin{pmatrix} -3 \\ 4 \end{pmatrix}$
<b>C</b>	Mid-point of <b>A</b> and <b>B</b>	$\begin{pmatrix} \frac{\mathbf{A}+\mathbf{B}}{2} \end{pmatrix}$
<b>X</b>	Set of points equidistant from <b>A</b> and <b>B</b>	$\begin{pmatrix} x \\ y \end{pmatrix}$

TABLE 0: Variables Used

If **X** is equidistant from the points **A** and **B**

$$\|\mathbf{A} - \mathbf{X}\| = \|\mathbf{B} - \mathbf{X}\| \quad (0.1)$$

$$\|\mathbf{A} - \mathbf{X}\|^2 = \|\mathbf{B} - \mathbf{X}\|^2 \quad (0.2)$$

$$\|\mathbf{A}\|^2 - 2\mathbf{A}^\top \mathbf{X} + \|\mathbf{X}\|^2 = \|\mathbf{B}\|^2 - 2\mathbf{B}^\top \mathbf{X} + \|\mathbf{X}\|^2 \quad (0.3)$$

$$(\mathbf{A} - \mathbf{B})^\top \mathbf{X} = \frac{\|\mathbf{A}\|^2 - \|\mathbf{B}\|^2}{2} \quad (0.4)$$

The above equation is the general expression for the perpendicular bisecting plane between any points **A** and **B**.

Substituting the **A** and **B** values in the derived equation.

$$\begin{pmatrix} 6 \\ 2 \end{pmatrix}^\top \mathbf{X} = \frac{\left\| \begin{pmatrix} 3 \\ 6 \end{pmatrix} \right\|^2 - \left\| \begin{pmatrix} -3 \\ 4 \end{pmatrix} \right\|^2}{2} = \frac{20}{2} = 10 \quad (0.5)$$

Comparing with  $n^\top x = c$

$$n = \begin{pmatrix} 6 \\ 2 \end{pmatrix} \quad (0.6)$$

$$c = 10 \quad (0.7)$$

Line equation :

$$6x + 2y = 10 \quad (0.8)$$

Final line equation :

$$3x + y = 5 \quad (0.9)$$




Fig. 0.1: Plot of point **X**, equidistant from **A** and **B**