# AceWiki Grammar

- Tobias Kuhn, 2 August 2010 -

Below, the grammar rules of the AceWiki grammar are shown:

#### Texts and Sentences

'text' stands for a complete text consisting of an arbitrary number of complete sentences (including zero):

- (1)  $text \xrightarrow{\sim}$
- (2)  $text \xrightarrow{\sim} complete\_sentence text$

A complete sentence is represented by the category 'complete\_sentence' and is either a declarative sentence that ends with a full stop or a question ending with a question mark:

- $(3) \quad complete\_sentence \quad \xrightarrow{\sim} \quad sentence \quad [\, . \, ]$
- $(4) \quad complete\_sentence \ \ \, \xrightarrow{\sim} \quad /\!\!/ \quad simple\_sentence\_2 \begin{pmatrix} \text{whin:-} \\ \text{whout:+} \end{pmatrix} \ \, [\,?\,]$

General sentences are represented by 'sentence':

- (5) sentence  $\xrightarrow{:}$  sentence\_coord\_1
- (6) sentence  $\stackrel{\sim}{\longrightarrow}$  // [for every] nc(subj:-) sentence\_coord\_1
- (7) sentence  $\xrightarrow{\sim}$  // [if] sentence\_coord\_1 [then] sentence\_coord\_1

Sentences can be coordinated using "or" ('sentence\_coord\_1') and "and" ('sentence\_coord\_2'):

- (8)  $sentence\_coord\_1 \xrightarrow{:} sentence\_coord\_2$
- (9)  $sentence\_coord\_1 \xrightarrow{\sim} // sentence\_coord\_2$  [or]  $sentence\_coord\_1$
- (10)  $sentence\_coord\_2 \xrightarrow{:} simple\_sentence\_1$
- $(11) \quad sentence\_coord\_2 \quad \stackrel{:}{\longrightarrow} \quad simple\_sentence\_1 \quad [\text{ and }] \quad sentence\_coord\_2$

Uncoordinated sentences are represented in two levels by 'simple\_sentence\_1' and 'simple\_sentence\_2':

- (12)  $simple\_sentence\_1 \xrightarrow{\sim} /\!\!/ [it is false that] <math>simple\_sentence\_2(\underset{\text{whout:}-}{\text{whin:}-})$
- (13)  $simple\_sentence\_1 \xrightarrow{:} [there is] np \begin{pmatrix} case: nom \\ def: -\\ exist: +\\ pl: -\\ subj: -\\ whin: -\\ whout: \end{pmatrix}$
- $(14) \quad simple\_sentence\_1 \quad \stackrel{:}{\longrightarrow} \quad [\text{there is}] \quad np \begin{pmatrix} \text{case: nom} \\ \text{def:} \\ \text{exist:} + \\ \text{pl:} \\ \text{subj:} \\ \text{whin:} \\ \text{whout:} \end{pmatrix} \quad [\text{such that}] \quad simple\_sentence\_1$
- $(16) \quad simple\_sentence\_1 \quad \stackrel{:}{\longrightarrow} \quad simple\_sentence\_2 \begin{pmatrix} \text{whin: -} \\ \text{whout: -} \end{pmatrix}$
- $(17) \quad simple\_sentence\_2 \begin{pmatrix} \text{whin: } \boxed{1} \\ \text{whout: } \boxed{2} \end{pmatrix} \quad \stackrel{\textstyle \sim}{\longrightarrow} \quad np \begin{vmatrix} \text{case: nom} \\ \text{id} \\ \text{subj: } \\ \text{whin: } \boxed{1} \\ \text{whout: } \boxed{5} \end{vmatrix} \\ vp\_coord\_1 \begin{pmatrix} \text{pl: } \boxed{4} \\ \text{subj: } \\ \text{whin: } \boxed{5} \\ \text{whout: } \boxed{2} \end{pmatrix}$

#### Verb Phrases

Like sentences, verb phrases can be coordinated using "or" ('vp\_coord\_1') and "and" ('vp\_coord\_2'):

$$(18) \quad vp\_coord\_1 \begin{pmatrix} \text{pl:} \, \boxed{1} \\ \text{subj:} \, \boxed{2} \\ \text{whin:} \, \boxed{3} \\ \text{whout:} \, \boxed{4} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad vp\_coord\_2 \begin{pmatrix} \text{pl:} \, \boxed{1} \\ \text{subj:} \, \boxed{2} \\ \text{whin:} \, \boxed{3} \\ \text{whout:} \, \boxed{4} \end{pmatrix}$$

$$(19) \quad vp\_coord\_1 \begin{pmatrix} \text{pl}: \boxed{1} & \\ \text{sub}: \boxed{2} \\ \text{whin:} \boxed{3} \\ \text{whout:} \boxed{4} \end{pmatrix} \stackrel{\sim}{\longrightarrow} \quad /\!\!/ \quad vp\_coord\_2 \begin{pmatrix} \text{pl}: \boxed{1} \\ \text{sub}: \boxed{2} \\ \text{whin:} \boxed{3} \\ \text{whout:} \boxed{5} \end{pmatrix} \quad [\text{ or }] \quad vp\_coord\_1 \begin{pmatrix} \text{pl}: \boxed{1} \\ \text{sub}: \boxed{2} \\ \text{whin:} \boxed{5} \\ \text{whout:} \boxed{4} \end{pmatrix}$$

$$(20) \quad vp\_coord\_2 \begin{pmatrix} \text{pl:} \, \mathbb{I} \\ \text{subj:} \, \mathbb{2} \\ \text{whin:} \, \mathbb{3} \\ \text{whout:} \, \mathbb{4} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad vp \begin{pmatrix} \text{pl:} \, \mathbb{I} \\ \text{subj:} \, \mathbb{2} \\ \text{whin:} \, \mathbb{3} \\ \text{whout:} \, \mathbb{4} \end{pmatrix}$$

$$(21) \quad vp\_coord\_2 \begin{pmatrix} \text{pl:} \, \mathbb{I} \\ \text{subj:} \, \mathbb{2} \\ \text{whin:} \, \mathbb{3} \\ \text{whout:} \, \mathbb{4} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad vp \begin{pmatrix} \text{pl:} \, \mathbb{I} \\ \text{subj:} \, \mathbb{2} \\ \text{whin:} \, \mathbb{3} \\ \text{whout:} \, \mathbb{5} \end{pmatrix} \quad [\text{ and }] \quad vp\_coord\_2 \begin{pmatrix} \text{pl:} \, \mathbb{I} \\ \text{subj:} \, \mathbb{2} \\ \text{whin:} \, \mathbb{5} \\ \text{whout:} \, \mathbb{4} \end{pmatrix}$$

Uncoordinated verb phrases represented by 'vp' can use an auxiliary verb:

$$(22) \quad vp \begin{pmatrix} \text{exist: 1} \\ \text{pl: [2]} \\ \text{re: [: 3]} \\ \text{subj: 4} \\ \text{whin: 5} \\ \text{whout: 6} \end{pmatrix} \xrightarrow{\sim} \quad aux \begin{pmatrix} \text{be: 7} \\ \text{exist: 1} \\ \text{pl: [2]} \\ \text{re: [: 3]} \\ \text{subj: 4} \\ \text{vform: inf} \\ \text{whin: 5} \\ \text{whout: 6} \end{pmatrix}$$

$$(23) \quad vp \begin{pmatrix} \text{exist:} + \\ \text{pl:} [1] \\ \text{rel:} [2] \\ \text{subj:} [3] \\ \text{whin:} [4] \\ \text{whout:} [5] \end{pmatrix} \xrightarrow{\sim} v \begin{pmatrix} \text{be:} - \\ \text{exist:} + \\ \text{pl:} [1] \\ \text{rel:} [2] \\ \text{subj:} [3] \\ \text{vform: fin whin:} [4] \\ \text{whout:} [5] \end{pmatrix}$$

The category 'v' represents the main verb or - if "be" is used as a copula verb - the complementing noun phrase or adjective complement:

$$(24) \quad v \begin{pmatrix} \text{be:} - \\ \text{copula:} - \\ \text{exist:} \boxed{1} \\ \text{pl:} \boxed{2} \\ \text{whin:} \boxed{4} \\ \text{whout:} \boxed{4} \end{pmatrix} \quad \underbrace{\quad \cdots \quad verb} \begin{pmatrix} \text{be:} - \\ \text{exist:} \boxed{1} \\ \text{pl:} \boxed{2} \\ \text{veat:} \text{ itr} \\ \text{vform:} \boxed{3} \end{pmatrix}$$

$$(26) \quad v \begin{pmatrix} \text{be:} + \\ \text{copula:} - \\ \text{embv:} \boxed{1} \\ \text{rel:} \boxed{2} \\ \text{subi:} \boxed{3} \\ \text{whnout:} \boxed{5} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad verb \begin{pmatrix} \text{be:} + \\ \text{vcat:} \text{ tr} \end{pmatrix} \quad np \begin{pmatrix} \text{case: acc} \\ \text{copula:} - \\ \text{embv:} \boxed{1} \\ \text{rel:} \boxed{2} \\ \text{subi:} \boxed{3} \\ \text{whin:} \boxed{4} \\ \text{whout:} \boxed{5} \end{pmatrix}$$

$$(27) \quad v \begin{pmatrix} \text{be: +} \\ \text{copula: +} \\ \text{embv: } \boxed{1} \\ \text{re! } \boxed{2} \\ \text{subj: } \boxed{3} \\ \text{whin: } \boxed{4} \\ \text{whout: } \boxed{5} \end{pmatrix} \quad \vdots \quad np \begin{pmatrix} \text{case: acc} \\ \text{copula: +} \\ \text{embv: } \boxed{1} \\ \text{of: +} \\ \text{pe: -} \\ \text{rel: } \boxed{2} \\ \text{subj: } \boxed{3} \\ \text{whin: } \boxed{4} \\ \text{whout: } \boxed{5} \end{pmatrix}$$

$$(28) \quad v \begin{pmatrix} \text{be:} + \\ \text{copula:} + \\ \text{embv:} \boxed{1} \\ \text{pl:} - \\ \text{rel:} \boxed{2} \\ \text{subj:} \boxed{3} \\ \text{whin:} \boxed{4} \\ \text{whout:} \boxed{5} \end{pmatrix} \quad \stackrel{\text{case: acc}}{\longrightarrow} \quad np \begin{pmatrix} \text{case: acc} \\ \text{copula:} + \\ \text{embv:} \boxed{1} \\ \text{of:} - \\ \text{pi:} - \\ \text{rel:} \boxed{2} \\ \text{subj:} \boxed{3} \\ \text{whin:} \boxed{4} \\ \text{whout:} \boxed{5} \end{pmatrix}$$

$$(29) \quad v \begin{pmatrix} \text{be:} + \\ \text{copula:} + \\ \text{embv:} \boxed{1} \\ \text{rel:} \boxed{2} \\ \text{subj:} \boxed{3} \\ \text{whout:} \boxed{5} \end{pmatrix} \quad \xrightarrow{\text{trad}j} \quad np \begin{pmatrix} \text{case: acc} \\ \text{copula:} - \\ \text{embv:} \boxed{1} \\ \text{rel:} \boxed{2} \\ \text{subj:} \boxed{3} \\ \text{whout:} \boxed{5} \end{pmatrix}$$

### **Noun Phrases**

Noun phrases are represented by 'np' and can consist of proper names, variables, pronouns, and different noun constructs:

$$(30) \quad np \begin{pmatrix} \text{def:} + \\ \text{embv:} 1 \\ \text{exist:} + \\ \text{id:} 2 \\ \text{of:} - \\ \text{pl:} - \\ \text{rel:} 3 \\ \text{whin:} 4 \\ \text{whout:} [5] \end{pmatrix} \xrightarrow{\Rightarrow} \underbrace{propername}_{\text{propername}} \begin{pmatrix} \text{gender:} 6 \\ \text{human:} 7 \\ \text{text:} 2 \end{pmatrix} \Rightarrow \begin{pmatrix} \text{gender:} 6 \\ \text{hasvar:} - \\ \text{human:} 7 \\ \text{id:} 2 \\ \text{type:} \text{prop} \end{pmatrix} relcl \begin{pmatrix} \text{embv:} 1 \\ \text{human:} 7 \\ \text{rel:} 3 \\ \text{subj:} 2 \\ \text{whin:} 4 \\ \text{whout:} 5 \end{pmatrix}$$

$$(31) \quad np \begin{pmatrix} \operatorname{def:} + \\ \operatorname{exist:} + \\ \operatorname{id:} \square \\ \operatorname{of:} - \\ \operatorname{pl:} - \\ \operatorname{whin:} \ 2 \\ \operatorname{whout:} \ 2 \end{pmatrix} \xrightarrow{:} \quad \#\square \quad newvar \Big( \operatorname{var:} \ 3 \Big) \ > \begin{pmatrix} \operatorname{hasvar:} + \\ \operatorname{id:} \ \square \\ \operatorname{type:} \ \operatorname{var} \\ \operatorname{var:} \ 3 \end{pmatrix}$$

$$(32) \quad np \begin{pmatrix} \text{def:} + \\ \text{exist:} + \\ \text{id:} \square \\ \text{of:} - \\ \text{pl:} - \\ \text{whout:} \square \end{pmatrix} \xrightarrow{\vdots} \quad \underline{defnoun} \Big( \text{noun:} \square \Big) \quad \underline{reference} \Big( \text{text:} \square \Big) < \begin{pmatrix} \text{gender:} \square \\ \text{hasvar:} + \\ \text{human:} \square \\ \text{id:} \square \\ \text{type:} \text{noun:} \square \\ \text{type:} \text{ref} \Big) \\ \end{pmatrix} > \begin{pmatrix} \text{gender:} \square \\ \text{hasvar:} - \\ \text{hasvar:} - \\ \text{hasvar:} - \\ \text{human:} \square \\ \text{id:} \square \\ \text{type:} \text{ref} \Big)$$

$$(33) \quad np \begin{pmatrix} \operatorname{def:} + \\ \operatorname{exist:} + \\ \operatorname{id:} [1] \\ \operatorname{of:} - \\ \operatorname{pl:} - \\ \operatorname{whout:} [2] \end{pmatrix} \xrightarrow{\vdots} \quad \underline{defnoun} \left( \operatorname{noun:} [3] \right) < \begin{pmatrix} \operatorname{gender:} [4] \\ \operatorname{human:} [5] \\ \operatorname{id:} [1] \\ \operatorname{noun:} [3] \\ \operatorname{type:} \operatorname{noun} \end{pmatrix} > \begin{pmatrix} \operatorname{gender:} [4] \\ \operatorname{hasvar:} - \\ \operatorname{human:} [5] \\ \operatorname{id:} [1] \\ \operatorname{type:} \operatorname{ref} \end{pmatrix}$$

$$(34) \quad np \begin{pmatrix} \operatorname{def:} + \\ \operatorname{exist:} + \\ \operatorname{id:} [] \\ \operatorname{of:} - \\ \operatorname{pl:} - \\ \operatorname{whout:} [2] \end{pmatrix} \xrightarrow{\boldsymbol{reference}} \left(\operatorname{text:} [3] \right) < \begin{pmatrix} \operatorname{gender:} [4] \\ \operatorname{hasvar:} + \\ \operatorname{human:} [5] \\ \operatorname{id:} [1] \\ \operatorname{var:} [3] \end{pmatrix} > \begin{pmatrix} \operatorname{gender:} [4] \\ \operatorname{hasvar:} - \\ \operatorname{human:} [5] \\ \operatorname{id:} [1] \\ \operatorname{type:} \operatorname{ref} \end{pmatrix}$$

$$(35) \quad np \begin{pmatrix} \text{embv: } \mathbb{I} \\ \text{exist: } \mathbb{2} \\ \text{id: } \mathbb{3} \\ \text{of: } \mathbb{4} \\ \text{pl: } - \\ \text{rel: } \mathbb{5} \\ \text{subj: } \mathbb{6} \\ \text{whin: } \mathbb{7} \\ \text{whout: } \mathbb{8} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad quant \Big( \text{exist: } \mathbb{2} \Big) \quad nc \begin{pmatrix} \text{embv: } \mathbb{I} \\ \text{id: } \mathbb{3} \\ \text{of: } \mathbb{4} \\ \text{rel: } \mathbb{5} \\ \text{subj: } \mathbb{6} \\ \text{whin: } \mathbb{7} \\ \text{whout: } \mathbb{8} \end{pmatrix}$$

$$(36) \quad np \begin{pmatrix} \text{embv: 1} \\ \text{exist: 2} \\ \text{id: 3} \\ \text{of: -} \\ \text{pl: -} \\ \text{rel: 4} \\ \text{whin: 5} \end{pmatrix} \quad \#3 \quad ipron \begin{pmatrix} \text{exist: 2} \\ \text{human: 7} \end{pmatrix} \quad opt\_newvar \begin{pmatrix} \text{hasvar: 8} \\ \text{var: 9} \end{pmatrix} \\ > \begin{pmatrix} \text{hasvar: 8} \\ \text{human: 7} \\ \text{id: 3} \\ \text{type: ipron} \\ \text{var: 9} \end{pmatrix} \quad relcl \begin{pmatrix} \text{embv: 1} \\ \text{human: 7} \\ \text{rel: 4} \\ \text{subi; 3} \\ \text{whin: 5} \\ \text{whout: 6} \end{pmatrix}$$

(37) 
$$np = \begin{cases} copula: \\ exist: + \\ id: \boxed{1} \\ of: - \\ pl: + \\ whin: \boxed{2} \end{cases} \xrightarrow{} num\_quant \quad \underline{number} \quad \#\boxed{1} \quad \underline{nounpl}$$

$$(38) \quad np \begin{pmatrix} \operatorname{copula:-} \\ \operatorname{exist:+} \\ \operatorname{id:[]} \\ \operatorname{of:-} \\ \operatorname{pl:-} \\ \operatorname{whin:[2]} \\ \operatorname{whout:[2)} \end{pmatrix} \xrightarrow{:} \quad num\_quant \quad [1] \quad \#[] \quad \underbrace{noun} \begin{pmatrix} \operatorname{gender:[3]} \\ \operatorname{human:[4]} \\ \operatorname{text:[5]} \end{pmatrix} > \begin{pmatrix} \operatorname{gender:[3]} \\ \operatorname{hasvar:-} \\ \operatorname{human:[4]} \\ \operatorname{id:[]} \\ \operatorname{noun:[5]} \\ \operatorname{type: noun} \end{pmatrix}$$

$$(39) \quad np \begin{pmatrix} \text{exist:} + \\ \text{id:} \boxed{\ } \\ \text{of:} - \\ \text{pl:} - \\ \text{whout:} + \end{pmatrix} \xrightarrow{:} \quad \# \boxed{\ } \boxed{\ } \text{what} \boxed{\ } > \begin{pmatrix} \text{hasvar:} - \\ \text{human:} - \\ \text{id:} \boxed{\ } \\ \text{type: wh} \end{pmatrix}$$

$$(40) \quad np \begin{pmatrix} \text{exist:} + \\ \text{id:} \, \boxed{} \\ \text{of:} - \\ \text{pl:} \\ \text{whout:} + \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad \# \boxed{} \quad [\text{ who }] \quad > \begin{pmatrix} \text{hasvar:} - \\ \text{human:} + \\ \text{id:} \, \boxed{} \\ \text{type: wh} \end{pmatrix}$$

$$(41) \quad np \begin{pmatrix} \text{embv: } \boxed{1} \\ \text{exist: } + \\ \text{id: } \boxed{2} \\ \text{of: } \boxed{3} \\ \text{pl: } - \\ \text{rel: } \boxed{4} \\ \text{subj: } \boxed{5} \\ \text{whout: } + \end{pmatrix} \quad \begin{subj: } \begin{subj: } \text{embv: } \boxed{1} \\ \text{id: } \boxed{2} \\ \text{of: } \boxed{3} \\ \text{rel: } \boxed{4} \\ \text{subj: } \boxed{5} \\ \text{whout: } + \end{subj: } \boxed{5} \\ \end{$$

$$(42) \quad np \begin{pmatrix} \text{exist:} + \\ \text{id:} \square \\ \text{of:} - \\ \text{pl:} + \\ \text{whout:} + \end{pmatrix} \xrightarrow{:} [\text{which}] \quad \#\square \quad \underline{nounpl}$$

The category 'nc' represents nouns optionally followed by variables, relative clauses, and of-constructs:

$$(43) \quad nc \begin{pmatrix} \text{embv: 1} \\ \text{id: 2} \\ \text{of: rel: [3]} \\ \text{whin: 4} \\ \text{whout: 5} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad n \begin{pmatrix} \text{gender: 6} \\ \text{human: 7} \\ \text{id: 2} \\ \text{text: 8} \end{pmatrix} \quad opt\_newvar \begin{pmatrix} \text{hasvar: 9} \\ \text{var: [i0]} \end{pmatrix} \\ > \begin{pmatrix} \text{gender: 6} \\ \text{hasvar: 9} \\ \text{human: 7} \\ \text{id: 2} \\ \text{noun: 8} \\ \text{type: noun: 8} \\ \text{type: noun} \end{pmatrix} \quad relcl \begin{pmatrix} \text{embv: 1} \\ \text{human: 7} \\ \text{rel: [3]} \\ \text{subi: 2} \\ \text{whin: 4} \\ \text{whout: 5} \end{pmatrix}$$

$$(44) \quad nc \begin{pmatrix} \text{embv:} \, \boxed{1} \\ \text{of:} \, + \\ \text{rel:} \, \boxed{2} \\ \text{subj:} \, \boxed{3} \\ \text{whin:} \, \boxed{4} \\ \text{whout:} \, \boxed{5} \end{pmatrix} \xrightarrow{\textstyle nounof} \quad np \begin{pmatrix} \text{case: acc} \\ \text{embv:} \, \boxed{1} \\ \text{rel:} \, \boxed{2} \\ \text{subj:} \, \boxed{3} \\ \text{whin:} \, \boxed{4} \\ \text{whout:} \, \boxed{5} \end{pmatrix}$$

The category 'n' stands for nouns:

$$(45) \quad n \begin{pmatrix} \text{gender: } \boxed{1} \\ \text{human: } \boxed{2} \\ \text{id: } \boxed{3} \\ \text{text: } \boxed{4} \end{pmatrix} \quad \stackrel{\cdot}{\longrightarrow} \quad \# \boxed{3} \quad \underbrace{noun}_{} \begin{pmatrix} \text{gender: } \boxed{1} \\ \text{human: } \boxed{2} \\ \text{text: } \boxed{4} \end{pmatrix}$$

New variables, optional and mandatory, are represented by 'opt\_newvar' and 'newvar', respectively:

(46) 
$$opt\_newvar(hasvar:-) \xrightarrow{:}$$

$$(47) \quad opt\_newvar \begin{pmatrix} \text{hasvar: +} \\ \text{var: } \end{bmatrix} \xrightarrow{:} \quad newvar \begin{pmatrix} \text{var: } \end{bmatrix} \end{pmatrix}$$

$$(48) \quad newvar(\text{var:} 1) \xrightarrow{:} \quad \underline{variable}(\text{text:} 1) \not < \begin{pmatrix} \text{hasvar:} + \\ \text{var:} 1 \end{pmatrix}$$

### Relative Clauses

Relative clauses are represented by 'relcl'. They start with a relative pronoun and are always optional:

$$(49) \quad relcl\binom{\text{whin: } \boxed{1}}{\text{whout: } \boxed{1}} \quad \xrightarrow{:} \quad$$

$$(50) \quad relcl \begin{pmatrix} embv: + \\ human: [1] \\ rel: + \\ subj: [2] \\ whon: [3] \\ whout: [4] \end{pmatrix} \xrightarrow{:} \quad relpron \begin{pmatrix} human: [1] \\ relpron: [5] \end{pmatrix} \quad relcl1 \begin{pmatrix} human: [1] \\ relpron: [5] \\ subj: [2] \\ whout: [4] \end{pmatrix}$$

Like sentences and verb phrases, relative clauses can be coordinated by "or" ('relc11') and "and" ('relc12'):

$$(51) \quad relc11 \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{2} \\ \text{subi: } \boxed{3} \\ \text{whin: } \boxed{4} \\ \text{whout: } \boxed{5} \end{pmatrix} \quad \stackrel{\textstyle \sim}{\longrightarrow} \quad /\!\!/ \quad relc12 \begin{pmatrix} \text{human: } \boxed{1} \\ \text{rel: -} \\ \text{relpron: } \boxed{2} \\ \text{subj: } \boxed{3} \\ \text{whin: } \boxed{4} \\ \text{whout: } \boxed{6} \end{pmatrix} \quad or\_relpron \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{2} \end{pmatrix} \quad relc11 \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{2} \\ \text{subj: } \boxed{3} \\ \text{whin: } \boxed{6} \\ \text{whout: } \boxed{5} \end{pmatrix}$$

$$(52) \quad relc11 \begin{pmatrix} \text{human: $\overline{1}$} \\ \text{relpron: $\overline{2}$} \\ \text{subj: $\overline{3}$} \\ \text{whon: $\overline{5}$} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad relc12 \begin{pmatrix} \text{human: $\overline{1}$} \\ \text{relpron: $\overline{2}$} \\ \text{subj: $\overline{3}$} \\ \text{whout: $\overline{5}$} \end{pmatrix}$$

$$(53) \quad relcl2 \begin{pmatrix} \text{human: } \boxed{1} \\ \text{rel: } \boxed{2} \\ \text{relpron: } \boxed{3} \\ \text{subj: } \boxed{4} \\ \text{whin: } \boxed{5} \\ \text{whout: } \boxed{6} \end{pmatrix} \quad \overrightarrow{-} \quad vp \begin{pmatrix} \text{pl: } - \\ \text{rel: } - \\ \text{subj: } \boxed{4} \\ \text{whin: } \boxed{5} \\ \text{whout: } \boxed{7} \end{pmatrix} \quad and\_relpron \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{3} \end{pmatrix} \quad relcl2 \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{3} \\ \text{subj: } \boxed{4} \\ \text{whin: } \boxed{5} \\ \text{whout: } \boxed{6} \end{pmatrix}$$

$$(54) \quad relcl2 \begin{pmatrix} rel: [1] \\ sub; [2] \\ whin: [3] \\ whout: [4] \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad vp \begin{pmatrix} pl: - \\ rel: [1] \\ sub; [2] \\ whin: [3] \end{pmatrix}$$

$$(55) \quad relcl2 \begin{pmatrix} \text{subj} : 1 \\ \text{whin: } [2] \\ \text{whout: } [3] \end{pmatrix} \xrightarrow{\sim} \quad np \begin{pmatrix} \text{case: nom} \\ \text{copula: } - \\ \text{pl: } [4] \\ \text{ref: } - \\ \text{subj: } [1] \\ \text{whout: } [3] \end{pmatrix} \quad aux \begin{pmatrix} \text{be: } - \\ \text{exist: } [5] \\ \text{pl: } [4] \end{pmatrix} \quad verb \begin{pmatrix} \text{be: } - \\ \text{exist: } [5] \\ \text{pl: } [4] \\ \text{voat: tr} \\ \text{vform: inf} \end{pmatrix}$$

$$(56) \quad relcl2 \begin{pmatrix} \text{subj}: 1 \\ \text{whin: } 2 \\ \text{whout: } 3 \end{pmatrix} \stackrel{\sim}{\longrightarrow} \quad np \begin{pmatrix} \text{case: nom copula: -} \\ \text{pp: } 4 \\ \text{ref: -} \\ \text{rel: -} \\ \text{subj: } 1 \\ \text{whin: } 2 \\ \text{whout: } 3 \end{pmatrix} \quad verb \begin{pmatrix} \text{be: -} \\ \text{exist: +} \\ \text{pl: } 4 \\ \text{veat: tr} \\ \text{vform: fin} \end{pmatrix}$$

Relative pronouns are represented by 'relpron' and can be either "that", "who" or "which":

(57) 
$$relpron(relpron: that) \xrightarrow{:} [that]$$

(58) 
$$relpron\left(\begin{array}{c} \text{human: } + \\ \text{relpron: who} \end{array}\right) \xrightarrow{:} [\text{who}]$$

(59) 
$$relpron \begin{pmatrix} \text{human:} - \\ \text{relpron: which} \end{pmatrix} \xrightarrow{:} [\text{which}]$$

The categories 'or\_relpron' and 'and\_relpron' define shortcuts - like "or that" as one token - for better usability inside of the predictive editor:

$$(60) \quad or\_relpron\begin{pmatrix} \text{human: } 1\\ \text{relpron: } 2 \end{pmatrix} \xrightarrow{:} [\text{ or }] \quad relpron\begin{pmatrix} \text{human: } 1\\ \text{relpron: } 2 \end{pmatrix}$$

(61) 
$$or\_relpron(relpron: that) \xrightarrow{:} [or that]$$

(62) 
$$or\_relpron \begin{pmatrix} \text{human: +} \\ \text{relpron: who} \end{pmatrix} \xrightarrow{:} [or who]$$

(63) 
$$or\_relpron\begin{pmatrix} \text{human: -} \\ \text{relpron: which} \end{pmatrix} \xrightarrow{:} [or which]$$

$$(64) \quad and\_relpron \begin{pmatrix} \text{human:} \boxed{1} \\ \text{relpron:} \boxed{2} \end{pmatrix} \stackrel{:}{\longrightarrow} \quad [\text{ and }] \quad relpron \begin{pmatrix} \text{human:} \boxed{1} \\ \text{relpron:} \boxed{2} \end{pmatrix}$$

(65) 
$$and\_relpron(relpron: that) \xrightarrow{:} [and that]$$

(66) 
$$and\_relpron\begin{pmatrix} \text{human:} + \\ \text{relpron: who} \end{pmatrix} \xrightarrow{:} [and who]$$

(67) 
$$and\_relpron \begin{pmatrix} \text{human:} - \\ \text{relpron: which} \end{pmatrix} \stackrel{:}{\longrightarrow} [\text{and which}]$$

## Verbs

The category 'verb' represents main verbs:

(68) 
$$verb \begin{pmatrix} be: - \\ pl: - \\ vcat: tr \\ vform: fin \end{pmatrix} \xrightarrow{:} \underline{verbsg}$$

$$(69) \quad verb \begin{pmatrix} \text{be:} - \\ \text{pl:} + \\ \text{veat: tr} \\ \text{vform: fin} \end{pmatrix} \quad \xrightarrow{:} \quad \underline{verbinf}$$

$$(70) \quad \operatorname{verb} \begin{pmatrix} \operatorname{be:-} \\ \operatorname{vcat: tr} \\ \operatorname{vform: inf} \end{pmatrix} \xrightarrow{:} \quad \operatorname{\underline{verbinf}}$$

$$(71) \quad verb \begin{pmatrix} \text{be: +} \\ \text{vcat: tr} \end{pmatrix} \stackrel{:}{\longrightarrow} \quad \underline{pverb}$$

Auxiliary verbs are represented by 'aux', which includes negation markers:

$$(72) \quad aux \begin{pmatrix} \text{be: +} \\ \text{exist: +} \\ \text{pl: -} \end{pmatrix} \xrightarrow{:} \quad [\text{ is }]$$

(73) 
$$aux\begin{pmatrix} be: + \\ exist: - \\ pl: - \end{pmatrix} \xrightarrow{:} /\!\!/ [is not]$$

$$(74) \quad \textit{aux} \begin{pmatrix} \text{be:} + \\ \text{exist:} - \\ \text{pl:} - \end{pmatrix} \xrightarrow{:} /\!\!/ \quad [\text{ is }] \quad [\text{ not }]$$

(75) 
$$aux \begin{pmatrix} be: + \\ exist: + \\ pl: + \end{pmatrix} \xrightarrow{:} [are]$$

(76) 
$$aux \begin{pmatrix} be: + \\ exist: - \\ pl: + \end{pmatrix} \xrightarrow{:} /\!\!/ [are not]$$

$$(77) \quad aux \begin{pmatrix} be: +\\ exist: -\\ pl: + \end{pmatrix} \xrightarrow{:} /\!\!/ [are] [not]$$

$$(78) \quad aux \begin{pmatrix} \text{be:} -\\ \text{exist:} -\\ \text{pl:} - \end{pmatrix} \quad \vdots \quad /\!\!/ \quad [\text{does not}]$$

(79) 
$$aux \begin{pmatrix} be: - \\ exist: - \\ pl: + \end{pmatrix} \xrightarrow{:} /\!\!/ [do not]$$

# Quantifiers

Existential and universal quantifiers are represented by 'quant':

(80) 
$$quant(exist: +) \xrightarrow{:} [a]$$

(81) 
$$quant(exist:+) \xrightarrow{:} [an]$$

(82) 
$$quant(exist: -) \stackrel{:}{\longrightarrow} // [every]$$

(83) 
$$quant(exist:-) \xrightarrow{:} // [no]$$

The category 'num\_quant' stands for numerical quantifiers:

(84) 
$$num\_quant \xrightarrow{:} [at least]$$

(85) 
$$num\_quant \xrightarrow{:} [at most]$$

(86) 
$$num\_quant \stackrel{:}{\longrightarrow} [less than]$$

(87) 
$$num_{-}quant \stackrel{:}{\longrightarrow} [more than]$$

(88) 
$$num\_quant \xrightarrow{:} [exactly]$$

#### **Indefinite Pronouns**

Indefinite pronouns are represented by 'ipron':

(89) 
$$ipron \begin{pmatrix} exist: + \\ human: - \end{pmatrix} \xrightarrow{:} [something]$$

$$(90) \quad ipron\left( \stackrel{\text{exist: } +}{\text{human: } +} \right) \quad \stackrel{:}{\longrightarrow} \quad [\text{ somebody }]$$

(91) 
$$ipron \begin{pmatrix} exist: - \\ human: - \end{pmatrix} \xrightarrow{:} /\!\!/ [everything]$$

$$(92) \quad ipron \begin{pmatrix} \text{exist: -} \\ \text{human: +} \end{pmatrix} \xrightarrow{:} \quad /\!\!/ \quad [\text{ everybody }]$$

(93) 
$$ipron \begin{pmatrix} exist: - \\ human: - \end{pmatrix} \xrightarrow{:} /\!\!/ [nothing]$$

$$(94) \quad \mathit{ipron} \left( \begin{smallmatrix} \mathrm{exist:-} \\ \mathrm{human:+} \end{smallmatrix} \right) \; \xrightarrow{:} \; \; /\!\!/ \; \; [\; \mathrm{nobody} \; ]$$