

AceWiki Grammar

- Tobias Kuhn, 26 November 2010 -

Below, the grammar rules of the AceWiki grammar are shown:

Texts and Sentences

'text' stands for a complete text consisting of an arbitrary number of complete sentences (including zero):

$$(1) \text{ text } \xrightarrow{\cdot} \rightarrow$$

$$(2) \text{ text } \xrightarrow{\cdot} \rightarrow \text{ complete_sentence } \text{ text }$$

A complete sentence is represented by the category 'complete_sentence' and is either a declarative sentence that ends with a full stop or a question ending with a question mark:

$$(3) \text{ complete_sentence } \xrightarrow{\sim} \rightarrow \parallel \text{ sentence } [.]$$

$$(4) \text{ complete_sentence } \xrightarrow{\sim} \rightarrow \parallel \text{ simple_sentence_2 } \begin{pmatrix} \text{qu: +} \\ \text{whin: -} \\ \text{whout: +} \end{pmatrix} [?]$$

General sentences are represented by 'sentence':

$$(5) \text{ sentence } \xrightarrow{\cdot} \rightarrow \text{ sentence_coord_1 }$$

$$(6) \text{ sentence } \xrightarrow{\sim} \rightarrow \parallel [\text{for every}] \text{ nc } \begin{pmatrix} \text{qu: -} \\ \text{subj: -} \end{pmatrix} \text{ sentence_coord_1 }$$

$$(7) \text{ sentence } \xrightarrow{\sim} \rightarrow \parallel [\text{if}] \text{ sentence_coord_1 } [\text{then}] \text{ sentence_coord_1 }$$

Sentences can be coordinated using "or" ('sentence_coord_1') and "and" ('sentence_coord_2'):

$$(8) \text{ sentence_coord_1 } \xrightarrow{\cdot} \rightarrow \text{ sentence_coord_2 }$$

$$(9) \text{ sentence_coord_1 } \xrightarrow{\sim} \rightarrow \parallel \text{ sentence_coord_2 } [\text{or}] \text{ sentence_coord_1 }$$

$$(10) \text{ sentence_coord_2 } \xrightarrow{\cdot} \rightarrow \text{ simple_sentence_1 }$$

$$(11) \text{ sentence_coord_2 } \xrightarrow{\cdot} \rightarrow \text{ simple_sentence_1 } [\text{and}] \text{ sentence_coord_2 }$$

Uncoordinated sentences are represented in two levels by 'simple_sentence_1' and 'simple_sentence_2':

$$(12) \text{ simple_sentence_1 } \xrightarrow{\sim} \rightarrow \parallel [\text{it is false that}] \text{ simple_sentence_2 } (\text{qu: -})$$

$$(13) \text{ simple_sentence_1 } \xrightarrow{\cdot} \rightarrow [\text{there is}] \text{ np } \begin{pmatrix} \text{case: nom} \\ \text{def: -} \\ \text{exist: +} \\ \text{pl: -} \\ \text{qu: -} \\ \text{subj: -} \end{pmatrix}$$

$$(14) \text{ simple_sentence_1 } \xrightarrow{\cdot} \rightarrow [\text{there is}] \text{ np } \begin{pmatrix} \text{case: nom} \\ \text{def: -} \\ \text{exist: +} \\ \text{pl: -} \\ \text{qu: -} \\ \text{subj: -} \end{pmatrix} [\text{such that}] \text{ simple_sentence_1 }$$

$$(15) \text{ simple_sentence_1 } \xrightarrow{\cdot} \rightarrow [\text{there are}] \text{ np } \begin{pmatrix} \text{case: nom} \\ \text{def: -} \\ \text{exist: +} \\ \text{pl: +} \\ \text{qu: -} \\ \text{subj: -} \end{pmatrix}$$

$$(16) \text{ simple_sentence_1 } \xrightarrow{\cdot} \rightarrow \text{ simple_sentence_2 } (\text{qu: -})$$

$$(17) \text{ simple_sentence_2 } \begin{pmatrix} \text{qu: } [1] \\ \text{whin: } [2] \\ \text{whout: } [3] \end{pmatrix} \xrightarrow{\sim} \rightarrow \text{ np } \begin{pmatrix} \text{case: nom} \\ \text{id: } [4] \\ \text{pl: } [5] \\ \text{qu: } [1] \\ \text{subj: -} \\ \text{whin: } [2] \\ \text{whout: } [6] \end{pmatrix} \text{ vp_coord_1 } \begin{pmatrix} \text{pl: } [5] \\ \text{qu: } [1] \\ \text{subj: } [4] \\ \text{whin: } [6] \\ \text{whout: } [3] \end{pmatrix}$$

Verb Phrases

Like sentences, verb phrases can be coordinated using "or" ('vp_coord_1') and "and" ('vp_coord_2'):

$$(18) \text{ vp_coord_1 } \begin{pmatrix} \text{pl: } [1] \\ \text{qu: } [2] \\ \text{subj: } [3] \\ \text{whin: } [4] \\ \text{whout: } [5] \end{pmatrix} \xrightarrow{\cdot} \rightarrow \text{ vp_coord_2 } \begin{pmatrix} \text{pl: } [1] \\ \text{qu: } [2] \\ \text{subj: } [3] \\ \text{whin: } [4] \\ \text{whout: } [5] \end{pmatrix}$$

$$(19) \text{ vp_coord_1 } \begin{pmatrix} \text{pl: } [1] \\ \text{qu: } [2] \\ \text{subj: } [3] \\ \text{whin: } [4] \\ \text{whout: } [5] \end{pmatrix} \xrightarrow{\sim} \rightarrow \parallel \text{ vp_coord_2 } \begin{pmatrix} \text{pl: } [1] \\ \text{qu: } [2] \\ \text{subj: } [3] \\ \text{whin: } [4] \\ \text{whout: } [5] \end{pmatrix} [\text{or}] \text{ vp_coord_1 } \begin{pmatrix} \text{pl: } [1] \\ \text{qu: } [2] \\ \text{subj: } [3] \\ \text{whin: } [6] \\ \text{whout: } [5] \end{pmatrix}$$

$$(20) \quad vp_coord_2 \begin{pmatrix} pl: \boxed{1} \\ qu: \boxed{2} \\ subj: \boxed{3} \\ whin: \boxed{4} \\ whout: \boxed{5} \end{pmatrix} \dot{\rightarrow} vp \begin{pmatrix} pl: \boxed{1} \\ qu: \boxed{2} \\ subj: \boxed{3} \\ whin: \boxed{4} \\ whout: \boxed{5} \end{pmatrix}$$

$$(21) \quad vp_coord_2 \begin{pmatrix} pl: \boxed{1} \\ qu: \boxed{2} \\ subj: \boxed{3} \\ whin: \boxed{4} \\ whout: \boxed{5} \end{pmatrix} \dot{\rightarrow} vp \begin{pmatrix} pl: \boxed{1} \\ qu: \boxed{2} \\ subj: \boxed{3} \\ whin: \boxed{4} \\ whout: \boxed{6} \end{pmatrix} \text{ [and] } vp_coord_2 \begin{pmatrix} pl: \boxed{1} \\ qu: \boxed{2} \\ subj: \boxed{3} \\ whin: \boxed{6} \\ whout: \boxed{5} \end{pmatrix}$$

Uncoordinated verb phrases represented by 'vp' can use an auxiliary verb:

$$(22) \quad vp \begin{pmatrix} exist: \boxed{1} \\ pl: \boxed{2} \\ qu: \boxed{3} \\ rel: \boxed{4} \\ subj: \boxed{5} \\ whin: \boxed{6} \\ whout: \boxed{7} \end{pmatrix} \leadsto aux \begin{pmatrix} be: \boxed{8} \\ exist: \boxed{1} \\ pl: \boxed{2} \end{pmatrix} v \begin{pmatrix} be: \boxed{8} \\ exist: \boxed{1} \\ pl: \boxed{2} \\ qu: \boxed{3} \\ rel: \boxed{4} \\ subj: \boxed{5} \\ vform: inf \\ whin: \boxed{6} \\ whout: \boxed{7} \end{pmatrix}$$

$$(23) \quad vp \begin{pmatrix} exist: + \\ pl: \boxed{1} \\ qu: \boxed{2} \\ rel: \boxed{3} \\ subj: \boxed{4} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix} \leadsto v \begin{pmatrix} be: - \\ exist: + \\ pl: \boxed{1} \\ qu: \boxed{2} \\ rel: \boxed{3} \\ subj: \boxed{4} \\ vform: fin \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix}$$

The category 'v' represents the main verb or - if "be" is used as a copula verb - the complementing noun phrase or adjective complement:

$$(24) \quad v \begin{pmatrix} be: - \\ copula: - \\ exist: \boxed{1} \\ pl: \boxed{2} \\ vform: \boxed{3} \\ whin: \boxed{4} \\ whout: \boxed{4} \end{pmatrix} \dot{\rightarrow} verb \begin{pmatrix} be: - \\ exist: \boxed{1} \\ pl: \boxed{2} \\ vcat: itr \\ vform: \boxed{3} \end{pmatrix}$$

$$(25) \quad v \begin{pmatrix} be: - \\ copula: - \\ embv: \boxed{1} \\ exist: \boxed{2} \\ pl: \boxed{3} \\ qu: \boxed{4} \\ rel: \boxed{5} \\ subj: \boxed{6} \\ vform: \boxed{7} \\ whin: \boxed{8} \\ whout: \boxed{9} \end{pmatrix} \dot{\rightarrow} verb \begin{pmatrix} be: - \\ exist: \boxed{2} \\ pl: \boxed{3} \\ vcat: tr \\ vform: \boxed{7} \end{pmatrix} np \begin{pmatrix} case: acc \\ embv: \boxed{1} \\ qu: \boxed{4} \\ rel: \boxed{5} \\ subj: \boxed{6} \\ vcat: tr \\ whin: \boxed{8} \\ whout: \boxed{9} \end{pmatrix}$$

$$(26) \quad v \begin{pmatrix} be: + \\ copula: - \\ embv: \boxed{1} \\ qu: \boxed{2} \\ rel: \boxed{3} \\ subj: \boxed{4} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix} \dot{\rightarrow} verb \begin{pmatrix} be: + \\ vcat: tr \end{pmatrix} np \begin{pmatrix} case: acc \\ copula: - \\ embv: \boxed{1} \\ qu: \boxed{2} \\ rel: \boxed{3} \\ subj: \boxed{4} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix}$$

$$(27) \quad v \begin{pmatrix} be: + \\ copula: + \\ embv: \boxed{1} \\ qu: \boxed{2} \\ rel: \boxed{3} \\ subj: \boxed{4} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix} \dot{\rightarrow} np \begin{pmatrix} case: acc \\ copula: + \\ embv: \boxed{1} \\ of: + \\ pl: - \\ qu: \boxed{2} \\ rel: \boxed{3} \\ subj: \boxed{4} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix}$$

$$(28) \quad v \begin{pmatrix} be: + \\ copula: + \\ embv: \boxed{1} \\ pl: - \\ qu: \boxed{2} \\ rel: \boxed{3} \\ subj: \boxed{4} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix} \dot{\rightarrow} np \begin{pmatrix} case: acc \\ copula: + \\ embv: \boxed{1} \\ of: - \\ pl: - \\ qu: \boxed{2} \\ rel: \boxed{3} \\ subj: \boxed{4} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix}$$

$$(29) \quad v \begin{pmatrix} be: + \\ copula: + \\ embv: \boxed{1} \\ qu: \boxed{2} \\ rel: \boxed{3} \\ subj: \boxed{4} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix} \dot{\rightarrow} \underline{tradj} np \begin{pmatrix} case: acc \\ copula: - \\ embv: \boxed{1} \\ qu: \boxed{2} \\ rel: \boxed{3} \\ subj: \boxed{4} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix}$$

Noun Phrases

Noun phrases are represented by 'np' and can consist of proper names, variables, pronouns, and different noun constructs:

$$(30) \quad np \begin{pmatrix} def: + \\ embv: \boxed{1} \\ exist: + \\ id: \boxed{2} \\ of: - \\ pl: - \\ qu: \boxed{3} \\ rel: \boxed{4} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix} \dot{\rightarrow} \underline{propername} \begin{pmatrix} gender: \boxed{7} \\ human: \boxed{8} \\ text: \boxed{2} \end{pmatrix} \gg \begin{pmatrix} gender: \boxed{7} \\ hasvar: - \\ human: \boxed{8} \\ id: \boxed{2} \\ type: prop \end{pmatrix} relcl \begin{pmatrix} embv: \boxed{1} \\ human: \boxed{8} \\ qu: \boxed{3} \\ rel: \boxed{4} \\ subj: \boxed{2} \\ whin: \boxed{5} \\ whout: \boxed{6} \end{pmatrix}$$

$$(31) \quad np \begin{pmatrix} \text{def: +} \\ \text{exist: +} \\ \text{id: } [1] \\ \text{of: -} \\ \text{pl: -} \\ \text{whin: } [2] \\ \text{whout: } [2] \end{pmatrix} \dot{\rightarrow} \#_{[1]} \text{ newvar}(\text{var: } [3]) > \begin{pmatrix} \text{hasvar: +} \\ \text{id: } [1] \\ \text{type: var} \\ \text{var: } [3] \end{pmatrix}$$

$$(32) \quad np \begin{pmatrix} \text{def: +} \\ \text{exist: +} \\ \text{id: } [1] \\ \text{of: -} \\ \text{pl: -} \\ \text{whin: } [2] \\ \text{whout: } [2] \end{pmatrix} \dot{\rightarrow} \text{defnoun}(\text{noun: } [3]) \text{ reference}(\text{text: } [4]) < \begin{pmatrix} \text{gender: } [5] \\ \text{hasvar: +} \\ \text{human: } [6] \\ \text{id: } [1] \\ \text{noun: } [3] \\ \text{type: noun} \\ \text{var: } [4] \end{pmatrix} > \begin{pmatrix} \text{gender: } [5] \\ \text{hasvar: -} \\ \text{human: } [6] \\ \text{id: } [1] \\ \text{type: ref} \end{pmatrix}$$

$$(33) \quad np \begin{pmatrix} \text{def: +} \\ \text{exist: +} \\ \text{id: } [1] \\ \text{of: -} \\ \text{pl: -} \\ \text{whin: } [2] \\ \text{whout: } [2] \end{pmatrix} \dot{\rightarrow} \text{defnoun}(\text{noun: } [3]) < \begin{pmatrix} \text{gender: } [4] \\ \text{human: } [5] \\ \text{id: } [1] \\ \text{noun: } [3] \\ \text{type: noun} \end{pmatrix} > \begin{pmatrix} \text{gender: } [4] \\ \text{hasvar: -} \\ \text{human: } [5] \\ \text{id: } [1] \\ \text{type: ref} \end{pmatrix}$$

$$(34) \quad np \begin{pmatrix} \text{def: +} \\ \text{exist: +} \\ \text{id: } [1] \\ \text{of: -} \\ \text{pl: -} \\ \text{whin: } [2] \\ \text{whout: } [2] \end{pmatrix} \dot{\rightarrow} \text{reference}(\text{text: } [3]) < \begin{pmatrix} \text{gender: } [4] \\ \text{hasvar: +} \\ \text{human: } [5] \\ \text{id: } [1] \\ \text{var: } [3] \end{pmatrix} > \begin{pmatrix} \text{gender: } [4] \\ \text{hasvar: -} \\ \text{human: } [5] \\ \text{id: } [1] \\ \text{type: ref} \end{pmatrix}$$

$$(35) \quad np \begin{pmatrix} \text{embv: } [1] \\ \text{exist: } [2] \\ \text{id: } [3] \\ \text{of: } [4] \\ \text{pl: -} \\ \text{qu: } [5] \\ \text{rel: } [6] \\ \text{subj: } [7] \\ \text{whin: } [8] \\ \text{whout: } [9] \end{pmatrix} \dot{\rightarrow} \text{quant}(\text{exist: } [2]) \text{ nc} \begin{pmatrix} \text{embv: } [1] \\ \text{id: } [3] \\ \text{of: } [4] \\ \text{qu: } [5] \\ \text{rel: } [6] \\ \text{subj: } [7] \\ \text{whin: } [8] \\ \text{whout: } [9] \end{pmatrix}$$

$$(36) \quad np \begin{pmatrix} \text{embv: } [1] \\ \text{exist: } [2] \\ \text{id: } [3] \\ \text{of: -} \\ \text{qu: } [4] \\ \text{rel: } [5] \\ \text{whin: } [6] \\ \text{whout: } [7] \end{pmatrix} \dot{\rightarrow} \#_{[3]} \text{ ipron}(\text{exist: } [2] \text{ human: } [8]) \text{ opt_newvar}(\text{hasvar: } [9] \text{ var: } [10]) > \begin{pmatrix} \text{hasvar: } [9] \\ \text{human: } [8] \\ \text{id: } [3] \\ \text{type: ipron} \\ \text{var: } [10] \end{pmatrix} \text{ relcl} \begin{pmatrix} \text{embv: } [1] \\ \text{human: } [8] \\ \text{qu: } [4] \\ \text{rel: } [5] \\ \text{subj: } [3] \\ \text{whin: } [6] \\ \text{whout: } [7] \end{pmatrix}$$

$$(37) \quad np \begin{pmatrix} \text{copula: -} \\ \text{exist: +} \\ \text{id: } [1] \\ \text{of: -} \\ \text{pl: +} \\ \text{whin: } [2] \\ \text{whout: } [2] \end{pmatrix} \dot{\rightarrow} \text{num_quant} \text{ number } \#_{[1]} \text{ nounpl}$$

$$(38) \quad np \begin{pmatrix} \text{copula: -} \\ \text{exist: +} \\ \text{id: } [1] \\ \text{of: -} \\ \text{pl: -} \\ \text{whin: } [2] \\ \text{whout: } [2] \end{pmatrix} \dot{\rightarrow} \text{num_quant} [1] \#_{[1]} \text{ noun} \begin{pmatrix} \text{gender: } [3] \\ \text{human: } [4] \\ \text{id: } [1] \\ \text{text: } [5] \\ \text{noun: } [5] \\ \text{type: noun} \end{pmatrix} > \begin{pmatrix} \text{gender: } [3] \\ \text{hasvar: -} \\ \text{human: } [4] \\ \text{id: } [1] \\ \text{noun: } [5] \\ \text{type: noun} \end{pmatrix}$$

$$(39) \quad np \begin{pmatrix} \text{exist: +} \\ \text{id: } [1] \\ \text{of: -} \\ \text{pl: -} \\ \text{qu: +} \\ \text{whin: -} \\ \text{whout: +} \end{pmatrix} \dot{\rightarrow} \#_{[1]} [\text{what}] > \begin{pmatrix} \text{hasvar: -} \\ \text{human: -} \\ \text{id: } [1] \\ \text{type: wh} \end{pmatrix}$$

$$(40) \quad np \begin{pmatrix} \text{exist: +} \\ \text{id: } [1] \\ \text{of: -} \\ \text{pl: -} \\ \text{qu: +} \\ \text{whin: -} \\ \text{whout: +} \end{pmatrix} \dot{\rightarrow} \#_{[1]} [\text{who}] > \begin{pmatrix} \text{hasvar: -} \\ \text{human: +} \\ \text{id: } [1] \\ \text{type: wh} \end{pmatrix}$$

$$(41) \quad np \begin{pmatrix} \text{embv: } [1] \\ \text{exist: +} \\ \text{id: } [2] \\ \text{of: } [3] \\ \text{pl: -} \\ \text{qu: +} \\ \text{rel: } [4] \\ \text{subj: } [5] \\ \text{whin: -} \\ \text{whout: +} \end{pmatrix} \dot{\rightarrow} [\text{which}] \text{ nc} \begin{pmatrix} \text{embv: } [1] \\ \text{id: } [2] \\ \text{of: } [3] \\ \text{qu: +} \\ \text{rel: } [4] \\ \text{subj: } [5] \\ \text{whin: +} \\ \text{whout: +} \end{pmatrix}$$

$$(42) \quad np \begin{pmatrix} \text{exist: +} \\ \text{id: } [1] \\ \text{of: -} \\ \text{pl: +} \\ \text{qu: +} \\ \text{whin: -} \\ \text{whout: +} \end{pmatrix} \dot{\rightarrow} [\text{which}] \#_{[1]} \text{ nounpl}$$

The category 'nc' represents nouns optionally followed by variables, relative clauses, and of-constructs:

$$(43) \quad nc \begin{pmatrix} \text{embv: } [1] \\ \text{id: } [2] \\ \text{of: -} \\ \text{qu: } [3] \\ \text{rel: } [4] \\ \text{whin: } [5] \\ \text{whout: } [6] \end{pmatrix} \dot{\rightarrow} n \begin{pmatrix} \text{gender: } [7] \\ \text{human: } [8] \\ \text{id: } [2] \\ \text{text: } [9] \end{pmatrix} \text{ opt_newvar}(\text{hasvar: } [10] \text{ var: } [11]) > \begin{pmatrix} \text{gender: } [7] \\ \text{hasvar: } [10] \\ \text{human: } [8] \\ \text{id: } [2] \\ \text{noun: } [9] \\ \text{type: noun} \\ \text{var: } [11] \end{pmatrix} \text{ relcl} \begin{pmatrix} \text{embv: } [1] \\ \text{human: } [8] \\ \text{qu: } [3] \\ \text{rel: } [4] \\ \text{subj: } [2] \\ \text{whin: } [5] \\ \text{whout: } [6] \end{pmatrix}$$

$$(44) \quad nc \begin{pmatrix} embv: [1] \\ of: + \\ qu: [2] \\ rel: [3] \\ subj: [4] \\ whin: [5] \\ whout: [6] \end{pmatrix} \rightsquigarrow \underline{nounof} \quad np \begin{pmatrix} case: acc \\ embv: [1] \\ qu: [2] \\ rel: [3] \\ subj: [4] \\ whin: [5] \\ whout: [6] \end{pmatrix}$$

The category 'n' stands for nouns:

$$(45) \quad n \begin{pmatrix} gender: [1] \\ human: [2] \\ id: [3] \\ text: [4] \end{pmatrix} \dot{\rightarrow} \#_{[3]} \quad \underline{noun} \begin{pmatrix} gender: [1] \\ human: [2] \\ text: [4] \end{pmatrix}$$

New variables, optional and mandatory, are represented by 'opt_newvar' and 'newvar', respectively:

$$(46) \quad \underline{opt_newvar}(\text{hasvar: } -) \dot{\rightarrow}$$

$$(47) \quad \underline{opt_newvar} \begin{pmatrix} \text{hasvar: } + \\ \text{var: } [1] \end{pmatrix} \dot{\rightarrow} \quad \underline{newvar}(\text{var: } [1])$$

$$(48) \quad \underline{newvar}(\text{var: } [1]) \dot{\rightarrow} \underline{variable}(\text{text: } [1]) \not\prec \begin{pmatrix} \text{hasvar: } + \\ \text{var: } [1] \end{pmatrix}$$

Relative Clauses

Relative clauses are represented by 'relcl'. They start with a relative pronoun and are always optional:

$$(49) \quad \underline{relcl} \begin{pmatrix} whin: [1] \\ whout: [1] \end{pmatrix} \dot{\rightarrow}$$

$$(50) \quad \underline{relcl} \begin{pmatrix} embv: + \\ human: [1] \\ qu: [2] \\ rel: + \\ subj: [3] \\ whin: [4] \\ whout: [5] \end{pmatrix} \dot{\rightarrow} \quad \underline{relpron} \begin{pmatrix} human: [1] \\ relpron: [6] \end{pmatrix} \quad \underline{relcl1} \begin{pmatrix} human: [1] \\ qu: [2] \\ relpron: [6] \\ subj: [3] \\ whin: [4] \\ whout: [5] \end{pmatrix}$$

Like sentences and verb phrases, relative clauses can be coordinated by "or" ('relcl1') and "and" ('relcl2'):

$$(51) \quad \underline{relcl1} \begin{pmatrix} human: [1] \\ qu: [2] \\ relpron: [3] \\ subj: [4] \\ whin: [5] \\ whout: [6] \end{pmatrix} \rightsquigarrow \quad // \quad \underline{relcl2} \begin{pmatrix} human: [1] \\ qu: [2] \\ rel: - \\ relpron: [3] \\ subj: [4] \\ whin: [5] \\ whout: [7] \end{pmatrix} \quad \underline{or_relpron} \begin{pmatrix} human: [1] \\ relpron: [3] \end{pmatrix} \quad \underline{relcl1} \begin{pmatrix} human: [1] \\ qu: [2] \\ relpron: [3] \\ subj: [4] \\ whin: [7] \\ whout: [6] \end{pmatrix}$$

$$(52) \quad \underline{relcl1} \begin{pmatrix} human: [1] \\ qu: [2] \\ relpron: [3] \\ subj: [4] \\ whin: [5] \\ whout: [6] \end{pmatrix} \dot{\rightarrow} \quad \underline{relcl2} \begin{pmatrix} human: [1] \\ qu: [2] \\ relpron: [3] \\ subj: [4] \\ whin: [5] \\ whout: [6] \end{pmatrix}$$

$$(53) \quad \underline{relcl2} \begin{pmatrix} human: [1] \\ qu: [2] \\ rel: [3] \\ relpron: [4] \\ subj: [5] \\ whin: [6] \\ whout: [7] \end{pmatrix} \dot{\rightarrow} \quad \underline{vp} \begin{pmatrix} pl: - \\ qu: [2] \\ rel: - \\ subj: [5] \\ whin: [6] \\ whout: [8] \end{pmatrix} \quad \underline{and_relpron} \begin{pmatrix} human: [1] \\ relpron: [4] \end{pmatrix} \quad \underline{relcl2} \begin{pmatrix} human: [1] \\ qu: [2] \\ rel: [3] \\ relpron: [4] \\ subj: [5] \\ whin: [8] \\ whout: [7] \end{pmatrix}$$

$$(54) \quad \underline{relcl2} \begin{pmatrix} qu: [1] \\ rel: [2] \\ subj: [3] \\ whin: [4] \\ whout: [5] \end{pmatrix} \dot{\rightarrow} \quad \underline{vp} \begin{pmatrix} pl: - \\ qu: [1] \\ rel: [2] \\ subj: [3] \\ whin: [4] \\ whout: [5] \end{pmatrix}$$

$$(55) \quad \underline{relcl2} \begin{pmatrix} qu: [1] \\ subj: [2] \\ whin: [3] \\ whout: [4] \end{pmatrix} \rightsquigarrow \quad \underline{np} \begin{pmatrix} case: nom \\ copula: - \\ pl: [5] \\ qu: [1] \\ refl: - \\ rel: - \\ subj: [2] \\ whin: [3] \\ whout: [4] \end{pmatrix} \quad \underline{aux} \begin{pmatrix} be: - \\ exist: [6] \\ pl: [5] \end{pmatrix} \quad \underline{verb} \begin{pmatrix} be: - \\ exist: [6] \\ pl: [5] \\ vcat: tr \\ vform: inf \end{pmatrix}$$

$$(56) \quad \underline{relcl2} \begin{pmatrix} qu: [1] \\ subj: [2] \\ whin: [3] \\ whout: [4] \end{pmatrix} \rightsquigarrow \quad \underline{np} \begin{pmatrix} case: nom \\ copula: - \\ pl: [5] \\ qu: [1] \\ refl: - \\ rel: - \\ subj: [2] \\ whin: [3] \\ whout: [4] \end{pmatrix} \quad \underline{verb} \begin{pmatrix} be: - \\ exist: + \\ pl: [5] \\ vcat: tr \\ vform: fin \end{pmatrix}$$

Relative pronouns are represented by 'relpron' and can be either "that", "who" or "which":

$$(57) \quad \underline{relpron}(\text{relpron: that}) \dot{\rightarrow} \quad [\text{that}]$$

$$(58) \quad \underline{relpron} \begin{pmatrix} human: + \\ relpron: who \end{pmatrix} \dot{\rightarrow} \quad [\text{who}]$$

$$(59) \quad \underline{relpron} \begin{pmatrix} human: - \\ relpron: which \end{pmatrix} \dot{\rightarrow} \quad [\text{which}]$$

The categories 'or_relpron' and 'and_relpron' define shortcuts - like "or that" as one token - for better usability inside of the predictive editor:

$$(60) \quad \underline{or_relpron} \begin{pmatrix} human: [1] \\ relpron: [2] \end{pmatrix} \dot{\rightarrow} \quad [\text{or}] \quad \underline{relpron} \begin{pmatrix} human: [1] \\ relpron: [2] \end{pmatrix}$$

- (61) $or_relpron\left(\begin{smallmatrix} \text{relpron: that} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[or that]}$
- (62) $or_relpron\left(\begin{smallmatrix} \text{human: +} \\ \text{relpron: who} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[or who]}$
- (63) $or_relpron\left(\begin{smallmatrix} \text{human: -} \\ \text{relpron: which} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[or which]}$
- (64) $and_relpron\left(\begin{smallmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{2} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[and] } relpron\left(\begin{smallmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{2} \end{smallmatrix}\right)$
- (65) $and_relpron\left(\begin{smallmatrix} \text{relpron: that} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[and that]}$
- (66) $and_relpron\left(\begin{smallmatrix} \text{human: +} \\ \text{relpron: who} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[and who]}$
- (67) $and_relpron\left(\begin{smallmatrix} \text{human: -} \\ \text{relpron: which} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[and which]}$

Verbs

The category 'verb' represents main verbs:

- (68) $verb\left(\begin{smallmatrix} \text{be: -} \\ \text{pl: -} \\ \text{vcat: tr} \\ \text{vform: fin} \end{smallmatrix}\right) \xrightarrow{\cdot} \underline{verbsg}$
- (69) $verb\left(\begin{smallmatrix} \text{be: -} \\ \text{pl: +} \\ \text{vcat: tr} \\ \text{vform: fin} \end{smallmatrix}\right) \xrightarrow{\cdot} \underline{verbinf}$
- (70) $verb\left(\begin{smallmatrix} \text{be: -} \\ \text{vcat: tr} \\ \text{vform: inf} \end{smallmatrix}\right) \xrightarrow{\cdot} \underline{verbinf}$
- (71) $verb\left(\begin{smallmatrix} \text{be: +} \\ \text{vcat: tr} \end{smallmatrix}\right) \xrightarrow{\cdot} \underline{pverb}$

Auxiliary verbs are represented by 'aux', which includes negation markers:

- (72) $aux\left(\begin{smallmatrix} \text{be: +} \\ \text{exist: +} \\ \text{pl: -} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[is]}$
- (73) $aux\left(\begin{smallmatrix} \text{be: +} \\ \text{exist: -} \\ \text{pl: -} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{// [is not]}$
- (74) $aux\left(\begin{smallmatrix} \text{be: +} \\ \text{exist: -} \\ \text{pl: -} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{// [is] [not]}$
- (75) $aux\left(\begin{smallmatrix} \text{be: +} \\ \text{exist: +} \\ \text{pl: +} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[are]}$
- (76) $aux\left(\begin{smallmatrix} \text{be: +} \\ \text{exist: -} \\ \text{pl: +} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{// [are not]}$
- (77) $aux\left(\begin{smallmatrix} \text{be: +} \\ \text{exist: -} \\ \text{pl: +} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{// [are] [not]}$
- (78) $aux\left(\begin{smallmatrix} \text{be: -} \\ \text{exist: -} \\ \text{pl: -} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{// [does not]}$
- (79) $aux\left(\begin{smallmatrix} \text{be: -} \\ \text{exist: -} \\ \text{pl: +} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{// [do not]}$

Quantifiers

Existential and universal quantifiers are represented by 'quant':

- (80) $quant\left(\begin{smallmatrix} \text{exist: +} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[a]}$
- (81) $quant\left(\begin{smallmatrix} \text{exist: +} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{[an]}$
- (82) $quant\left(\begin{smallmatrix} \text{exist: -} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{// [every]}$
- (83) $quant\left(\begin{smallmatrix} \text{exist: -} \end{smallmatrix}\right) \xrightarrow{\cdot} \text{// [no]}$

The category 'num_quant' stands for numerical quantifiers:

- (84) $num_quant \xrightarrow{\cdot} \text{[at least]}$
- (85) $num_quant \xrightarrow{\cdot} \text{[at most]}$
- (86) $num_quant \xrightarrow{\cdot} \text{[less than]}$
- (87) $num_quant \xrightarrow{\cdot} \text{[more than]}$

$$(88) \quad num_quant \quad \xrightarrow{\dot{}} \quad [\text{exactly}]$$

Indefinite Pronouns

Indefinite pronouns are represented by 'ipron':

$$(89) \quad ipron \left(\begin{smallmatrix} \text{exist:} + \\ \text{human:} - \end{smallmatrix} \right) \quad \xrightarrow{\dot{}} \quad [\text{something}]$$

$$(90) \quad ipron \left(\begin{smallmatrix} \text{exist:} + \\ \text{human:} + \end{smallmatrix} \right) \quad \xrightarrow{\dot{}} \quad [\text{somebody}]$$

$$(91) \quad ipron \left(\begin{smallmatrix} \text{exist:} - \\ \text{human:} - \end{smallmatrix} \right) \quad \xrightarrow{\dot{}} \quad // \quad [\text{everything}]$$

$$(92) \quad ipron \left(\begin{smallmatrix} \text{exist:} - \\ \text{human:} + \end{smallmatrix} \right) \quad \xrightarrow{\dot{}} \quad // \quad [\text{everybody}]$$

$$(93) \quad ipron \left(\begin{smallmatrix} \text{exist:} - \\ \text{human:} - \end{smallmatrix} \right) \quad \xrightarrow{\dot{}} \quad // \quad [\text{nothing}]$$

$$(94) \quad ipron \left(\begin{smallmatrix} \text{exist:} - \\ \text{human:} + \end{smallmatrix} \right) \quad \xrightarrow{\dot{}} \quad // \quad [\text{nobody}]$$