AceWiki Grammar

- Tobias Kuhn, 2 August 2010 -

Below, the grammar rules of the AceWiki grammar are shown:

Texts and Sentences

'text' stands for a complete text consisting of an arbitrary number of complete sentences (including zero):

- (1) $text \xrightarrow{\sim}$
- (2) $text \xrightarrow{\sim} complete_sentence text$

A complete sentence is represented by the category 'complete_sentence' and is either a declarative sentence that ends with a full stop or a question ending with a question mark:

- $(3) \quad complete_sentence \quad \xrightarrow{\sim} \quad sentence \quad [\, . \,]$
- $(4) \quad complete_sentence \ \ \, \xrightarrow{\sim} \quad /\!\!/ \quad simple_sentence_2 \begin{pmatrix} \text{whin:-} \\ \text{whout:+} \end{pmatrix} \ \, [\,?\,]$

General sentences are represented by 'sentence':

- (5) sentence $\xrightarrow{:}$ sentence_coord_1
- (6) sentence $\stackrel{\sim}{\longrightarrow}$ // [for every] nc(subj:-) sentence_coord_1
- (7) sentence $\xrightarrow{\sim}$ // [if] sentence_coord_1 [then] sentence_coord_1

Sentences can be coordinated using "or" ('sentence_coord_1') and "and" ('sentence_coord_2'):

- (8) $sentence_coord_1 \xrightarrow{:} sentence_coord_2$
- (9) $sentence_coord_1 \xrightarrow{\sim} // sentence_coord_2$ [or] $sentence_coord_1$
- (10) $sentence_coord_2 \xrightarrow{:} simple_sentence_1$
- $(11) \quad sentence_coord_2 \quad \stackrel{:}{\longrightarrow} \quad simple_sentence_1 \quad [\text{ and }] \quad sentence_coord_2$

Uncoordinated sentences are represented in two levels by 'simple_sentence_1' and 'simple_sentence_2':

- (12) $simple_sentence_1 \xrightarrow{\sim} /\!\!/ [it is false that] <math>simple_sentence_2(\underset{\text{whout:}-}{\text{whin:}-})$
- (13) $simple_sentence_1 \xrightarrow{:} [there is] np \begin{pmatrix} case: nom \\ def: -\\ exist: +\\ pl: -\\ subj: -\\ whin: -\\ whout: \end{pmatrix}$
- $(14) \quad simple_sentence_1 \quad \stackrel{:}{\longrightarrow} \quad [\text{there is}] \quad np \begin{pmatrix} \text{case: nom} \\ \text{def:} \\ \text{exist:} + \\ \text{pl:} \\ \text{subj:} \\ \text{whin:} \\ \text{whout:} \end{pmatrix} \quad [\text{such that}] \quad simple_sentence_1$
- $(16) \quad simple_sentence_1 \quad \stackrel{:}{\longrightarrow} \quad simple_sentence_2 \begin{pmatrix} \text{whin: -} \\ \text{whout: -} \end{pmatrix}$
- $(17) \quad simple_sentence_2 \begin{pmatrix} \text{whin: } \boxed{1} \\ \text{whout: } \boxed{2} \end{pmatrix} \quad \stackrel{\textstyle \sim}{\longrightarrow} \quad np \begin{vmatrix} \text{case: nom} \\ \text{id} \\ \text{subj: } \\ \text{whin: } \boxed{1} \\ \text{whout: } \boxed{5} \end{vmatrix} \\ vp_coord_1 \begin{pmatrix} \text{pl: } \boxed{4} \\ \text{subj: } \\ \text{whin: } \boxed{5} \\ \text{whout: } \boxed{2} \end{pmatrix}$

Verb Phrases

Like sentences, verb phrases can be coordinated using "or" ('vp_coord_1') and "and" ('vp_coord_2'):

$$(18) \quad vp_coord_1 \begin{pmatrix} \text{pl:} \, \boxed{1} \\ \text{subj:} \, \boxed{2} \\ \text{whin:} \, \boxed{3} \\ \text{whout:} \, \boxed{4} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad vp_coord_2 \begin{pmatrix} \text{pl:} \, \boxed{1} \\ \text{subj:} \, \boxed{2} \\ \text{whin:} \, \boxed{3} \\ \text{whout:} \, \boxed{4} \end{pmatrix}$$

$$(19) \quad vp_coord_1 \begin{pmatrix} \text{pl}: \boxed{1} & \\ \text{sub}: \boxed{2} \\ \text{whin:} \boxed{3} \\ \text{whout:} \boxed{4} \end{pmatrix} \stackrel{\sim}{\longrightarrow} \quad /\!\!/ \quad vp_coord_2 \begin{pmatrix} \text{pl}: \boxed{1} \\ \text{sub}: \boxed{2} \\ \text{whin:} \boxed{3} \\ \text{whout:} \boxed{5} \end{pmatrix} \quad [\text{ or }] \quad vp_coord_1 \begin{pmatrix} \text{pl}: \boxed{1} \\ \text{sub}: \boxed{2} \\ \text{whin:} \boxed{5} \\ \text{whout:} \boxed{4} \end{pmatrix}$$

$$(20) \quad vp_coord_2 \begin{pmatrix} \text{pl:} \, \mathbb{I} \\ \text{subj:} \, \mathbb{2} \\ \text{whin:} \, \mathbb{3} \\ \text{whout:} \, \mathbb{4} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad vp \begin{pmatrix} \text{pl:} \, \mathbb{I} \\ \text{subj:} \, \mathbb{2} \\ \text{whin:} \, \mathbb{3} \\ \text{whout:} \, \mathbb{4} \end{pmatrix}$$

$$(21) \quad vp_coord_2 \begin{pmatrix} \text{pl:} \, \mathbb{I} \\ \text{subj:} \, \mathbb{2} \\ \text{whin:} \, \mathbb{3} \\ \text{whout:} \, \mathbb{4} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad vp \begin{pmatrix} \text{pl:} \, \mathbb{I} \\ \text{subj:} \, \mathbb{2} \\ \text{whin:} \, \mathbb{3} \\ \text{whout:} \, \mathbb{5} \end{pmatrix} \quad [\text{ and }] \quad vp_coord_2 \begin{pmatrix} \text{pl:} \, \mathbb{I} \\ \text{subj:} \, \mathbb{2} \\ \text{whin:} \, \mathbb{5} \\ \text{whout:} \, \mathbb{4} \end{pmatrix}$$

Uncoordinated verb phrases represented by 'vp' can use an auxiliary verb:

$$(22) \quad vp \begin{pmatrix} \text{exist: 1} \\ \text{pl: [2]} \\ \text{re: [: 3]} \\ \text{subj: 4} \\ \text{whin: 5} \\ \text{whout: 6} \end{pmatrix} \xrightarrow{\sim} \quad aux \begin{pmatrix} \text{be: 7} \\ \text{exist: 1} \\ \text{pl: [2]} \\ \text{re: [: 3]} \\ \text{subj: 4} \\ \text{vform: inf} \\ \text{whout: 6} \end{pmatrix}$$

$$(23) \quad vp \begin{pmatrix} \text{exist:} + \\ p\text{:} \text{:} \text{I} \\ \text{rel:} \text{:} 2 \\ \text{subj:} \text{:} 3 \\ \text{whout:} \text{:} 5 \end{pmatrix} \quad \sim \atop \sim \quad v \begin{pmatrix} \text{be:} - \\ \text{exist:} + \\ \text{pl:} \text{I} \\ \text{rel:} \text{:} 2 \\ \text{subj:} \text{:} 3 \\ \text{vform: fin} \\ \text{whout:} \text{:} 5 \end{pmatrix}$$

The category 'v' represents the main verb or - if "be" is used as a copula verb - the complementing noun phrase or adjective complement:

$$(24) \quad v \begin{pmatrix} \text{be:} - \\ \text{copula:} - \\ \text{exist:} \boxed{1} \\ \text{pl:} \boxed{2} \\ \text{vform:} \boxed{3} \\ \text{whout:} \boxed{4} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad verb \begin{pmatrix} \text{be:} - \\ \text{exist:} \boxed{1} \\ \text{pl:} \boxed{2} \\ \text{vorm:} \boxed{3} \end{pmatrix}$$

$$(25) \quad v \quad \begin{cases} be: - \\ copula: - \\ embv: \boxed{1} \\ exist: \boxed{2} \\ ph: \boxed{3} \\ rel: \boxed{4} \\ subj: \boxed{5} \\ whin: \boxed{7} \\ whout: \boxed{8} \end{cases} \rightarrow \quad verb \begin{pmatrix} be: - \\ exist: \boxed{2} \\ ph: \boxed{3} \\ vext: tr \\ vform: \boxed{6} \end{pmatrix} \quad np \begin{pmatrix} case: acc \\ embv: \boxed{1} \\ rel: \boxed{4} \\ subj: \boxed{5} \\ vext: tr \\ whin: \boxed{7} \\ whout: \boxed{8} \end{cases}$$

$$(26) \quad v \begin{pmatrix} \text{be: +} \\ \text{copula: -} \\ \text{embv: [1]} \\ \text{rel: [2]} \\ \text{subj: [3]} \\ \text{whout: [5]} \end{pmatrix} \quad \underbrace{verb} \begin{pmatrix} \text{be: +} \\ \text{exist: [6]} \\ \text{pl: [7]} \\ \text{veat: tr} \\ \text{vform: [8]} \end{pmatrix} \quad np \quad \begin{bmatrix} \text{case: acc} \\ \text{copula: -} \\ \text{embv: [1]} \\ \text{rel: [2]} \\ \text{subj: [3]} \\ \text{whout: [5]} \end{pmatrix}$$

$$(27) \quad v \begin{pmatrix} \text{be: } + \\ \text{copula: } + \\ \text{embv: } \boxed{1} \\ \text{rel: } \boxed{2} \\ \text{subj: } \boxed{3} \\ \text{whout: } \boxed{5} \end{pmatrix} \rightarrow np \begin{pmatrix} \text{case: acc} \\ \text{copula: } + \\ \text{embv: } \boxed{1} \\ \text{of: } + \\ \text{pl: } - \\ \text{rel: } \boxed{2} \\ \text{subj: } \boxed{3} \\ \text{whout: } \boxed{5} \end{pmatrix}$$

$$(28) \quad v \begin{pmatrix} \text{be:} + \\ \text{copula:} + \\ \text{embv:} \boxed{1} \\ \text{pl:} - \\ \text{rel:} \boxed{2} \\ \text{subj:} \boxed{3} \\ \text{whin:} \boxed{4} \\ \text{whout:} \boxed{5} \end{pmatrix} \quad \stackrel{\text{case: acc}}{\longrightarrow} \quad np \begin{pmatrix} \text{case: acc} \\ \text{copula:} + \\ \text{embv:} \boxed{1} \\ \text{of:} - \\ \text{pi:} - \\ \text{rel:} \boxed{2} \\ \text{subj:} \boxed{3} \\ \text{whin:} \boxed{4} \\ \text{whout:} \boxed{5} \end{pmatrix}$$

$$(29) \quad v \begin{pmatrix} \text{be:} + \\ \text{copula:} + \\ \text{embv:} \boxed{1} \\ \text{rel:} \boxed{2} \\ \text{subj:} \boxed{3} \\ \text{whout:} \boxed{5} \end{pmatrix} \quad \xrightarrow{\text{trad}j} \quad np \begin{pmatrix} \text{case: acc} \\ \text{copula:} - \\ \text{embv:} \boxed{1} \\ \text{rel:} \boxed{2} \\ \text{subj:} \boxed{3} \\ \text{whout:} \boxed{5} \end{pmatrix}$$

Noun Phrases

Noun phrases are represented by 'np' and can consist of proper names, variables, pronouns, and different noun constructs:

$$(30) \quad np \begin{pmatrix} \operatorname{def:} + \\ \operatorname{embv:} 1 \\ \operatorname{exist:} + \\ \operatorname{id:} 2 \\ \operatorname{of:} - \\ \operatorname{pl:} - \\ \operatorname{rel:} 3 \\ \operatorname{whout:} 5 \end{pmatrix} \xrightarrow{propername} \begin{pmatrix} \operatorname{gender:} 6 \\ \operatorname{human:} 7 \\ \operatorname{text:} 2 \end{pmatrix} \gg \begin{pmatrix} \operatorname{gender:} 6 \\ \operatorname{hasvar:} - \\ \operatorname{human:} 7 \\ \operatorname{id:} 2 \\ \operatorname{type:} \operatorname{prop} \end{pmatrix} relcl \begin{pmatrix} \operatorname{embv:} 1 \\ \operatorname{human:} 7 \\ \operatorname{rel:} 3 \\ \operatorname{subj:} 2 \\ \operatorname{whout:} 5 \end{pmatrix}$$

$$(31) \quad np \begin{pmatrix} \operatorname{def:} + \\ \operatorname{exist:} + \\ \operatorname{id:} \square \\ \operatorname{of:} - \\ \operatorname{whin:} [2] \\ \operatorname{whout:} [2] \end{pmatrix} \xrightarrow{:} \quad \#\square \quad newvar \Big(\operatorname{var:} \exists \Big) \quad > \begin{pmatrix} \operatorname{hasvar:} + \\ \operatorname{id:} \square \\ \operatorname{type:} \operatorname{var} \\ \operatorname{var:} [\exists] \end{pmatrix}$$

$$(32) \quad np \begin{pmatrix} \text{def:} + \\ \text{exist:} + \\ \text{id:} \square \\ \text{of:} - \\ \text{pl:} - \\ \text{whout:} \square \end{pmatrix} \xrightarrow{\vdots} \quad \underline{defnoun} \Big(\text{noun:} \square \Big) \quad \underline{reference} \Big(\text{text:} \square \Big) \quad < \begin{pmatrix} \text{gender:} \square \\ \text{hasvar:} + \\ \text{human:} \square \\ \text{id:} \square \\ \text{noun:} \square \\ \text{type:} \text{noun} \\ \text{var:} \square \Big\} \\ \text{type:} \text{ref} \Big)$$

$$(33) \quad np \stackrel{\text{def: +}}{\underset{\text{exis: +} \\ \text{id: } \square}{\text{ers: both } 2}} \quad \stackrel{:}{\underset{\text{ph: -} \\ \text{ph: -} \\ \text{whin: } [2]}{\text{phother } [3]}} \quad \stackrel{:}{\longrightarrow} \quad \underline{defnoun} \Big(\text{noun: } \underline{3} \Big) \quad < \left(\begin{array}{c} \text{gender: } \underline{4} \\ \text{human: } \underline{5} \\ \text{id: } \underline{1} \\ \text{noun: } \underline{3} \\ \text{type: noun} \\ \end{array} \right) \quad > \left(\begin{array}{c} \text{gender: } \underline{4} \\ \text{hasvar: -} \\ \text{human: } \underline{5} \\ \text{id: } \underline{1} \\ \text{type: ref} \\ \end{array} \right)$$

$$(34) \quad np \begin{pmatrix} \operatorname{def:} + \\ \operatorname{exist:} + \\ \operatorname{id:} [] \\ \operatorname{of:} - \\ \operatorname{pl:} \\ \operatorname{whout:} [2] \end{pmatrix} \xrightarrow{reference} \left(\operatorname{text:} [3] \right) < \begin{pmatrix} \operatorname{gender:} [4] \\ \operatorname{hasvar:} + \\ \operatorname{human:} [5] \\ \operatorname{id:} [] \\ \operatorname{var:} [3] \end{pmatrix} > \begin{pmatrix} \operatorname{gender:} [4] \\ \operatorname{hasvar:} - \\ \operatorname{human:} [5] \\ \operatorname{id:} [] \\ \operatorname{type:} \operatorname{ref} \end{pmatrix}$$

$$(35) \quad np \begin{pmatrix} \text{embv:} \, \mathbb{I} \\ \text{exist:} \, \mathbb{2} \\ \text{id:} \, \mathbb{3} \\ \text{of:} \, \mathbb{4} \\ \text{pl:} - \\ \text{rel:} \, \mathbb{5} \\ \text{subj:} \, \mathbb{6} \\ \text{whin:} \, \mathbb{7} \\ \text{whout:} \, \mathbb{8} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad quant \Big(\text{exist:} \, \mathbb{2} \Big) \quad nc \begin{pmatrix} \text{embv:} \, \mathbb{I} \\ \text{id:} \, \mathbb{3} \\ \text{of:} \, \mathbb{4} \\ \text{rel:} \, \mathbb{5} \\ \text{subj:} \, \mathbb{6} \\ \text{whin:} \, \mathbb{7} \\ \text{whout:} \, \mathbb{8} \end{pmatrix}$$

$$(36) \quad np \begin{pmatrix} \text{embv: 1} \\ \text{exist: 2} \\ \text{id: 3} \\ \text{of: $-$} \\ \text{pl: $-$} \\ \text{rel: 4} \\ \text{whin: 5} \\ \text{whout: 6} \end{pmatrix} \quad \#3 \quad ipron \begin{pmatrix} \text{exist: 2} \\ \text{human: 7} \end{pmatrix} \quad opt_newvar \begin{pmatrix} \text{hasvar: 8} \\ \text{human: 7} \\ \text{var: 9} \end{pmatrix} \quad > \begin{pmatrix} \text{hasvar: 8} \\ \text{human: 7} \\ \text{id: 3} \\ \text{type: ipron} \\ \text{var: 9} \end{pmatrix} \quad relc \begin{pmatrix} \text{embv: 1} \\ \text{human: 7} \\ \text{rel: 4} \\ \text{subj: 3} \\ \text{whin: 5} \\ \text{whout: 6} \end{pmatrix}$$

(37)
$$np = \begin{pmatrix} \text{copula:} \\ \text{exist:} + \\ \text{id:} \boxed{\ } \\ \text{of:} - \\ \text{pl:} + \\ \text{whin:} \boxed{\ } \boxed{\ } \end{pmatrix} \xrightarrow{} num_quant \quad \underline{number} \quad \#\boxed{\ } \underbrace{nounpl}$$

$$(38) \quad np \begin{pmatrix} \text{copula: -} \\ \text{exist: +} \\ \text{id: \square} \\ \text{of: -} \\ \text{pl: -} \\ \text{whout: $[2]$} \end{pmatrix} \xrightarrow{:} \quad num_quant \quad [1] \quad \#\square \quad \underline{noun} \begin{pmatrix} \text{gender: 3} \\ \text{human: 4} \\ \text{text: 5} \end{pmatrix} > \begin{pmatrix} \text{gender: 3} \\ \text{human: 4} \\ \text{id: \square} \\ \text{noun: 5} \\ \text{type: noun} \end{pmatrix}$$

$$(39) \quad np \begin{pmatrix} \text{exist:} + \\ \text{id:} \boxed{\ } \\ \text{of:} - \\ \text{pl:} - \\ \text{whout:} + \end{pmatrix} \xrightarrow{:} \quad \# \boxed{\ } \boxed{\ } \text{what} \boxed{\ } > \begin{pmatrix} \text{hasvar:} - \\ \text{human:} - \\ \text{id:} \boxed{\ } \\ \text{type: wh} \end{pmatrix}$$

$$(40) \quad np \begin{pmatrix} \text{exist:} + \\ \text{id:} \, \boxed{} \\ \text{of:} - \\ \text{pl:} \\ \text{whout:} + \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad \# \boxed{} \quad [\text{ who }] \quad > \begin{pmatrix} \text{hasvar:} - \\ \text{human:} + \\ \text{id:} \, \boxed{} \\ \text{type: wh} \end{pmatrix}$$

$$(41) \quad np \begin{pmatrix} \text{embv: } \boxed{1} \\ \text{exist: } + \\ \text{id: } \boxed{2} \\ \text{of: } \boxed{3} \\ \text{pl: } - \\ \text{rel: } \boxed{4} \\ \text{subj: } \boxed{5} \\ \text{whout: } + \end{pmatrix} \quad \begin{subj: } \begin{subj: } \text{embv: } \boxed{1} \\ \text{id: } \boxed{2} \\ \text{of: } \boxed{3} \\ \text{rel: } \boxed{4} \\ \text{subj: } \boxed{5} \\ \text{whout: } + \end{subj: } \boxed{5} \\ \end{$$

$$(42) \quad np \begin{pmatrix} \text{exist: +} \\ \text{id: } \boxed{} \\ \text{of: -} \\ \text{pl: +} \\ \text{whout: +} \end{pmatrix} \xrightarrow{\vdots} \quad [\text{which }] \quad \# \boxed{} \quad \underline{nounpl}$$

The category 'nc' represents nouns optionally followed by variables, relative clauses, and of-constructs:

$$(43) \quad nc \begin{pmatrix} \text{embv: } \boxed{1} \\ \text{id: } \boxed{2} \\ \text{of: -} \\ \text{rel: } \boxed{3} \\ \text{whin: } \boxed{4} \\ \text{whout: } \boxed{5} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad n \begin{pmatrix} \text{gender: } \boxed{6} \\ \text{human: } \boxed{7} \\ \text{id: } \boxed{2} \\ \text{text: } \boxed{8} \end{pmatrix} \quad opt_newvar \begin{pmatrix} \text{hasvar: } \boxed{9} \\ \text{var: } \boxed{10} \end{pmatrix} \\ > \begin{pmatrix} \text{gender: } \boxed{6} \\ \text{hasvar: } \boxed{9} \\ \text{human: } \boxed{7} \\ \text{id: } \boxed{2} \\ \text{noun: } \boxed{8} \\ \text{type: noun} \end{pmatrix} \quad relcl \begin{pmatrix} \text{embv: } \boxed{1} \\ \text{human: } \boxed{7} \\ \text{rel: } \boxed{3} \\ \text{subi: } \boxed{2} \\ \text{whin: } \boxed{4} \\ \text{whout: } \boxed{5} \end{pmatrix}$$

$$(44) \quad nc \begin{pmatrix} \text{embv: } \mathbb{I} \\ \text{id: } \mathbb{I} \\ \text{of: } + \\ \text{rel: } \mathbb{I} \\ \text{subj: } \mathbb{I} \\ \text{whin: } \mathbb{I} \\ \text{whout: } \mathbb{I} \end{pmatrix} \xrightarrow{\sim} \quad nounof \quad np \begin{pmatrix} \text{case: acc} \\ \text{embv: } \mathbb{I} \\ \text{rel: } \mathbb{I} \\ \text{subj: } \mathbb{I} \\ \text{subj: } \mathbb{I} \\ \text{whout: } \mathbb{I} \\ \text{whout: } \mathbb{I} \end{pmatrix}$$

The category 'n' stands for nouns:

$$(45) \quad n \begin{pmatrix} \text{gender: } \boxed{1} \\ \text{human: } \boxed{2} \\ \text{id: } \boxed{3} \end{pmatrix} \quad \xrightarrow{\vdots} \quad \# \boxed{3} \quad \underbrace{noun}_{\text{human: } \boxed{2}} \begin{pmatrix} \text{gender: } \boxed{1} \\ \text{human: } \boxed{2} \end{pmatrix}$$

New variables, optional and mandatory, are represented by 'opt_newvar' and 'newvar', respectively:

(46)
$$opt_newvar(hasvar:-) \xrightarrow{:}$$

$$(47) \quad opt_newvar \binom{\text{hasvar: +}}{\text{var: } \square} \quad \stackrel{:}{\longrightarrow} \quad newvar \binom{\text{var: } \square}{}$$

$$(48) \quad newvar(var: \boxed{)} \quad \xrightarrow{:} \quad \underline{variable}(text: \boxed{)} \quad \not < \begin{pmatrix} hasvar: + \\ var: \boxed{1} \end{pmatrix}$$

Relative Clauses

Relative pronouns are represented by 'relpron' and can be either "that", "who" or "which":

$$(49) \quad relcl\left(\begin{array}{c} \text{whin: } \boxed{1} \\ \text{whout: } \boxed{1} \end{array}\right) \stackrel{:}{\longrightarrow}$$

$$(50) \quad relcl \begin{pmatrix} embv: + \\ human: \boxed{1} \\ rel: + \\ subj: \boxed{2} \\ whout: \boxed{4} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad relpron \begin{pmatrix} human: \boxed{1} \\ relpron: \boxed{5} \end{pmatrix} \quad relcl1 \begin{pmatrix} human: \boxed{1} \\ relpron: \boxed{5} \\ subj: \boxed{2} \\ whout: \boxed{4} \end{pmatrix}$$

Like sentences and verb phrases, relative clauses can be coordinated by "or" ('relc11') and "and" ('relc12'):

$$(51) \quad relc11 \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{2} \\ \text{subi: } \boxed{3} \\ \text{whin: } \boxed{4} \\ \text{whout: } \boxed{5} \end{pmatrix} \quad \stackrel{\textstyle \sim}{\longrightarrow} \quad /\!\!/ \quad relc12 \begin{pmatrix} \text{human: } \boxed{1} \\ \text{rel: -} \\ \text{relpron: } \boxed{2} \\ \text{subj: } \boxed{3} \\ \text{whin: } \boxed{4} \\ \text{whout: } \boxed{6} \end{pmatrix} \quad or_relpron \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{2} \end{pmatrix} \quad relc11 \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{2} \\ \text{subj: } \boxed{3} \\ \text{whin: } \boxed{6} \\ \text{whout: } \boxed{5} \end{pmatrix}$$

$$(52) \quad relc11 \begin{pmatrix} \text{human: $\overline{1}$} \\ \text{relpron: $\overline{2}$} \\ \text{subj: $\overline{3}$} \\ \text{whon: $\overline{5}$} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad relc12 \begin{pmatrix} \text{human: $\overline{1}$} \\ \text{relpron: $\overline{2}$} \\ \text{subj: $\overline{3}$} \\ \text{whout: $\overline{5}$} \end{pmatrix}$$

$$(53) \quad relcl2 \begin{pmatrix} \text{human: } \boxed{1} \\ \text{rel: } \boxed{2} \\ \text{relpron: } \boxed{3} \\ \text{subj: } \boxed{4} \\ \text{whin: } \boxed{5} \\ \text{whout: } \boxed{6} \end{pmatrix} \quad vp \begin{pmatrix} \text{pl: } - \\ \text{rel: } - \\ \text{subj: } \boxed{4} \\ \text{whin: } \boxed{5} \\ \text{whout: } \boxed{7} \end{pmatrix} \quad and_relpron \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{3} \end{pmatrix} \quad relcl2 \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{3} \\ \text{subj: } \boxed{4} \\ \text{whin: } \boxed{2} \\ \text{whout: } \boxed{6} \end{pmatrix}$$

$$(54) \quad relcl2 \begin{pmatrix} rel: \boxed{1} \\ subj: \boxed{2} \\ whin: \boxed{3} \\ whout: \boxed{4} \end{pmatrix} \quad \stackrel{:}{\longrightarrow} \quad vp \begin{pmatrix} pl: -\\ rel: \boxed{1} \\ subj: \boxed{2} \\ whin: \boxed{4} \end{pmatrix}$$

$$(55) \quad relcl2 \begin{pmatrix} rel: [1] \\ subj: [2] \\ whin: [3] \\ whout: [4] \end{pmatrix} \xrightarrow{\sim} np \begin{pmatrix} case: nom \\ copular - \\ id: [5] \\ pl: [6] \\ reft: - \\ rel: - \\ rel: - \\ rel: - \\ rel: [2] \\ whin: [3] \\ whout: [4] \end{pmatrix} \quad verb \begin{pmatrix} be: - \\ be: - \\ exist: [7] \\ pl: [6] \\ vcat: tr \\ vform: inf \end{pmatrix}$$

(56)
$$relcl2$$
 $\begin{pmatrix} \text{subj:} \boxed{1} \\ \text{whin:} \boxed{2} \\ \text{whout:} \boxed{3} \end{pmatrix} \xrightarrow{\sim} np \begin{pmatrix} \text{case: nom copula:} - \\ \text{id:} \boxed{4} \\ \text{pl:} \boxed{5} \\ \text{ref:} - \\ \text{rel:} - \\ \text{subj:} \boxed{1} \\ \text{whout:} \boxed{3} \end{pmatrix} verb \begin{pmatrix} \text{be:} - \\ \text{exist:} + \\ \text{pl:} \boxed{5} \\ \text{veat: tr} \\ \text{vform: fin} \end{pmatrix}$

Relative pronouns are represented by 'relpron' and can be either "that", "who" or "which":

(57)
$$relpron(relpron: that) \xrightarrow{:} [that]$$

(58)
$$relpron \begin{pmatrix} \text{human: +} \\ \text{relpron: who} \end{pmatrix} \xrightarrow{:} [\text{who}]$$

$$(59) \quad relpron \begin{pmatrix} \text{human:} - \\ \text{relpron: which} \end{pmatrix} \stackrel{:}{\longrightarrow} [\text{which}]$$

The categories 'or_relpron' and 'and_relpron' define shortcuts - like "or that" as one token - for better usability inside of the predictive editor:

$$(60) \quad or_relpron \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{2} \end{pmatrix} \xrightarrow{:} [\text{ or }] \quad relpron \begin{pmatrix} \text{human: } \boxed{1} \\ \text{relpron: } \boxed{2} \end{pmatrix}$$

(61)
$$or_relpron(relpron: that) : [or that]$$

$$(62) \quad or_relpron \begin{pmatrix} \text{human:} + \\ \text{relpron: who} \end{pmatrix} \xrightarrow{:} [\text{or who}]$$

(63)
$$or_relpron \begin{pmatrix} \text{human:} - \\ \text{relpron: which} \end{pmatrix} \xrightarrow{:} [or which]$$

(64)
$$and_relpron\begin{pmatrix} \text{human: } 1 \\ \text{relpron: } 2 \end{pmatrix} \xrightarrow{:} [and] relpron\begin{pmatrix} \text{human: } 1 \\ \text{relpron: } 2 \end{pmatrix}$$

(65)
$$and_relpron(relpron: that) : \longrightarrow [and that]$$

(66)
$$and_relpron\begin{pmatrix} \text{human: +} \\ \text{relpron: who} \end{pmatrix} \stackrel{:}{\longrightarrow} [\text{and who}]$$

(67)
$$and_relpron\begin{pmatrix} \text{human:} - \\ \text{relpron: which} \end{pmatrix} \xrightarrow{:} [and which]$$

Verbs

The category 'verb' represents main verbs:

$$(68) \quad verb \begin{pmatrix} \text{be:} - \\ \text{pl:} - \\ \text{vcat: tr} \\ \text{vform: fin} \end{pmatrix} \xrightarrow{:} \underline{verbsg}$$

(69)
$$verb \begin{pmatrix} be: - \\ pl: + \\ vcat: tr \\ vform: fin \end{pmatrix} \xrightarrow{:} \underline{verbinf}$$

$$(70) \quad verb \begin{pmatrix} \text{be:} - \\ \text{vcat: tr} \\ \text{vform: inf} \end{pmatrix} \xrightarrow{:} \quad \underline{verbinf}$$

$$(71) \quad verb \begin{pmatrix} \text{be: +} \\ \text{vcat: tr} \end{pmatrix} \stackrel{:}{\longrightarrow} \quad \underline{pverb}$$

Auxiliary verbs are represented by 'aux', which includes negation markers:

$$(72) \quad \mathit{aux} \begin{pmatrix} \mathsf{be:} + \\ \mathsf{exist:} + \\ \mathsf{pl:} - \end{pmatrix} \; \xrightarrow{:} \; \; [\; \mathsf{is} \;]$$

(73)
$$aux \begin{pmatrix} be: + \\ exist: - \\ pl: - \end{pmatrix} \xrightarrow{:} /\!\!/ [is not]$$

$$(74) \quad aux \begin{pmatrix} be: + \\ exist: - \\ pl: - \end{pmatrix} \xrightarrow{:} /\!\!/ [is] [not]$$

(75)
$$aux \begin{pmatrix} be: + \\ exist: + \\ pl: + \end{pmatrix} \stackrel{:}{\longrightarrow} [are]$$

(76)
$$aux \begin{pmatrix} be: + \\ exist: - \\ pl: + \end{pmatrix} \xrightarrow{:} /\!\!/ [are not]$$

(77)
$$aux \begin{pmatrix} be: + \\ exist: - \\ pl: + \end{pmatrix} \xrightarrow{:} /\!\!/ [are] [not]$$

$$(78) \quad aux \begin{pmatrix} \text{be:} -\\ \text{exist:} -\\ \text{pl:} - \end{pmatrix} \quad \vdots \quad /\!\!/ \quad [\text{does not}]$$

(79)
$$aux\begin{pmatrix} be: -\\ exist: -\\ pl: + \end{pmatrix} \xrightarrow{:} /\!\!/ [do not]$$

Quantifiers

Existential and universal quantifiers are represented by 'quant':

$$(80) \quad quant \Big(exist: + \Big) \quad \stackrel{:}{\longrightarrow} \quad [a]$$

(81)
$$quant(exist: +) \xrightarrow{:} [an]$$

(82)
$$quant(exist: -) \stackrel{:}{\longrightarrow} /\!\!/ [every]$$

(83)
$$quant(exist:-) \xrightarrow{:} // [no]$$

The category 'num_quant' stands for numerical quantifiers:

(84)
$$num_quant \xrightarrow{:} [at least]$$

(85)
$$num_quant \xrightarrow{:} [at most]$$

(86)
$$num_quant \xrightarrow{:} [less than]$$

(87)
$$num_quant \xrightarrow{:} [more than]$$

(88)
$$num_quant \xrightarrow{:} [exactly]$$

Indefinite Pronouns

Indefinite pronouns are represented by 'ipron':

$$(89) \quad ipron \begin{pmatrix} \text{exist:} + \\ \text{human:} - \end{pmatrix} \quad \vdots \quad [\text{something}]$$

(90)
$$ipron \left(\begin{array}{c} \text{exist: +} \\ \text{human: +} \end{array} \right) \xrightarrow{:} \left[\text{somebody} \right]$$

(91)
$$ipron \begin{pmatrix} exist: - \\ human: - \end{pmatrix} \xrightarrow{:} /\!\!/ [everything]$$

$$(92) \quad ipron \begin{pmatrix} \text{exist:} - \\ \text{human:} + \end{pmatrix} \xrightarrow{:} /\!\!/ \quad [\text{everybody}]$$

$$(93) \quad ipron \begin{pmatrix} \text{exist:-} \\ \text{human:-} \end{pmatrix} \xrightarrow{:} /\!\!/ \quad [\text{ nothing }]$$

$$(94) \quad ipron \begin{pmatrix} \text{exist:} - \\ \text{human:} + \end{pmatrix} \xrightarrow{:} /\!\!/ \text{ [nobody]}$$