

# Cordova Test Suite User Guide

Version 1.0

Copyright © 2014 Intel Corporation. All rights reserved. No portions of this document may be reproduced without the written permission of Intel Corporation.

Intel is a trademark of Intel Corporation in the U.S. and/or other countries.

Linux is a registered trademark of Linus Torvalds.

Tizen® is a registered trademark of The Linux Foundation.

ARM is a registered trademark of ARM Holdings Plc.

\*Other names and brands may be claimed as the property of others.

Any software source code reprinted in this document is furnished under a software license and may only be used or copied in accordance with the terms of that license.

# Contents

---

1	Introduction.....	3
2	Cordova Web Testing Architecture .....	3
3	Install testkit-lite on Host.....	4
4	Crosswalk based Cordova System Requirements.....	4
5	Crosswalk based Cordova Developer Tools .....	4
6	Web Runtime and Web API Test on Crosswalk based Cordova .....	5
7	Cordova Mobile Spec Test on Crosswalk based Cordova.....	8


# 1 Introduction

This document provides method to run Crosswalk based Cordova Test Suite. Currently the target platform is Android only. You can use the following method to run it with testkit-lite. Testkit tool-chain includes 3 components:

- testkit-lite: a command-line interface application deployed on Host
- testkit-stub: a test stub application deployed on Device
- tinyweb: a web service application deployed on Device

## 2 Cordova Web Testing Architecture

- Cordova Web Testing on Android
- Architecture



There are two types of Webapi tests:

- Web service dependent

Client side is a stub test package which link to remote web runner, no local TCs and web runner, thus avoid cross origin issue.

Server side includes tinyweb, webrunner and TCs.

- Web service independent

Self contained test package which include all things - web runner, TCs.

## 3 Install testkit-lite on Host

---

- Deploy testkit-lite
  - Install dependency python-requests (version>1.0)  
\$ sudo apt-get install python-pip  
\$ sudo pip install requests
  - Install testkit-lite from source code in GitHub  
\$ git clone git@github.com:testkit/testkit-lite.git  
\$ cd testkit-lite && sudo python setup.py install

## 4 Crosswalk based Cordova System Requirements

---

- Java JDK 1.5 or greater  
<http://www.oracle.com/technetwork/java/javase/downloads/index.html>
- Apache ANT 1.8.0 or greater <http://ant.apache.org/bindownload.cgi>
- Android SDK <http://developer.android.com>
- Python 2.7 or greater <https://www.python.org/download/>
- Node.js 0.10.24 or greater <http://nodejs.org/download/>

## 5 Crosswalk based Cordova Developer Tools

---

The Cordova developer tooling is split between general tooling and project level tooling.

- General Commands

`./bin/create [path package activity]`

create the `./example` app or a cordova android project

`./bin/check_reqs`

checks that your environment is set up for cordova-android development

`./bin/update [path]`

updates an existing cordova-android project to the version of the framework

- Project Commands

`./cordova/clean`

cleans the project

`./cordova/build`

calls ``clean`` then compiles the project

`./cordova/log`

stream device or emulate logs to stdout

`./cordova/run`

calls ``build`` then deploys to a connected Android device. If no Android device is detected, will launch an emulator and deploy to it.

`./cordova/version`

returns the cordova-android version of the current project

## 6 Web Runtime and Web API Test on Crosswalk based Cordova

---

- Deploy Android ADT bundle (Android SDK, IDE included) and Android NDK

-Deploy Android ADT bundle by referring to below link

<http://developer.android.com/sdk/installing/bundle.html>

-Deploy Android NDK by referring to below link

<http://developer.android.com/tools/sdk/ndk/index.html>

- Deploy adb Tool to Host

- Append Android SDK's tools and platform-tools directories to PATH environment

- \$ export PATH=\${PATH}:/path/to/adt-bundle-<version>/sdk/tools:

- /path/to/adt-bundle-<version>/sdk/platform-tools

- Download Crosswalk based Cordova binaries from:

- <https://download.01.org/crosswalk/releases/crosswalk/android/<branch>/<version>/<arch>/crosswalk-cordova-<version>-<arch>.zip>

- e.g.

- <https://download.01.org/crosswalk/releases/crosswalk/android/canary/6.35.128.0/x86/crosswalk-cordova-6.35.128.0-x86.zip>

- Build Crosswalk based Cordova app

- 1. Unzip crosswalk-cordova-<version>-<arch>.zip

- unzip /path/to/crosswalk-cordova-6.35.128.0-x86

- 2. /path/to/crosswalk-cordova-6.35.128.0-x86/bin/create testapp com.example.testapp

- testapp --shared

- 3. \$ cd testapp

- 4. Copy web source code (e.g. index.html with some contents) to assets/www

- 5. ./cordova/build

- 6. ./cordova/run

- Set Permissions

Some HTML5 APIs which access devices require developers to set appropriate permissions in AndroidManifest.xml to work correctly. For example, if your app calls getUserMedia, it needs to add

- <uses-permission android:name="android.permission.RECORD\_AUDIO" />

- <uses-permission android:name="android.permission.CAMERA" />

into AndroidManifest.xml in /path/to/testapp folder.

The Cordova Mobile Spec test doesn't need testkit-lite etc., tools to run the test, but for Web Runtime and Web API tests, please run the following steps:

- Deploy testkit-stub and launch it

- Make binary for testkit-stub from source code in GitHub

```
$ git clone git@github.com:testkit/testkit-stub.git
$ cd testkit-stub/android/jni/ && /path/to/android-ndk-<version>/ndk-build
```

- Import project testkit-stub to Android developer Tool by location testkit-stub/android
- Export the android project to APK and install APK to android device

```
$ adb install /path/to/TestkitStub.apk
```

- Launch testkit-stub by clicking the testkit-stub App icon in launcher

- Deploy tinyweb and launch it

- Make binaries for tinyweb from source code in GitHub

```
$ git clone git@github.com:testkit/tinyweb.git
$ cd tinyweb/android/native/jni/ && /path/to/android-ndk-<version>/ndk-build
```

- Copy tinyweb/android/native/libs/ to folder tinyweb/android/assets/system/libs/
- Import project tinyweb to Android developer Tool by location tinyweb /android
- Export the android project to APK and install APK to android device

```
$ adb install /path/to/TinywebTestService.apk
```

- Launch tinyweb by clicking the tinyweb app icon in launcher

- Pack test suite package

Please see ***Web\_Test\_Suite\_Packaging\_Guide***, Chapter 3.1 "*Pack Web Test Suite Packages for Android*", detailed steps for Cordova test suites package are added.

Note: For Android device, the default APK package mode of Crosswalk based Cordova is embedded mode.

- Install test suite on Android device

```
$ unzip -o <test_suite_name>-<version>.apk.zip -d /path/to/  
$ /path/to/opt/<test_suite_name>/inst.sh
```

- Launch WRT test with lite

```
$ testkit-lite -f /path/to/opt/<test_suite_name>/tests.xml --comm androidmobile
```

- Uninstall test suite

```
$ /path/to/opt/<test_suite_name>/inst.sh -u
```

## 7 Cordova Mobile Spec Test on Crosswalk based Cordova

---

Build and run Cordova Mobile Spec test build (named as cordova\_mobile\_spec-debug.apk) on Android

1. Download Crosswalk based Cordova binaries from:

<https://download.01.org/crosswalk/releases/crosswalk/android/<branch>/<version>/<arch>/crosswalk-cordova-<version>-<arch>.zip>

e.g.

<https://download.01.org/crosswalk/releases/crosswalk/android/canary/6.35.128.0/x86/crosswalk-cordova-6.35.128.0-x86.zip>

2. Fetch Cordova Mobile Spec test cases:

```
$ git clone git@github.com:apache/cordova-mobile-spec.git
```

```
$ cd cordova-mobile-spec
```

```
$ git checkout -b 3.4.0 3.4.0
```

3. Create mobile spec app:

```
$ unzip /path/to/crosswalk-cordova-6.35.128.0-x86.zip
```



```
$ /path/to/crosswalk-cordova-6.35.128.0-x86/bin/create mobilespeg
org.apache.mobilespec mobilespeg --shared
$ cp -r /path/to/cordova-mobile-spec/* assets/www (Please don't accept to overwrite
the cordova.js)
$ cp -r /path/to/cordova-mobile-spec/config.xml res/xml/config.xml
```

4. Set up Cordova Mobile Spec plugins environment. Recommend to use plugman to install plugins. You need to have [node.js](https://nodejs.org/en/) installed. Then install plugman by:

```
$ npm install -g plugman
```

5. Add Cordova Mobile Spec plugins for Crosswalk based Cordova, please refer to full supported plugin list:

<https://crosswalk-project.org/#wiki/Plugins-List-@-3.4.0-Supported-by-Crosswalk-Cordova-Android>

```
$ cd mobilespeg
$ plugman install --platform android --project ./ --plugin https://git-wip-
us.apache.org/repos/asf/cordova-plugin-battery-status.git#r0.2.8
$ plugman install --platform android --project ./ --plugin https://git-wip-
us.apache.org/repos/asf/cordova-plugin-camera.git#r0.2.9
$ plugman install --platform android --project ./ --plugin https://git-wip-
us.apache.org/repos/asf/cordova-plugin-contacts.git#r0.2.10
$ plugman install --platform android --project ./ --plugin https://git-wip-
us.apache.org/repos/asf/cordova-plugin-device.git#r0.2.9
$ plugman install --platform android --project ./ --plugin https://git-wip-
us.apache.org/repos/asf/cordova-plugin-device-motion.git#r0.2.7
$ plugman install --platform android --project ./ --plugin https://git-wip-
us.apache.org/repos/asf/cordova-plugin-device-orientation.git#r0.3.6
$ plugman install --platform android --project ./ --plugin https://git-wip-
us.apache.org/repos/asf/cordova-plugin-dialogs.git#r0.2.7
$ plugman install --platform android --project ./ --plugin https://git-wip-
us.apache.org/repos/asf/cordova-plugin-file.git#r1.1.0
$ plugman install --platform android --project ./ --plugin https://git-wip-
us.apache.org/repos/asf/cordova-plugin-file-transfer.git#r0.4.3
$ plugman install --platform android --project ./ --plugin https://git-wip-
us.apache.org/repos/asf/cordova-plugin-geolocation.git#r0.3.7
```

```
$ plugman install --platform android --project ./ --plugin https://git-wip-us.apache.org/repos/asf/cordova-plugin-globalization.git#r0.2.7
$ plugman install --platform android --project ./ --plugin https://git-wip-us.apache.org/repos/asf/cordova-plugin-inappbrowser.git#r0.4.0
$ plugman install --platform android --project ./ --plugin https://git-wip-us.apache.org/repos/asf/cordova-plugin-media.git#r0.2.10
$ plugman install --platform android --project ./ --plugin https://git-wip-us.apache.org/repos/asf/cordova-plugin-media-capture.git#r0.3.0
$ plugman install --platform android --project ./ --plugin https://git-wip-us.apache.org/repos/asf/cordova-plugin-network-information.git#r0.2.8
$ plugman install --platform android --project ./ --plugin https://git-wip-us.apache.org/repos/asf/cordova-plugin-splashscreen.git#r0.3.0
$ plugman install --platform android --project ./ --plugin https://git-wip-us.apache.org/repos/asf/cordova-plugin-vibration.git#r0.3.8
$ plugman install --platform android --project ./ --plugin assets/www/cordova-plugin-whitelist
```

6. According to [Splash Screen API](#) Spec, you may need to add following statement into the onCreate method of the class that extends DroidGap:

```
super.setIntegerProperty\("splashscreen", R.drawable.splash\);
in /path/to/mobilespec/src/org/apache/mobilespec/mobilespec.java
```

The .java file path maps to package activity etc., package parameters in step 6  
"mobilespec org.apache.mobilespec mobilespec"

```
public void onCreate(Bundle savedInstanceState)
{
    super.onCreate(savedInstanceState);
    super.init();
    super.setIntegerProperty\("splashscreen", R.drawable.splash\);
    super.loadUrl(Config.getStartUrl());
}
```

7. Connect the Android test device to host (adb enabled), build and run:

```
$ cd /path/to/mobilespec
```

```
$ ./cordova/build
```

Add "--debug" switch if "remote debugging" feature is needed to run the test

```
$ ./cordova/build --debug
```

```
$ ./cordova/run
```

- The alternate way is copy test apk from /path/to/mobilespec/bin/mobile\_spec-debug.apk to device, install it.
- Run Cordova API (Cordova Mobile Spec) test cases in app on test device.