

Homework 1

CS250 Discrete Structures I, Winter 2020

Armant Touche

Due: May, 20, 2020

Chapter 3 Homework Exercises For this week, you can complete many of the exercises in 3.1 using truth tables. Alternatively, if you know some rules of logic, you can make use of those. Section 3.2 is a bit more conceptual in nature, covering proof strategies at an abstract level.

Problem 1 3.1 Propositional Logic (pg. 209-212)

From section 3.1 in the textbook, complete exercises 1, 3, 6, 9, 10, 14

1. Consider the statement about a party, “If it’s your birthday or there will be cake, then there will be cake.”

- (a) Translate the above statement into symbols. Clearly state which statement is P and which is Q .

P = Birthday

Q = Cake

$(P \vee Q) \rightarrow Q$

- (b) Make a truth table for the statement.

P	Q	$P \vee Q$
T	T	T
T	F	F
F	T	T
F	F	T

- (c) Assuming the statement is true, what (if anything) can you conclude if there will be cake?
There will only be cake.

- (d) Assuming the statement is true, what (if anything) can you conclude if there will not be cake?

It’s not your birthday

- (e) Suppose you found out that the statement was a lie. What can you conclude?

It’s not your birthday, and the cake is lie (Portal Joke)

3. Make a truth table for the statement $\neg P \wedge (Q \wedge P)$. What can you conclude about P and Q if you know the statement is true?

P	Q	$\neg P \wedge (Q \wedge P)$
T	F	F
T	T	F
F	T	F
F	F	T

That when P and Q are false, the statement is true.

6. Determine whether the following two statements are logically equivalent: $\neg(P \rightarrow Q)$ and $P \wedge \neg Q$. Explain how you know you are correct.

P	Q	$\neg(P \rightarrow Q)$
T	T	F
T	F	T
F	T	F
F	F	F

P	Q	$P \wedge \neg Q$
T	T	F
T	F	T
F	T	F
F	F	F

These two statements are equivalent based off their truth tables.

9. Use De Morgan's Laws, and any other logical equivalence facts you know to simplify the following statements. Show all your steps. Your final statements should have negations only appear directly next to the sentence variables or predicates ($P, Q, E(x)$, etc.), and non double. It would be a good idea to use only conjunctions, disjunctions, and negations.

$$\begin{aligned} \text{(a)} \quad & \neg((\neg P \wedge Q) \vee \neg(R \vee \neg S)) \\ &= \neg(\neg P \wedge Q) \wedge (R \vee \neg S) \\ &= (P \vee \neg Q) \wedge (R \vee \neg S) \end{aligned}$$

$$\begin{aligned} \text{(b)} \quad & \neg((\neg P \rightarrow \neg Q) \wedge (\neg Q \rightarrow R)) \\ &= \neg((P \vee \neg Q) \wedge (Q \vee R)) \\ &= (\neg P \wedge Q) \vee (\neg Q \wedge \neg R) \end{aligned}$$

- (c) For both parts above, verify your answers are correct using truth tables. That is, use a truth table to check that the given statement and your proposed simplification are actually logically equivalent.

i. (a)

P	Q	R	S	$\neg((\neg P \wedge Q) \vee \neg(R \vee \neg S))$	$(P \vee \neg Q) \wedge (R \vee \neg S)$
F	F	F	F	T	T
F	F	F	T	F	F
F	F	T	F	T	T
F	F	T	T	T	T
F	T	F	F	F	F
F	T	F	T	F	F
F	T	T	F	F	F
F	T	T	T	F	F
T	F	F	F	T	T
T	F	F	T	F	F
T	F	T	F	T	T
T	F	T	T	T	T
T	T	F	F	T	T
T	T	F	T	F	F
T	T	T	F	T	T
T	T	T	T	T	T

ii. (b)

P	Q	R	$\neg((\neg P \rightarrow \neg Q) \wedge (\neg Q \rightarrow R))$	$(\neg P \wedge Q) \vee (\neg Q \wedge \neg R)$
F	F	F	T	T
F	F	T	F	F
F	T	F	T	T
F	T	T	T	T
T	F	F	T	T
T	F	T	F	F
T	T	F	F	F
T	T	T	F	F

10. Consider the statement, “If a number is triangular or square, then it is not prime”

(a) Make a truth table for the statement $(T \vee S) \rightarrow \neg(P)$.

T	S	P	$(T \vee S) \rightarrow \neg P$
T	F	F	T
T	T	F	T
T	T	T	F
F	T	T	F
F	F	T	T
F	F	F	T
F	T	F	T
T	F	T	F

(b) If you believed the statement was false, what properties would a counterexample need to possess? Explain by referencing your truth table.

There are three instances where the statement is false. All three (T , S , & P) are true, therefore statement is false. If one value, either T or S , are false and P is true then the statement is false.

(c) If the statement were true, what could you conclude about the number 5657, which is definitely prime? Again, explain using the truth table.

If the statement is true, then there are couple possible outcomes of the number 5657 being that is is neither triangular or square, thus not prime ($P = \text{true}$). The number is either triangular or square and isn't prime. The last possibility, 5657 is neither triangular or square and is prime ($P = \text{false}$).

14. Determine if the following is a valid deduction rule:

$$\frac{(P \wedge Q) \rightarrow R \quad \neg P \vee \neg Q}{\therefore \neg R}$$

P	Q	R	$(P \wedge Q) \rightarrow R$	$\neg P$	$\neg Q$	$\neg P \vee \neg Q$	$\neg R$
F	F	F	T	T	T	T	T
F	F	T	T	T	T	T	F
F	T	T	T	T	F	T	F
T	T	T	T	F	F	F	F
T	T	F	F	F	F	F	T
T	F	F	F	F	T	T	T
F	T	F	F	T	F	T	T
T	F	T	T	F	T	T	F

Row 2's conclusion doesn't match the premise, thus this statement isn't a valid deduction rule.

Problem 2 3.2 Proofs (pg. 223-226)

From section 3.2 in the textbook, complete exercises 1, 2, 6, 10.

1. Consider the statement “for all integers a and b , if $a + b$ is even, then a and b are even”
 - (a) Write the contrapositive of the statement.
For all integers a and b , if a or b are not even, then $a + b$ are not even.
 - (b) Write the converse of the statement.
For all integers a and b , if a and b are even, then $a + b$ are even.
 - (c) Write the negation of the statement.
There exist numbers a and b such that $a + b$ are even but a nor b are both even.
 - (d) Is the original statement true or false? Prove your answer.
False. An example, $a = 5$ and $b = 7$. $a + b = 23$ but neither a or b are positive.
 - (e) Is the contrapositive of the original statement true or false? Prove your answer.
Contrapositive is false because like (d)’s example, we can have two odd numbers and the sum of those two numbers can be even.
 - (f) Is the converse of the original statement true or false? Prove your answer
True. Let a and b be even integers. Then $a = 2j$ and $b = 2k$ such j and k are some arbitrary integers. $a + b = 2(j + k)$ which results in an even number.
 - (g) Is the negation of the original statement true or false? Prove your answer.
Since the statement’s truth value is false, negating it makes the statement true.
2. For each of the statements below, say what method of proof you should use to prove them. Then say how the proof starts and how it ends. Bonus points for filling in the middle.
 - (a) There are no integers x and y such that x is a prime greater than 5 and $x = 6y + 3$.
Proof by Contradiction. Suppose there are integers x and y such that x is a prime number greater than 5 and $x = 6y + 3$. Let $y = \frac{x-3}{6}$ since we care about x being prime and the result from $6y + 3$. Since y results in a fraction, we can assume that y will never be an integer based on the original. Thus there cannot be any such integers to satisfy this statement.
 - (b) For all integers n , if n is a multiple of 3, then n can be written as the sum of consecutive integers.
Direct Proof. Let n be an integer. Assume n is a multiple of 3. This statement can be written as $n = 3 \cdot \sum_{i=1}^3 i$. This statement holds true when starting from the first element in \mathbb{N} . Thus this statement is true.
 - (c) For all integers a and b , if $a^2 + b^2$ is odd, then a or b is odd.

Proof by contrapositive. Let a and b be integers. Assume that a and b are even. Let $a = 2k$ where k is some arbitrary integer. The same goes for b except it’s $b = 2j$. These arbitrary integer would result in the following statement:

$$\begin{aligned} a^2 + b^2 &= (2k)^2 + (2j)^2 \\ &= 4k^2 + 4j^2 \\ &= 4(k^2 + j^2) \end{aligned}$$

The last part has a multiple of 4 which is an even number thus $a^2 + b^2$ is even and not odd.

6. Prove that $\sqrt{3}$ is irrational

Proof. Suppose not. $\sqrt{3} = \frac{a}{b}$ where p and q are integers and are co-primes.

$$p = \sqrt{3}q$$

$$p^2 = 3q^2$$

$$\frac{p^2}{3} = q^2$$

Therefore 3 is a factor of p . $p = 3c$ where c is a constant. Substituting p :

$$\frac{(3c)^2}{3} = 3q^2$$

$$c^2 = \frac{q^2}{3}$$

Therefore 3 is also a factor of q . This is contradiction since p and q are co-prime thus $\sqrt{3}$ is an irrational number.

10. Suppose that you would like to prove the following implication:

For all number n , if n is prime then n is solitary.

Write out the beginning and end of the argument if you were to prove the statement,

- (a) Directly
- (b) By contrapositive
- (c) By contradiction