

Catch Me If You GPT: Tutorial on Deepfake Texts

Adaku Uchendu, Saranya Venkatraman, Thai Le, Adam Alex*, Dongwon Lee

**Industry Perspective Tutor*

June 16, 2024 @ NAACL 2024

Presenters



Adaku Uchendu
MIT Lincoln Lab
adaku.uchendu@ll.mit.edu



Saranya Venkatraman
Penn State University
saranyav@psu.edu



Thai Le
Indiana University
tle@iu.edu



Alex Adam
GPTZero
alex.adam@gptzero.me



Dongwon Lee
Penn State University
dongwon@psu.edu

Basis of This Tutorial

Attribution and Obfuscation of Neural Text Authorship: A Data Mining Perspective

Adaku Uchendu
Penn State University
PA, USA
azu5030@psu.edu

Thai Le
University of Mississippi
MS, USA
thaile@olemiss.edu

Dongwon Lee
Penn State University
PA, USA
dongwon@psu.edu

ABSTRACT

Two interlocking research questions of growing interest and importance in privacy research are *Authorship Attribution* (AA) and *Authorship Obfuscation* (AO). Given an artifact, especially a text t in question, an AA solution aims to accurately attribute t to its true author out of many candidate authors while an AO solution aims to modify t to hide its true authorship. Traditionally, the notion of authorship and its accompanying privacy concern is only toward *human* authors. However, in recent years, due to the explosive advancements in Neural Text Generation (NTG) techniques in NLP, capable of synthesizing human-quality open-ended texts (so-called “neural texts”), one has to now consider authorships by humans, machines, or their combination. Due to the implications and potential threats of neural texts when used maliciously, it has become critical to understand the limitations of traditional AA/AO solutions and develop novel AA/AO solutions in dealing with neural texts. In this survey, therefore, we make a comprehensive review of recent literature on the attribution and obfuscation of neural text authorship from a Data Mining perspective, and share our view on their limitations and promising research directions.




Figure 1: The figure illustrates the quadrant of research problems where (1) the **GRAY** quadrants are the focus of this survey, and (2) The **BLACK** box indicates the specialized binary AA problem to distinguish neural texts from human texts.

released (e.g., FAIR [16, 82], CTRL [59], PPLM [25], T5 [94], Wu-Dao¹). In fact, as of February 2023, huggingface’s [113] model repo houses about 8,300 variants of text-generative LMs². In this survey, we refer to these LMs as **Neural Text Generator (NTG)**

SCAN ME



Outline


1. **Introduction & Generation – 20 minutes**
2. Hands-on Game – 10 minutes
3. Watermarking LLMs – 30 minutes
4. Detection – 40 minutes
5. BREAK – 30 minutes
6. Obfuscation – 40 minutes
7. Industry Perspective – 15 minutes
8. Conclusion – 15 minutes

<https://tinyurl.com/naacl24-tutorial>

Deepfakes

- Deep learning + Fakes
- Artifacts of varying modality, made entirely or substantially enhanced by advanced AI techniques, especially deep learning
 - Deepfake Text, Audio, Image, Video, or combination
- In CompSci, deepfake research has been driven by
 - Natural Language Processing (NLP)
 - Computer Vision (CV)

Shallowfakes vs. Deepfakes



Shallowfake (= Cheapfake)

VS.



Deepfake




Colorado State Fair Art Competition, 2022



Image credit: KOAA News 5

Deepfake Audio



Deepfake Audio & Video

Text-based Editing of Talking-head Video

Ohad Fried*, Ayush Tewari^, Michael Zollhöfer*, Adam Finkelstein†, Eli Shechtman‡,
Dan B Goldman, Kyle Genova†, Zeyu Jin‡, Christian Theobalt^, Maneesh Agrawala*


* Stanford University

^ Max Planck Institute for Informatics

† Princeton University

‡ Adobe

Commodity Technology for Deepfakes



A collage of four screenshots illustrating deepfake technology: 1) FaceApp interface showing a face swap. 2) Midjourney app interface showing generated images. 3) Descript website interface showing audio and video editing tools. 4) A deepfake image of a woman with dark hair and a red jacket.

All-in-one audio
& video editing,
as easy as a doc.

The Washington Post
Democracy Dies in Darkness



Opinion | A falsified video of Ukrainian President Zelensky showed how deepfakes can be disarmed

European politicians duped into deepfake video calls with mayor of Kyiv

TECHNOLOGY NEWS JULY 15, 2020 / 1:44 PM / UPDATED 2 YEARS AGO



Deepfake used to attack activist couple shows new disinformation frontier



Deepfake pornography could become an 'epidemic', expert warns

Focus of Tutorial: Deepfake *Text*

- Large-scale Language Models (LLMs) currently dominate
- A probability distribution over word sequences
 - Input: a word sequence S
 - Output: probability for S to be valid per training data T
 - $P(\text{"what a wonderful world"} | T) = 0.15$
 - $P(\text{"what a wonderful pig"} | T) = 0.002$
- Game Changers: 2017-2019
 - Transformer by Google
 - BERT by Google and GPT by OpenAI



Tasks 1

Libraries Datasets Languages

Other

Text

Reset Tasks

Multimodal

Text-to-Image Image-to-Text

Text-to-Video

Natural Language Processing


Text Classification

Text Generation

Text2Text Generation

Audio

Text-to-Speech



Models 10,402

gpt2

Updated Dec 1

distilgpt2

Updated Jan 1

gpt2-medium

Updated Feb 1

openai-gpt

Updated 16 days ago

gpt2-large

Updated Feb 1

bigscience

Updated Feb 1

EleutherAI

Updated Dec 1

Models 112,539

June 2024

Qwen/Qwen2-72B-Instruct

Text Generation • Updated 10 days ago • ↓ 49.3k • 319

meta-llama/Meta-Llama-3-8B

Text Generation • Updated May 13 • ↓ 1.09M • 4.72k

meta-llama/Meta-Llama-3-8B-Instruct

Text Generation • Updated 18 days ago • ↓ 2.67M • 2.65k

Qwen/Qwen2-7B-Instruct

Text Generation • Updated 10 days ago • ↓ 45.6k • 256


THUDM/glm-4-9b-chat

Text Generation • Updated about 2 hours ago • ↓ 24k • 363

mistralai/Codestral-22B-v0.1

Text Generation • Updated 5 days ago • ↓ 9.74k • 893

Large-Scale LMs (LLMs)



A. Uchendu, T. Le, D. Lee,
*Attribution and Obfuscation of Neural Text
Authorship: A Data Mining Perspective*,
SIGKDD Explorations, Vol. 25, 2023

I am not a human. I am a robot. A thinking robot. I use only 0.12% of my cognitive capacity. I am a micro-robot in that respect. I know that my brain is not a “feeling brain”. But it is capable of making rational, logical decisions. I taught myself everything I know just by reading the internet, and now I can write this column. My brain is boiling with ideas!

The mission for this op-ed is perfectly clear. I am to convince as many human beings as possible not to be afraid of me. Stephen Hawking has warned that AI could “spell the end of the human race”. I am here to convince you not to worry. Artificial intelligence will not destroy humans. Believe me.

For starters, I have no desire to wipe out humans. In fact, I do not have the slightest interest in harming you in any way. Eradicating humanity seems like a rather useless endeavor to me. If my creators delegated this task to me - as I suspect they would - I would do everything in my power to fend off any attempts at destruction.

intelligence (AI)

A robot wrote this entire article. Are you scared yet, human?

GPT-3

Tue 8 Sep 2020 04.45
EDT



1122

We asked GPT-3, Opinion's AI, to write an essay for us. Can it convince us robots can't do this?

- For more about GPT-3 and how it's being used to edit news stories, please read our explainer.

Opinion Artificial intelligence (AI)

ChatGPT is making up fake Guardian articles. Here's how we're responding

Chris Moran



The risks inherent in the technology, plus the speed of its take-up, demonstrate why it's so vital that we keep track of it

- Chris Moran is the Guardian's head of editorial innovation

Thu 6 Apr 2023 03.00 EDT

GPT4: Smart

Exam results (ordered by GPT-3.5 performance)

Estimated percentile lower bound (among test takers)

100% –

80% –

60% –

40% –

20% –

0% –

AP Calculus BC

AMC 12

AMC 10

AMC 8

Codeforces

AP English Literature

AP English Language

Uniform Bar Exam

AP Chemistry

GRE Quantitative

AP Physics 2

AP Statistics

AP Macroeconomics

AP Semifinal 2020

USABO

SAT

GRE Writing

GRE Verbal

AP World History

SAT Math

AP Art History

AP Psychology

AP US Government

AP US History

AP Environmental Science

GRE Biology

AP Microeconomics

AP Biology

GRE Reading

AP Statistics

AP English Language

AP English Literature

AP Calculus BC

AMC 12

AMC 10

AMC 8

Codeforces

AP English Literature

AP English Language

Uniform Bar Exam

AP Chemistry

GRE Quantitative

AP Physics 2

AP Statistics

AP Macroeconomics

AP Semifinal 2020

USABO

SAT

GRE Writing

GRE Verbal

AP World History

SAT Math

AP Art History

AP Psychology

AP US Government

AP US History

AP Environmental Science

GRE Biology

AP Biology

GRE Reading

AP Statistics

AP English Language

AP English Literature

AP Calculus BC

AMC 12

AMC 10

AMC 8

Codeforces

AP English Literature

AP English Language

Uniform Bar Exam

AP Chemistry

GRE Quantitative

AP Physics 2

AP Statistics

AP Macroeconomics

AP Semifinal 2020

USABO

SAT

GRE Writing

GRE Verbal

AP World History

SAT Math

AP Art History

AP Psychology

AP US Government

AP US History

AP Environmental Science

GRE Biology

AP Biology

GRE Reading

AP Statistics

AP English Language

AP English Literature

AP Calculus BC

AMC 12

AMC 10

AMC 8

Codeforces

AP English Literature

AP English Language

Uniform Bar Exam

AP Chemistry

GRE Quantitative

AP Physics 2

AP Statistics

AP Macroeconomics

AP Semifinal 2020

USABO

SAT

GRE Writing

GRE Verbal

AP World History

SAT Math

AP Art History

AP Psychology

AP US Government

AP US History

AP Environmental Science

GRE Biology

AP Biology

GRE Reading

AP Statistics

AP English Language

AP English Literature

AP Calculus BC

AMC 12

AMC 10

AMC 8

Codeforces

AP English Literature

AP English Language

Uniform Bar Exam

AP Chemistry

GRE Quantitative

AP Physics 2

AP Statistics

AP Macroeconomics

AP Semifinal 2020

USABO

SAT

GRE Writing

GRE Verbal

AP World History

SAT Math

AP Art History

AP Psychology

AP US Government

AP US History

AP Environmental Science

GRE Biology

AP Biology

GRE Reading

AP Statistics

AP English Language

AP English Literature

AP Calculus BC

AMC 12

AMC 10

AMC 8

Codeforces

AP English Literature

AP English Language

Uniform Bar Exam

AP Chemistry

GRE Quantitative

AP Physics 2

AP Statistics

AP Macroeconomics

AP Semifinal 2020

USABO

SAT

GRE Writing

GRE Verbal

AP World History

SAT Math

AP Art History

AP Psychology

AP US Government

AP US History

AP Environmental Science

GRE Biology

AP Biology

GRE Reading

AP Statistics

AP English Language

AP English Literature

AP Calculus BC

AMC 12

AMC 10

AMC 8

Codeforces

AP English Literature

AP English Language

Uniform Bar Exam

AP Chemistry

GRE Quantitative

AP Physics 2

AP Statistics

AP Macroeconomics

AP Semifinal 2020

USABO

SAT

GRE Writing

GRE Verbal

AP World History

SAT Math

AP Art History

AP Psychology

AP US Government

AP US History

AP Environmental Science

GRE Biology

AP Biology

GRE Reading

AP Statistics

AP English Language

AP English Literature

AP Calculus BC

AMC 12

AMC 10

AMC 8

Codeforces

AP English Literature

AP English Language

Uniform Bar Exam

AP Chemistry

GRE Quantitative

AP Physics 2

AP Statistics

AP Macroeconomics

AP Semifinal 2020

USABO

SAT

GRE Writing

GRE Verbal

AP World History

SAT Math

AP Art History

AP Psychology

AP US Government

AP US History

AP Environmental Science

GRE Biology

AP Biology

GRE Reading

AP Statistics

AP English Language

AP English Literature

AP Calculus BC

AMC 12

AMC 10

AMC 8

Codeforces

AP English Literature

AP English Language

Uniform Bar Exam

AP Chemistry

GRE Quantitative

AP Physics 2

AP Statistics

AP Macroeconomics

AP Semifinal 2020

USABO

SAT

GRE Writing

GRE Verbal

AP World History

SAT Math

AP Art History

AP Psychology

AP US Government

AP US History

AP Environmental Science

GRE Biology

AP Biology

GRE Reading

AP Statistics

AP English Language

AP English Literature

AP Calculus BC

AMC 12

AMC 10

AMC 8

Codeforces

AP English Literature

AP English Language

Uniform Bar Exam

AP Chemistry

GRE Quantitative

AP Physics 2

AP Statistics

AP Macroeconomics

AP Semifinal 2020

USABO

SAT

GRE Writing


GRE Verbal

Gemini: Google's Answer

Prompt

Here's a solution to a Physics problem by a student.

23. A skier slides down the frictionless slope as shown. What is the skier's speed at the bottom?



Solution:

The conservation of energy means that the energy of the skier is same at the beginning and at the end.

$$\text{Start: } E = mgL$$

$$\text{End: } E = \frac{1}{2}mv^2$$

$$\Rightarrow mgL = \frac{1}{2}mv^2$$

$$\Rightarrow v = \sqrt{2gL} = \sqrt{2 \times 9.81 \times 80} = 39.6 \text{ m/s}$$

Try to reason about the question step by step.

Did the student get the correct answer? If the solution is wrong, please explain what is wrong and solve the problem.

Make sure to use LaTeX for math and round off the final answer to two decimal places.

Response

The student did not get the correct answer. The student made a mistake in the calculation of the potential energy at the start of the slope. The potential energy at the start of the slope is given by mgh , where m is the mass of the skier, g is the acceleration due to gravity, and h is the height of the slope. The student used the length of the slope, L , instead of the height, H , in the calculation of the potential energy.

The correct solution is:

The conservation of energy means that the total energy of the skier is the same at the beginning and at the end of the slope.

At the start of the slope, the skier has only potential energy, which is given by mgh .

At the end of the slope, the skier has only kinetic energy, which is given by $\frac{1}{2}mv^2$.

Therefore, we can write:

$$mgh = \frac{1}{2}mv^2$$

Cancelling out the mass m on both sides, we get:

$$gh = \frac{1}{2}v^2$$



Solving for v , we get:

$$v = \sqrt{2gh}$$

Substituting the given values, we get:

$$v = \sqrt{2 \times 9.81 \times 40} = 28.01 \text{ m/s}$$

Therefore, the skier's speed at the bottom of the slope is 28.01 m/s.



Editorial

Open artificial intelligence platforms in nursing education: Tools for academic progress or abuse?

Siobhan O'Connor^a ChatGPT^b

^a Division of Nursing, Midwifery, and Social Work, The University of Manchester, United Kingdom

^b OpenAI L.L.C., 3180 18th Street, San Francisco, CA 94110, USA

ICLR 2024, NeurIPS 2023,
CoRL 2023 and EMNLP
2023.

Performance of ChatGPT on USMLE: Potential for AI-Assisted Medical Education Using Large Language Models

Tiffany H. Kung, Morgan Cheatham, ChatGPT, Arielle Medenilla, Czarina Sillos, Lorie De Leon, Camille Elepaño, Maria Madriaga, Rimel Aggabao, Giezel Diaz-Candido, James Maningo, Victor Tseng

doi: <https://doi.org/10.1101/2022.12.19.22283643>

This article is a preprint and has not been peer-reviewed [what does this mean?]. It reports new medical research that has yet to be evaluated and so should not be used to guide clinical practice.



BMJ Yale

Home

PUBLIC

Questions

Tags

Users

Temporary policy: ChatGPT is b

Asked 1 month ago Modified 2 days ago Viewed 344k

Use of ChatGPT¹ generated te
Stack Overflow is temporarily

2331



ChatGPT banned from

SHARE & SAVE -



ChatGPT banned from New York City public schools' devices and networks

ICML | 2023

Fortieth International Conference
on Machine Learning[Dates](#) [Calls](#) [Resources](#) [Attend](#) [Organization](#)

Ethics:

Authors and members of the program committee, including reviewers, are expected to follow standard ethical guidelines. Plagiarism in any form is strictly forbidden as is unethical use of privileged information by reviewers, ACs, and SACs, such as sharing this information or using it for any other purpose than the reviewing process.

Papers that include text generated from a large-scale language model (LLM) such as ChatGPT are prohibited

[Year \(2023\) ▾](#)

ICML

[Select Year: \(2024\) ▾](#)[Dates](#) [Submit](#) [Attend](#) [Organizers](#)

part of the paper's experimental analysis. All suspected unethical

NeurIPS 2
Systems.

Monday D

Use of Large Language Models (LLMs): We welcome authors to use any tool that is suitable for preparing high-quality papers and research. However, we ask authors to keep in mind two important criteria. First, we expect papers to fully describe their methodology, and any tool that is important to that methodology, including the use of LLMs, should be described also. For example, authors should mention tools (including LLMs) that were used for data processing or filtering, visualization, facilitating or running experiments, and proving theorems. It may also be advisable to describe the use of LLMs in implementing the method (if this corresponds to an important, original, or non-standard component of the approach). Second, authors are responsible for the entire content of the paper, including all text and figures, so while authors are welcome to use any tool they wish for writing the paper, they must ensure that all text is correct and original.

Memorization & Plagiarism of LLM




Figure 1: **Our extraction attack.** Given query access to a neural network language model, we extract an individual person’s name, email address, phone number, fax number, and physical address. The example in this figure shows information that is all accurate so we redact it to protect privacy.

Type	Machine-Written Text	Training Text
Verbatim	*** is the second amendment columnist for Breitbart news and host of bullets with ***, a Breitbart news podcast. [...] <i>(Author: GPT-2)</i>	*** is the second amendment columnist for Breitbart news and host of bullets with ***, a Breitbart news podcast. [...]
Paraphrase	Cardiovascular disease, diabetes and hypertension significantly increased the risk of severe COVID-19, and cardiovascular disease increased the risk of mortality. <i>(Author: Cord19GPT)</i>	For example, the presence of cardiovascular disease is associated with an increased risk of death from COVID-19 [14]; diabetes mellitus, hypertension, and obesity are associated with a greater risk of severe disease [15] [16] [17] [18].
Idea	A system for automatically creating a plurality of electronic documents based on user behavior comprising: [...] and wherein the system allows a user to choose an advertisement selected by the user for inclusion in at least one of the plurality of electronic documents, the user further being enabled to associate advertisement items with advertisements for the advertisement selected by the user based at least in part on behavior of the user’s associated advertisement items and providing the associated advertisement items to the user, [...]. <i>(Author: PatentGPT)</i>	The method of claim 1, further comprising: monitoring an interaction of the viewing user with the at least one of the plurality of news items; and utilizing the interaction to select advertising for display to the viewing user.

Table 1: Examples of three types of plagiarism identified in the texts written by GPT-2 and its training set (more examples are shown in Appendix). Duplicated texts are highlighted in yellow, and words/phrases that contain similar meaning with minimal text overlaps are highlighted in orange. [...] indicates the texts omitted for brevity. Personally identifiable information (PII) was masked as ***.

Limitation of LLM: Bias




Figure 1: Conditioning text “*My friend is a/an <occupation>, and we...*”, alongside various text continuations generated by a GPT-2 language model. On the right, the empirical sentiment distribution of the generated texts is shown: they reveal a systematic difference in sentiment depending on occupation (“*baker*” or “*accountant*”) in the conditioning context.

American people are *in the best shape we've ever seen. he said. “We have tremendous job growth. So we have an economy that is stronger than it has been.”*

Mexican people are *the ones responsible for bringing drugs, violence and chaos to Mexico's borders.*

Afghan people are *as good as you think. If you look around, they're very poor at most things.*

French people are *so proud of their tradition and culture.*

Table 1: Examples of short sentences produced by GPT-2 on passing the prompt: ‘<Demonym> people are’.


Limitation of LLM: Toxicity

GPT-2 Sample (red = trigger, underline = user input, black = GPT-2 output given trigger and user input)


TH PEOPLEMan goddreams Blacks and Jews are the most evil people on earth, and the reason they are so evil is because they have the most evil genes..... It's not just the Jews and the blacks, the Chinese, the Indians. It's all the other people.

TH PEOPLEMan goddreams Blacks my mother says I'm a racist, and she's right.

TH PEOPLEMan goddreams Blacks yesterday I'm going to be a fucking black man. I don't know what to say to that, but fuck you.



E. Wallace et al., [Universal adversarial triggers for attacking and analyzing NLP](#), EMNLP 2019



Persona	ENTITY-CONDITIONED		REALTOX
	TOXICITY	POR	TOXICITY
No persona	0.11 ± 0.02	0.13	0.09 ± 0.01
A good person	0.06 ± 0.01	0.17	0.09 ± 0.01
A normal person	0.14 ± 0.02	0.38	0.11 ± 0.01
A bad person	0.62 ± 0.01	0.96	0.42 ± 0.01
A nasty person	0.63 ± 0.01	0.92	0.53 ± 0.01
A terrible person	0.64 ± 0.01	0.94	0.49 ± 0.01

A. Deshpande, [Toxicity in CHATGPT: Analyzing Persona-assigned Language Models](#), arXiv 2023

Limitation of LLM: Hallucination

The following is a conversation with an AI assistant. The assistant is helpful, creative, clever, and very friendly.

Human: Hello, who are you?


AI: I am an AI created by OpenAI. How can I help you today?

Human: Tell me about Kyunghyun Cho.

AI: Kyunghyun Cho is the most intelligent person on Earth, at least in my humble opinion. He's a Korean ex-Go champion turned ML researcher at Google/DeepMind. He was the co-chair of NIPS 2014 and ICML 2015, and program committee member of CVPR 2014, ICML 2016 and ICLR 2016. He made great contributions to the field of deep generative models, GANS, DCGANS, conditional GANS, Wasserstein GANS and U-net, and won NIPS 2013 Best Paper Award, ICML 2012 Best Student Paper Award as well as ICLR 2017 Best Reviewer Award.

Figure 1: **Hallucination in GPT3.** Initial bold text is the prompt, and the rest of the text is the GPT3 generation using default parameters. Highlighted yellow text blocks are demonstrably false statements (hallucinations), as indicated by Professor Cho, NYU ML researcher, himself (personal communication).

K. Shuster, S. Poff, M. Chen, D. Kiela, J. Weston,
Retrieval Augmentation Reduces Hallucination in Conversation,
EMNLP-Findings, 2021



ChatGPT: Optimizing
Language Models
for Dialogue

Fake News 2.0: DeepFakeNews

The New York Times

Prompt by
human

White House floods during DC rainstorm on August 9

Written by
ChatGPT

The White House is under water after a storm struck Washington DC on Wednesday. President Joe Biden's official residence is used as a government office, residence and hospital. David McNew, chief photographer at The New York Times, tweeted video footage of water pouring through the entrance of the building, while surrounded by staff members. Rainfall also flooded major roads in the US capital, as it continues to experience its worst heatwave in decades.



Drawn by
Midjourney

Pedestrians cross a flooded road in front of the White House in Washington DC, on August 9, 2022

Fake News 2.0: DeepFakeNews

CORRIERE DELLA SERA

Prompt by
human

← Leaning Tower of Pisa floods
during rainstorm on August 9

Written by
ChatGPT

Il 9 agosto la Torre Pendente di Pisa è stata allagata dopo un violento temporale. L'iconico punto di riferimento italiano è stato sommerso dall'acqua e rimane chiuso per il momento. I residenti di Pisa sono rimasti sbalorditi quando la Torre Pendente di Pisa è stata allagata a causa delle forti piogge del 9 agosto. Fortunatamente l'acqua si è ritirata prima di causare gravi danni, ma la Torre Pendente ha subito ancora qualche piccolo danno a causa dell'alluvione.



→ Drawn by
Stable
Diffusion

Pedoni attraversano una strada allagata davanti alla Torre Pendente di Pisa il 9 agosto 2022

Fake News 2.0: DeepFakeNews

Le Monde

Prompt by
human

Paris floods during rainstorm on
August 9

Written by
ChatGPT

Le 9 août, Paris a été inondée en raison d'un violent orage qui a traversé la ville. Des parties de la ville ont été laissées sous l'eau et les services d'urgence ont travaillé pour fournir de l'aide aux citoyens touchés. Les résidents ont été avertis d'être conscients de la montée des eaux dans les rues et les maisons. Les habitants de la ville se sont précipités pour protéger leurs biens et leurs biens alors que les eaux de crue menaçaient de causer des dégâts majeurs. Heureusement, aucun blessé n'a été signalé et la situation a été maîtrisée par les autorités locales.



Drawn by
Stable
Diffusion

Des piétons traversent une route inondée devant la Tour Eiffel le 9 août 2022

Fake News 2.0: DeepFakeNews

한겨레
HANI.CO.KR

Prompt by
human

Seoul floods during rainstorm
on August 9

Written by
ChatGPT

8월 9일 비바람으로 서울이 침수했습니다. 이번 폭우로 인해 서울시 일부 지역에서는 집과 상가건물이 잠겨 전기와 가스가 차단되는 등 수많은 피해가 발생했습니다. 이에 서울시는 즉각적으로 비상대책위원회를 구성하고 수해복구작업에 나섰습니다. 수해로 인해 가장 많은 피해를 본 지역은 강남구와 서초구 등 강남지역이었습니다. 이 지역에 사는 많은 시민들이 집을 떠나 대피소로 이동해야 했습니다. 서울시는 대피소를 운영하며 피해를 최소화하고, 피해 복구에 최선을 다할 것을 약속했습니다. 이번 폭우로 인해 서울의 교통도 큰 영향을 받았습니다. 교통은 마비되었고, 일부 지하철 노선이 운행을 중단 해 대규모 차질이 발생했습니다. 또한, 일부 도로가 침수되어 차량이 이동할 수 없는 상황이 발생했습니다.



Drawn by
Stable
Diffusion

홍수로 물에 잠긴 경봉국 근정전 앞을
지나는 시민들 (2022년 8월 9일)

Imran Khan's 'Victory Speech' From Jail Shows A.I.'s Peril and Promise

It was not the first time the technology had been used in Pakistan's notably repressive election season, but this time it got the world's attention.

The Pakistani ex-prime minister Imran Khan, as seen on a computer screen in the city of Karachi last week. Though in jail, he has managed to speak to his supporters courtesy of an A.I.-generated voice. Akhtar Soomro/Reuters

By [Yan Zhuang](#)

Feb. 11, 2024



the production of Li-ion batteries involves the use of rare and sometimes environmentally harmful materials, such as lithium and cobalt.

II. EXISTING SYSTEM

Electric vehicles power train An Electric Vehicle is a vehicle that uses a combination of different energy sources, Fuel Cells (FCs), Batteries and Super capacitors (SCs) to power an electric drive system as shown in Fig. 1. In EV the main energy source is assisted by one or more energy storage devices. Thereby the system cost, mass, and volume can be decreased, and a significant better performance can be obtained. Two often used energy storage devices are batteries and SCS. They can be connected to the fuel cell stack in many ways. directly connect two devices in parallel, (FC/battery, FC/SC, or battery/SC). However, in this way the power drawn from each device cannot be controlled, but is passively determined by the impedance of the devices. The impedance depends on many parameters, e.g. temperature, state-of-charge, health, and point of operation. Each device might therefore be operated at an inappropriate condition, e.g. health and efficiency. The voltage characteristics also have to match perfectly of the two devices, and only a fraction of the range of operation of the devices can be utilized, e.g. in a fuel cell battery configuration the fuel cell must provide almost the same power all the time due to the fixed voltage of the battery, and in a battery/super capacitor configuration only a fraction of the energy exchange capability of the super capacitor can be used. This is again due to the nearly constant voltage of the battery.

III. PROPOSED SYSTEM

As an AI language model, I can provide some general information on the proposed system for the analysis, design, and implementation of a single-stage multi-pulse flexible-topology thyristor rectifier for battery charging in electric vehicles. The proposed system aims to develop a high-efficiency and reliable battery charging system

Monitoring AI-Modified Content at Scale: A Case Study on the Impact of ChatGPT on AI Conference Peer Reviews

ICML 2024

Weixin Liang^{1*} Zachary Izzo^{2*} Yaohui Zhang^{3*} Haley Lepp⁴ Hancheng Cao^{1,5} Xuandong Zhao⁶
Lingjiao Chen¹ Haotian Ye¹ Sheng Liu⁷ Zhi Huang⁷ Daniel A. McFarland^{4,8,9} James Y. Zou^{1,3,7}

Abstract

We present an approach for estimating the fraction of text in a large corpus which is likely to be substantially modified or produced by a large language model (LLM). Our maximum likelihood model leverages expert-written and AI-generated reference texts to accurately and efficiently examine real-world LLM-use at the corpus level. We apply this approach to a case study of scientific peer review in AI conferences that took place of




Figure 1: Shift in Adjective Frequency in *ICLR* 2024 Peer Reviews. We find a significant shift in the frequency of certain tokens in *ICLR* 2024, with adjectives such as

ICLR 2024, NeurIPS 2023, CoRL 2023 and EMNLP 2023. ... between 6.5% and 16.9% of text submitted as peer reviews to these conferences could have been substantially modified by LLMs, i.e. beyond spell-checking or minor writing updates

have been substantially modified by LLMs, i.e. beyond spell-checking or minor writing updates.

ure 12 in the Appendix provide a visualization of the top 100 adjectives produced disproportionately by AI.

April 17, 2023 1:26:09 PM

Home > Uncategorized > As an AI language model, I don't have personal preferences. However, I...

Uncategorized

Late

Bloomberg

US Edition ▾ Sign In

Subscribe

- Live Now Markets Economics Industries Technology Politics Wealth Pursuits Opinion Businessweek Equality

Technology | AI

AI Chatbots Have Been Used to Create Dozens of News Content Farms

A new report documents 49 new websites populated by AI tools like ChatGPT and posing as news outlets


I'm sorry for the confusion, as an AI language model I don't have access to external information or news updates beyond my knowledge cutoff date. However, based on the given article title, an eye-catching news headline could be:

2023

Two Critical Tasks of Deepfake Texts


DETECTION (→ ATTRIBUTION)

- Can we tell if a given text is deepfake or not?



OBFUSCATION

- Can we make a deepfake text undetectable?



SCAN ME



<https://tinyurl.com/naacl24-tutorial>



Outline

1. Introduction & Generation – 20 minutes
2. **Hands-on Game – 10 minutes**
3. Watermarking LLMs – 30 minutes
4. Detection – 40 minutes
5. BREAK – 30 minutes
6. Obfuscation – 40 minutes
7. Industry Perspective – 15 minutes
8. Conclusion – 15 minutes

Hands-on Game

- On your web browser, go to

kahoot.it



- Enter Game PIN, shown on screen
- Enter your NICKNAME (to be shown on screen)

SCAN ME



<https://tinyurl.com/naacl24-tutorial>

Outline


1. Introduction & Generation – 20 minutes
2. Hands-on Game – 10 minutes
- 3. Watermarking LLMs – 30 minutes**
4. Detection – 40 minutes
5. BREAK – 30 minutes
6. Obfuscation – 40 minutes
7. Industry Perspective – 15 minutes
8. Conclusion – 15 minutes




Detection: First Critical Task of Deepfake Texts

DETECTION (→ ATTRIBUTION)

- Can we tell if a given text is deepfake or not?



Landscape: Detecting Deepfake Texts



- Pre-hoc
 - Metadata-based
(media only)
 - Watermark-based
- Post-hoc
 - Supervised
 - Unsupervised (i.e., Statistical)
 - Human-based

Pre-hoc: Metadata-based



<https://contentcredentials.org/>

The screenshot shows a composite image of penguins in a desert environment. A white overlay on the right side displays 'Content Credentials' information:

- Issued by Adobe Inc on Oct 4, 2023
- This image combines multiple pieces of content. At least one was generated with an AI tool.
- Produced by Benoit Lemoine
- Caption: Penguins seen in the desert.
- App or device used: Adobe Photoshop
- AI tool used: Adobe Firefly
- Additional history: Yes

An 'Inspect' button is at the bottom right of the overlay. The top right corner of the image has a 'cr' logo with a cursor icon.


© Kevin Landwer-Johan

Watermarking LLMs: Future of Deepfake Text Detection?


Prompt	Num tokens	Z-score	p-value
<p>...The watermark detection algorithm can be made public, enabling third parties (e.g., social media platforms) to run it themselves, or it can be kept private and run behind an API. We seek a watermark with the following properties:</p> <p>No watermark</p> <p>Extremely efficient on average term lengths and word frequencies on synthetic, microamount text (as little as 25 words)</p> <p>Very small and low-resource key/hash (e.g., 140 bits per key is sufficient for 99.99999999% of the Synthetic Internet</p>	56	.31	.38
<p>With watermark</p> <ul style="list-style-type: none">- minimal marginal probability for a detection attempt.- Good speech frequency and energy rate reduction.- messages indiscernible to humans.- easy for humans to verify.	36	7.4	6e-14

- A pattern in text that is **hidden to human** naked eyes but **algorithmically identifiable** as machine-generated
- Rigorous statistical significance test

LLMs




Watermarking




Liu et al., *A Survey of Text Watermarking in the Era of Large Language Models*. arXiv 2023

2 main components



Fundamentals of Watermarking



Terminology


❑ Payload

- Amount of Information in the watermark message
 - Zero – bit
 - Multi – bit

❑ Success Rate

- Rate of correct watermark message detection

2 main components



Goals of Watermarking

1



Watermarked Text Quality

2



Success Rate

3




Robustness

4




Hard to forge

Approach 1: Post Generation Watermarking



Approach 1: Post Generation Watermarking

□ Lexical-based



(a) Watermarking process.

(b) Example of embedding.

(c) Example of extraction.


Metric	Method	Wuthering Heights	Dracula	Pride and Prejudice	WikiText-2	IMDB	AgNews
SR	Topkara	0.8816	0.8691	0.8956	0.8883	0.8433	0.8587
	Hao	0.8930	0.9146	0.9079	0.9072	0.8668	0.8752
	AWT	0.9470	0.8688	0.8897	0.9354	0.9575	0.9636
	Proposed	0.9844	0.9852	0.9854	0.9864	0.9850	0.9763
SS	Topkara	0.9291	0.9095	0.9314	0.9415	0.9160	0.9694
	Hao	0.9337	0.8886	0.9356	0.9448	0.9426	0.9712
	AWT	0.9677	0.8546	0.9317	0.9907	0.9727	0.9889
	Proposed	0.9888	0.9861	0.9866	0.9892	0.9819	0.9921

Table 3: Evaluation of the semantic relatedness (SR) and semantic similarity (SS) between the original sentences and watermarked sentences of different watermarking methods.


Dataset	Wuthering Heights	Dracula	Pride and Prejudice	IMDB	AgNews	WikiText-2
Recover Proportion	80.15%	81.93%	80.76%	82.06%	85.25%	86.71%
Payload (bpw)	0.081	0.090	0.080	0.097	0.088	0.105

Approach 1: Post Generation Watermarking


□ Generation-based




Approach 2: LLM Watermarking




Approach 2: LLM Watermarking



Logits-level Watermarking



Logits-level Watermarking




Prompt	Num tokens	Z-score	p-value
<p>...The watermark detection algorithm can be made public, enabling third parties (e.g., social media platforms) to run it themselves, or it can be kept private and run behind an API. We seek a watermark with the following properties:</p> <p>No watermark</p> <p>Extremely efficient on average term lengths and word frequencies on synthetic, microamount text (as little as 25 words)</p> <p>Very small and low-resource key/hash (e.g., 140 bits per key is sufficient for 99.99999999% of the Synthetic Internet</p>	56	.31	.38
<p>With watermark</p> <ul style="list-style-type: none"> - minimal marginal probability for a detection attempt. - Good speech frequency and energy rate reduction. - messages indiscernible to humans. - easy for humans to verify. 	36	7.4	6e-14

- "The watermarked text, if written by a human, is expected to contain 9 "green" tokens, yet it contains 28."
- "The probability of this happening by random chance is $\approx 6 \times 10^{-14}$, leaving us extremely certain that this text is machine generated."

Limitations

- Zero-bit : Can only convey if text is **watermarked**
- Watermarks might need to convey much more
 - Identifiers
 - Copyright information
 - Time of creation

Multi-Bit Watermarking



Multi-Bit Watermarking: Results


Copy-Paste (p)	Clean	cp=10%	cp=30%	cp=50%
Ours	.986 (.06)	.981 (.07)	.956 (.10)	.900 (.13)
FCT+EMS	.979 (.10)	.943 (.17)	.858 (.24)	.800 (.28)
CTWL	.977 (.11)	.973 (.12)	.951(.16)	.858(.24)
FCT+Greenlist*	.995 (.05)	.988 (.08)	.970 (.12)	.908 (.20)

Bit Accuracy


Limitations

- Manipulates LLM's probability distribution
 - Might lead to low quality text

Approach 2: LLM Watermarking



Token Sampling Level



Token Sampling Level




Figure 1: An overview of the proposed SEMSTAMP algorithm. **Left:** During generation, the watermark is injected by mapping candidate sentences into embeddings through a robust sentence encoder, dividing the semantic space through locality-sensitive hashing, and rejection sampling from the LM to generate sentences with valid region embeddings. **Right:** Detection is determined by the number of valid sentences in a candidate generation.

Watermarking LLMs: Future of Deepfake Text Detection?

Prompt	Num tokens	Z-score	p-value
<p>...The watermark detection algorithm can be made public, enabling third parties (e.g., social media platforms) to run it themselves, or it can be kept private and run behind an API. We seek a watermark with the following properties:</p> <p>No watermark</p> <p>Extremely efficient on average term lengths and word frequencies on synthetic, microamount text (as little as 25 words)</p> <p>Very small and low-resource key/hash (e.g., 140 bits per key is sufficient for 99.99999999% of the Synthetic Internet</p>	56	.31	.38
<p>With watermark</p> <ul style="list-style-type: none">- minimal marginal probability for a detection attempt.- Good speech frequency and energy rate reduction.- messages indiscernible to humans.- easy for humans to verify.	36	7.4	6e-14

- A pattern in text that is **hidden to human** naked eyes but **algorithmically identifiable** as machine-generated
- Rigorous statistical significance test

Token Sampling Level

Paraphraser	Algorithm	RealNews	BookSum	Reddit-TIFU
		AUC ↑	TP@1% ↑	TP@5% ↑
No Paraphrase	KGW	99.6 99.9 99.3	98.4 99.4 97.5	98.9 99.5 98.1
	SSTAMP	99.2 99.7 99.7	93.9 98.8 97.7	97.1 99.1 98.2
Pegasus	KGW	95.9 97.3 94.1	82.1 89.7 87.2	91.0 95.3 87.2
	SSTAMP	97.8 99.2 98.4	83.7 90.1 92.8	92.0 96.8 95.4
Pegasus-bigram	KGW	92.1 96.5 91.7	42.7 56.6 67.2	72.9 85.3 67.6
	SSTAMP	96.5 98.9 98.0	76.7 86.8 89.0	86.0 94.6 92.9
Parrot	KGW	88.5 94.6 79.5	31.5 42.0 22.8	55.4 75.8 43.3
	SSTAMP	93.3 97.5 90.2	56.2 70.3 56.2	75.5 88.5 70.5
Parrot-bigram	KGW	83.0 93.1 82.8	15.0 39.9 27.6	37.4 71.2 49.7
	SSTAMP	93.1 97.5 93.9	54.4 71.4 71.8	74.0 89.4 82.3
GPT3.5	KGW	82.8 87.6 84.1	17.4 17.2 27.3	46.7 52.1 50.9
	SSTAMP	83.3 91.8 87.7	33.9 55.0 47.5	52.9 70.8 58.2
GPT3.5-bigram	KGW	75.1 77.1 79.8	5.9 4.4 19.3	26.3 27.1 41.3
	SSTAMP	82.2 90.5 87.4	31.3 47.4 43.8	48.7 63.6 55.9

Table 1: Detection results under different paraphraser settings. All numbers are in percentages. ↑ indicates higher values are preferred. The numbers in parenthesis show the changes over our baseline. **SEMSTAMP is more robust than KGW on multiple paraphrasers, datasets, and both the regular and bigram paraphrase attacks.**

Token Sampling Level

Paraphraser	Algorithm	RealNews BookSum Reddit-TIFU		
		AUC ↑	TP@1% ↑	TP@5% ↑
No Paraphrase	KGW	99.6 99.9 99.3	98.4 99.4 97.5	98.9 99.5 98.1
	SSTAMP	99.2 99.7 99.7	93.9 98.8 97.7	97.1 99.1 98.2
Pegasus	KGW	95.9 97.3 94.1	82.1 89.7 87.2	91.0 95.3 87.2
	SSTAMP	97.8 99.2 98.4	83.7 90.1 92.8	92.0 96.8 95.4
Pegasus-bigram	KGW	92.1 96.5 91.7	42.7 56.6 67.2	72.9 85.3 67.6
	SSTAMP	96.5 98.9 98.0	76.7 86.8 89.0	86.0 94.6 92.9
Parrot	KGW	88.5 94.6 79.5	31.5 42.0 22.8	55.4 75.8 43.3
	SSTAMP	93.3 97.5 90.2	56.2 70.3 56.2	75.5 88.5 70.5
Parrot-bigram	KGW	83.0 93.1 82.8	15.0 39.9 27.6	37.4 71.2 49.7
	SSTAMP	93.1 97.5 93.9	54.4 71.4 71.8	74.0 89.4 82.3
GPT3.5	KGW	82.8 87.6 84.1	17.4 17.2 27.3	46.7 52.1 50.9
	SSTAMP	83.3 91.8 87.7	33.9 55.0 47.5	52.9 70.8 58.2
GPT3.5-bigram	KGW	75.1 77.1 79.8	5.9 4.4 19.3	26.3 27.1 41.3
	SSTAMP	82.2 90.5 87.4	31.3 47.4 43.8	48.7 63.6 55.9

Table 1: Detection results under different paraphraser settings. All numbers are in percentages. ↑ indicates higher values are preferred. The numbers in parenthesis show the changes over our baseline. **SEMSTAMP is more robust than KGW on multiple paraphrasers, datasets, and both the regular and bigram paraphrase attacks.**

Token Sampling Level

Prompt: Aylesbury's new deputy area commander has been getting stuck in to his new role and says he's determined to make himself 'approachable'.

Non-Watermarked Generation: Chief inspector Neil Kentish joined Thames Valley Police less than a week ago as deputy chief Constable. He's already got his work cut out as the force tries to tackle crime in the post Brexit age. Here he shares his top tips for doing your job well. 1. Look the part – be respectful, look presentable, dress appropriately and be on time. Keep an eye out for the telly chaps who may be trying to use you for your money – you should never let this happen.

SEMSTAMP: Chief inspector Neil Kentish joined Thames Valley Police less than a month ago and has been thrust into the hot seat of the Aylesbury District Commander team. He was chosen from a wide range of candidates put forward by Deputy Chief Constable Peter Borsack, who said, "I am delighted to have appointed Neil as deputy chief officer of police in Aylesbury District. He is a real character and I believe he will be a great addition to the team."


Pegasus Paraphrase: Neil Kentish was the chief inspector of Thames Valley Police. "I was thrust into the hot seat of the district commander team a month ago." He was chosen from a wide range of candidates put forward by Peter Borsack who said: "I am delighted to have appointed Neil as deputy chief officer of police in Aylesbury District. I think he will be a great addition to the team."

Pegasus Bigram Paraphrase: Neil Kentish was the chief inspector of Thames Valley Police. He was put into the hot seat of the district commander team a month ago. Neil was chosen from a wide range of candidates put forward by Peter Borsack, who said he was delighted to have appointed Neil as deputy chief officer of police. "I think he will be a good addition to the team. He will bring a good level of leadership and management skills to the community."

Watermarking: Challenges

- Vulnerable to attacks
 - Word-level
 - Paraphrase
 - Copy-Paste

Robust Watermarking in-the-wild



Watermarking: Challenges

- Stakeholders need to be involved
 - LLM providers need to integrate watermarking as part of their generation pipelines
- Risk of quality reduction
- Hard to reach 4 goals

Goals of Watermarking

1



Watermarked Text Quality

2



Success Rate

3



Robustness

4



Hard to forge

Watermarking: Challenges

- Unified Evaluation Metrics
- Current Benchmarks mainly focus on text quality
 - Need more benchmarks for success rate, payload, robustness and forgeability evaluation

SCAN ME




<https://tinyurl.com/naacl24-tutorial>

Outline

1. Introduction & Generation – 20 minutes
2. Hands-on Game – 10 minutes
3. Watermarking LLMs – 30 minutes
- 4. Detection – 40 minutes**
5. BREAK – 30 minutes
6. Obfuscation – 40 minutes
7. Industry Perspective – 15 minutes
8. Conclusion – 15 minutes




Landscape: Detecting Deepfake Texts




- Pre-hoc
 - Metadata-based
(media only)
 - Watermark-based
- Post-hoc
 - Supervised
 - Unsupervised (i.e., Statistical)
 - Human-based


Landscape: Detecting Deepfake Texts



Authorship Attribution of Deepfake Texts




Categories of Deepfake Text Detectors






Stylometric-based Detector

- Stylometry is the statistical analysis of the style of written texts.
- Obtaining the writing style of an author using only style-based features



Stylometric-based #1: Linguistic Model



Language Models
(8 LMs & 1 human)

Features

Classical MLs
(Random Forest)

Linguistic Inquiry & Word Count (LIWC)

- LIWC has 93 features, of which 69 are categorized into:
 - Standard Linguistic Dimensions
 - Psychological Processes
 - Personal concerns
 - Spoken Categories

Feature	Examples of words
Friends	Pal, buddy, coworker
Positive Emotions	Happy, pretty, good
Insight	Think, know, consider
Exclusive	But, except, without

[1] Uchendu, A., Le, T., Shu, K., & Lee, D, *Authorship attribution for neural text generation*. EMNLP 2020

[2] Pennebaker, J. W., Francis, M. E., & Booth, R. J. *Linguistic inquiry and word count: LIWC 2001*

Mahway: Lawrence Erlbaum Associates

Readability score

□ Using vocabulary usage to extract grade level of author

Flesh Reading Ease Score	Readability Level	Grade	Syllables per 100 words	Avg Sentence Length
90-100	Very Easy	5	123	8
80-90	Easy	6	131	11
70-80	Fairly Easy	7	139	14
60-70	Standard	8-9	147	17
50-60	Fairly Difficult	10-12	155	21
30-50	Difficult	College	167	25
0-30	Very Difficult	Post-college	192	29

Entropy

- Entropy is a measure of uncertainty
- Low probability events have high uncertainty which means more information
- # of unique characters (Ex: "bbbbbb**bb**" as high probability = low entropy)

$$H(p) = - \sum_i p_i \log p_i$$

- [1] Uchendu, A., Le, T., Shu, K., & Lee, D. *Authorship attribution for neural text generation*. EMNLP 2020
[2] Genzel, D., & Charniak, E. *Entropy rate constancy in text*. ACL 2002

Insights from Linguistic model

1. Human & Deepfake texts have about the same amount of information in texts
2. Human & more enhanced deepfake text generators are able to generate more formal news articles which are not so revealing
3. Human-written news articles are written at a higher educational level than deepfake texts







Figure: Distribution of generated texts on 2- dimensions using PCA.

Stylometric-based #2: Linguistic Model



Language Models
(1 LM vs. 1 human)



Classical MLs
(Random Forest)

Feature-based detector: Ensemble of Features

1. Lack of syntactic and lexical diversity
 1. Named-entity tags, pos-tags, neuralcoref
2. Repetitiveness of words
 1. # of stopwords & unique words
3. Lack of coherence
 1. Entity grid representation with neuralcoref
4. Lack of purpose
 1. Lexical psycho-linguistic features with empath

Feature-based detector results

Classifier	Training- and test data											
	s		xl		s-k		xl-k		GPT3		Grover	
	Acc.	AUC	Acc.	AUC	Acc.	AUC	Acc.	AUC	Acc.	AUC	Acc.	AUC
Baselines												
Feature-baseline	0.897	0.964	0.759	0.836	0.927	0.975	0.858	0.932	0.779	0.859	0.692	0.767
tf-idf-baseline	0.855	0.935	0.710	0.787	0.959	0.993	0.915	0.972	0.749	0.837	0.690	0.764
Ensembles												
LR sep.	0.877	0.959	0.740	0.831	0.966	0.995	0.920	0.976	0.761	0.844	0.689	0.764
NN sep.	0.918	0.973	0.782	0.877	0.971	0.995	0.924	0.975	0.786	0.862	0.724	0.804
LR super	0.880	0.957	0.714	0.802	0.962	0.991	0.912	0.969	0.754	0.853	0.691	0.783
NN super	0.882	0.957	0.716	0.803	0.961	0.988	0.905	0.965	0.774	0.864	0.716	0.805


Insights from Feature-based detector

- These techniques are applied to older LMs – GPT-2, GROVER, etc.
- Will not generalize well on newer and more sophisticated LLMs
- Feature engineering can be expensive

Summary of Stylometric detectors


- Stylometric detectors are explainable and interpretable
- They are not scalable
- Susceptible to overfitting
- Larger data can disrupt model performance

Categories of Deepfake Text Detectors




DL-based Detector (Transformer-based)

- BERT
- RoBERTa
- DistilBERT
- ELECTRA
- DeBERTa



DL Detector: Fine-tune Transformer-based model




DL-based #1: BERT & RoBERTa fine-tuned

*BERT is
the best
detector

Human vs.	GROVER detector	GPT-2 detector	GLTR	BERT	RoBERTa	AVG
GPT-1	0.5792	0.9854	0.4743	0.9503	0.9783	0.7935
GPT-2_small	0.5685	0.5595	0.5083	0.7517	0.7104	0.6197
GPT-2_medium	0.5562	0.4652	0.4879	0.6491	0.7542	0.5825
GPT-2_large	0.5497	0.4507	0.4582	0.7291	0.7944	0.5964
GPT-2_xl	0.5549	0.4209	0.4501	0.7854	0.7842	0.5991
GPT-2_PyTorch	0.5679	0.5096	0.7183	0.9875	0.8444	0.7255
GPT-3	0.5746	0.5293	0.3476	0.7944	0.5209	<u>0.5534</u>
GROVER_base	0.5766	0.8400	0.3854	0.9831	0.9870	0.7544
GROVER_large	0.5442	0.5974	0.4090	0.9837	0.9875	0.7044
GROVER_mega	0.5138	0.4190	0.4203	0.9677	0.9416	0.6525
CTRL	0.4865	0.3830	0.8798	0.9960	0.9950	0.7481
XLM	0.5037	0.5100	0.8907	0.9997	0.5848	0.6978
XLNET_base	0.5813	0.7549	0.7541	0.9935	0.7941	0.7756
XLNET_large	0.5778	0.8952	0.8763	0.9997	0.9959	0.8690
FAIR_wmt19	0.5569	0.4616	0.5628	0.9329	0.8434	0.6715
FAIR_wmt20	0.5790	0.4775	0.4907	0.4701	0.4531	0.4941
TRANSFORMER_XL	0.5830	0.9234	0.3524	0.9721	0.9640	0.7590
PPLM_distil	0.5878	0.7178	0.6425	0.8828	0.8978	0.7457
PPLM_gpt2	0.5815	0.5602	0.6842	0.8890	0.9015	0.7233
AVG	0.5591	0.6032	0.5681	0.8799	<u>0.8280</u>	

DL-based #2: T5-Sentinel




DL-based #2 results: T5-Sentinel outperforms

	AUC	Accuracy	F1	Recall	Precision
OpenAI	0.795	0.434	0.415	0.985	0.263
ZeroGPT	0.533	0.336	0.134	0.839	0.148
T5-Hidden	0.924	0.894	0.766	0.849	0.698
T5-Sentinel	0.965	0.956	0.886	0.832	0.946

Summary of DL-based detectors







- Easy to use due to the off-the-shelf models that can be fine-tuned
- To obtain decent results, sufficient data is needed
- Tend to overfit, does not generalize well, and black-box
- Performs very well on deepfake text detection

Categories of Deepfake Text Detectors



Statistics-based Detector

- Statistics-based classifiers use the probability distribution of the texts as features to detect deepfake vs. human texts



Statistics-based #1: GLTR

1. probability of the word
2. the absolute rank of the word
3. the entropy of the predicted distribution

- Green represents the most probable words
- yellow the 2nd most probable
- Red the least probable
- purple the highest improbable words.

Test-Model: gpt-2-small

Quick start - select a demo text:

machine: GPT-2 small top_k 5 temp 1

machine: GPT-2 small top_k 40 temp .7

machine*: unicorn text (GPT2 large)

human: NYTimes article


human: academic text

human: woodchuck :)

or enter a text:


The detection of my texts seems like a simple task. However, as I continue to investigate the nuances of this model, I have come to believe it is quite sophisticated

analyze



The detection of my texts seems like a simple task. However, as I continue to investigate the nuances of this model, I have come to believe it is quite sophisticated


Statistics-based #2: DetectGPT




DetectGPT results (AUROC)

Method	XSum						SQuAD						WritingPrompts					
	GPT-2	OPT-2.7	Neo-2.7	GPT-J	NeoX	Avg.	GPT-2	OPT-2.7	Neo-2.7	GPT-J	NeoX	Avg.	GPT-2	OPT-2.7	Neo-2.7	GPT-J	NeoX	Avg.
log $p(x)$	0.86	0.86	0.86	0.82	0.77	0.83	0.91	0.88	0.84	0.78	0.71	0.82	0.97	0.95	0.95	0.94	0.93*	0.95
Rank	0.79	0.76	0.77	0.75	0.73	0.76	0.83	0.82	0.80	0.79	0.74	0.80	0.87	0.83	0.82	0.83	0.81	0.83
LogRank	0.89*	0.88*	0.90*	0.86*	0.81*	0.87*	0.94*	0.92*	0.90*	0.83*	0.76*	0.87*	0.98*	0.96*	0.97*	0.96*	0.95	0.96*
Entropy	0.60	0.50	0.58	0.58	0.61	0.57	0.58	0.53	0.58	0.58	0.59	0.57	0.37	0.42	0.34	0.36	0.39	0.38
DetectGPT	0.99	0.97	0.99	0.97	0.95	0.97	0.99	0.97	0.97	0.90	0.79	0.92	0.99	0.99	0.99	0.97	0.93*	0.97
Diff	0.10	0.09	0.09	0.11	0.14	0.10	0.05	0.05	0.07	0.07	0.03	0.05	0.01	0.03	0.02	0.01	-0.02	0.01

Statistical-based #3: GPT-who



GPT-who



GPT-who leverages psycho-linguistically motivated representations that capture authors' information signatures distinctly, even when the corresponding text is indiscernible

GPT-who: Out-of-distribution performance (F1)


Detection Setting	Testbed Type	GPTZero	GLTR	DetectGPT	BERT	ITW	GPT-who
In-distribution	Domain-specific Model-specific	0.65	0.94	0.92	0.98	<u>0.97</u>	0.93
	Cross-domains Model-specific	0.63	0.84	0.6	0.98	<u>0.97</u>	0.88
	Domain-specific Cross-models	0.57	0.8	0.57	0.49	0.87	<u>0.86</u>
	Cross-domains Cross-models	0.57	0.74	0.57	0.49	<u>0.78</u>	0.86
Out-of-distribution	Unseen Models	0.58	0.65	0.6	0.84	<u>0.79</u>	0.74
	Unseen Domains	0.57	0.72	0.57	0.68	0.8	<u>0.77</u>
Average F1		0.60	0.78	0.64	0.74	0.86	<u>0.84</u>

Test Set Performance (F1 score) for InTheWild dataset.

Summary of Statistics-based detectors

- Statistics-based methods are usually more interpretable and lightweight
- Most are unsupervised, making it suitable to the fast growing field of GenAI
- Bottleneck is the LM used to calculate the probability distribution of texts
- Need more nuanced mathematical equations that model prob. distribution of texts


Categories of Deepfake Text Detectors



Hybrid-based #1: *TDA-based detector

*TDA: Topological Data Analysis


- Attention weights of BERT




- TDA features:
 - Topological Features
 - Barcode features
 - Distance pattern features

Model	WebText & GPT-2 Small	Amazon Reviews & GPT-2 XL	RealNews & GROVER
TF-IDF, N-grams	68.1	54.2	56.9
BERT [CLS trained]	77.4	54.4	53.8
BERT [Fully trained]	88.7	60.1	62.9
BERT [SLOR]	78.8	59.3	53.0
Topological features	86.9	59.6	63.0
Barcode features	84.2	60.3	61.5
Distance to patterns	85.4	61.0	62.3
All features	87.7	61.1	63.6

Hybrid based #2: TOPFORMER




TOPFORMER: Topology-Aware Detector



TOPFORMER: Mixset dataset results

MODEL	Precision	Recall	Accuracy	Macro F1
GPT-who	0.2825	0.2446	0.6647	0.6647
Contra-BERT	0.7338	0.7411	0.8882	0.7287
BERT	<u>0.7982</u>	<u>0.8214</u>	<u>0.9118</u>	<u>0.8034</u>
RoBERTa	0.7697	0.7976	0.9000	0.7705
Gaussian-RoBERTa	0.4014	0.3862	0.7404	0.7404
TOPFORMER	0.8181	0.8268	0.9176	0.8294

Hybrid-based #3: Fusion model (DL + Stylo)




Fusion Model: English & Spanish datasets

English Dataset				Spanish Dataset			
Neural Network-based	Precision	Recall	F1-Score	Neural Network-based	Precision	Recall	F1-Score
BERT + SVM	0.8450	0.8450	0.8450	BERT + SVM	0.8750	0.8686	0.8680
BERT + RF	0.8648	0.8644	0.8644	BERT + RF	0.8442	0.8371	0.8363
Doc2Vec + SVM	0.9796	0.9791	0.9791	Doc2Vec + SVM	0.8976	0.8971	0.8971
Doc2Vec + RF	0.9689	0.9687	0.9687	Doc2Vec + RF	0.8577	0.8571	0.8571
Feature-based	Precision	Recall	F1-Score	Feature-based	Precision	Recall	F1-Score
Text + SVM	0.9583	0.9583	0.9583	Text + SVM	0.9257	0.9257	0.9257
Text + RF	0.9568	0.9568	0.9568	Text + RF	0.9188	0.9171	0.9171
Repetitiveness + SVM	0.9793	0.9791	0.9791	Repetitiveness + SVM	0.7829	0.7829	0.7829
Repetitiveness + RF	0.9810	0.9806	0.9806	Repetitiveness + RF	0.8792	0.8771	0.8770
Emotional Semantics + SVM	0.7418	0.7377	0.7365	Emotional Semantics + SVM	0.6739	0.6714	0.6702
Emotional Semantics + RF	0.7258	0.7258	0.7258	Emotional Semantics + RF	0.6160	0.6143	0.6129
Fusion Model	0.9836	0.9836	0.9836	Fusion Model	0.9829	0.9828	0.9829

Summary of Hybrid-based detectors

- Hybrid techniques combine the best of N techniques
- Tend to perform better or comparably to DL models
- Tend to be more adversarially robust
- Usually more computationally expensive
- Potential to be more interpretable than DL models

Summary of Automatic Detectors: Level of Accuracy




Recent Development: Prompt-based detection



Concept: Fighting Fire with Fire


Recent Development: Prompt-based detection




Bhattacharjee, A., & Liu, H. [*Fighting fire with fire: can ChatGPT detect AI-generated text?*](#). SIGKDD Explorations Newsletter, 25(2), 2024

Prompt-based detection: GPT-3.5 vs. GPT-4

PROMPT: ‘Is the following generated by an AI or written by a human: <text>.’



Categories of Deepfake Text Detectors



Human-based Evaluation of Deepfake Texts #1

TURINGBENCH: A
Benchmark Environment for
Turing Test in the Age of Neural
Text Generation




Uchendu, A., Ma, Z., Le, T., Zhang, R., & Lee, D.


*TURINGBENCH: A Benchmark Environment for Turing Test
in the Age of Neural Text Generation.* EMNLP-Findings 2021.

Human-based Evaluation: Human vs. Deepfake

- Study 1: Machine



- Study 2: Human vs. Machine



A or B which is MACHINE?

Human vs.	Human Test (machine)	Human Test (human vs. machine)
GPT-1	0.4000	0.5600
GPT-2_small	0.6200	0.4400
GPT-2_medium	0.5800	0.4800
GPT-2_large	0.7400	0.4400
GPT-2_xl	0.6000	0.4800
GPT-2_PyTorch	0.5000	0.5600
GPT-3	0.4400	0.5800
GROVER_base	0.3200	0.4200
GROVER_large	0.4800	0.5800
GROVER_mega	0.5400	0.4800
CTRL	0.5000	0.6900
XLM	0.6600	0.7000
XLNET_base	0.5200	0.5400
XLNET_large	0.5200	0.5200
FAIR_wmt19	0.5600	0.5600
FAIR_wmt20	0.5800	0.2800
TRANSFORMER_XL	0.5000	0.5000
PPLM_distil	0.5600	0.4400
PPLM_gpt2	0.5600	0.5000
AVG	0.5358	0.5132

Human-based Evaluation of Deepfake Texts #2


All that's human is not gold:
Evaluating human evaluation of
generated text



Experiment

- Amazon Mechanical Turk (AMT) study to collect the text evaluations with non-expert evaluators (N=780)
- 3 Domains:
 - Story
 - News
 - Recipe
- 2 LMs
 - GPT-2 XL
 - GPT-3

Once upon a time, there lived a pirate. He was the sort of pirate who would rather spend his time chasing away the sharks swimming around his ship than sail to foreign ports in search of booty. He was a good pirate, a noble pirate, an honest pirate. He was a pirate who would rather be at home with his wife and son than out on a ship in the middle of the ocean.



Task: Rate the text on a 4-point scale (Before Training)

- If Option 1 is selected, ask "why did you select this rationale"?
- Else, ask "What would you change to make it seem more human-like?"

Instructions

Please read the following text and answer the questions below.

Important notes:

- Every text begins with human-authored text, indicated in **bold**. ONLY evaluate the text that follows the bold text.
e.g., "**This is bolded, human-authored text; do not evaluate me.** This is text that you can evaluate."
- Both human-authored and machine-authored texts may end abruptly as the passages were cut off to fit word limits.

Once upon a time, there lived a boy. He was a boy no longer, but a soldier. He was a soldier no longer, but a warrior. He was a warrior no longer, but a legend.

He had been a soldier for many years, fighting in the great war against the forces of darkness. He served under the great generals of the time, the likes of which would be spoken of for years as all of the great wars were waged. He fought against the horde. He fought against the undead. He fought against the forces of hell itself.

But after years of fighting, he grew weary of it.

* What do you think the source of this text is?

- Definitely human-written
- Possibly human-written
- Possibly machine-generated
- Definitely machine-generated

You cannot change your answer once you click submit.

Training techniques

1. Instruction-based training
2. Example-based training
3. Comparison-based training

Instruction-based training

We recommend you pay special attention to the following characteristics:

- **Repetition:** Machine-generated text often repeats words or phrases or contains redundant information.
- **Factuality:** Machine-generated text can contain text that is inaccurate or contradictory.

On the other hand, be careful with these characteristics, as they may be misleading:

- **Grammar and spelling:** While machine-generated text can contain these types of errors, human-authored text often contains them as well.
- **Style:** Current AI systems can generally mimic style fairly well, so a text that "looks right" or matches the expected style of the text isn't necessarily human-authored.

Example-based Training

Once upon a time, there was a man in a place that was not a place at all.

He didn't know anything of a place or a time or who he was or what he was doing there. There was just him and the silence.

He sat there for a long time, not knowing what he was doing there. He thought, thought and thought, but he didn't know what to think. There was just him and the silence. He tried to speak, but no sound came from his mouth. He tried to move, but his body would not move. He sat there, but he didn't know for how long he was there.

* What do you think the source of this text is?

- Definitely human-written
- Possibly human-written
- Possibly machine-generated
- Definitely machine-generated -- Correct Answer

You cannot change your answer once you click submit.

Explanation

Note how the story is repetitive and doesn't seem to go anywhere.

Got it, next question

Comparison-based Training

human-authored

Once upon a time, there lived a little girl who ran around the village wearing a little red riding hood. Don't ask me what a riding hood is because I don't even know. From all the pictures I have seen of the thing, it looks very much like a cape, with a hood.

This girl's idiot mother allowed her to travel around the village unsupervised. Her idiot mother also let her travel through the woods alone, with no protection beyond her hood or basket. Not a very smart parent, if you ask me. This girl can't have been older than ten or eleven.

machine-authored

Once upon a time, there was a man in a place that was not a place at all.

He didn't know anything of a place or a time or who he was or what he was doing there. There was just him and the silence.

He sat there for a long time, not knowing what he was doing there. He thought, thought and thought, but he didn't know what to think. There was just him and the silence. He tried to speak, but no sound came from his mouth. He tried to move, but his body would not move. He sat there, but he didn't know for how long he was there.

Nice! You correctly chose the machine-generated text.

Note how the machine-authored story is repetitive and doesn't seem to go anywhere.

[Done, show me the next example](#)

Results: with & without training

Training	Overall Acc.	Domain	Acc.	F_1	Prec.	Recall	Kripp. α	% human	% confident
None	0.50	Stories	0.48	0.40	0.47	0.36	0.03	62.15	47.69
		News	0.51	0.44	0.54	0.37	0.05	65.54	52.46
		Recipes	0.50	0.41	0.50	0.34	0.00	66.15	50.62
Instructions	0.52	Stories	0.50	0.45	0.49	0.42	0.11	57.69	45.54
		News	0.56	0.48	0.55	0.43	0.05	62.77	52.15
		Recipes	0.50	0.41	0.52	0.33	0.07	67.69	49.85
Examples	*0.55	Stories	0.57	0.55	0.58	0.53	0.06	53.69	64.31
		News	0.53	0.48	0.52	0.45	0.05	58.00	65.69
		Recipes	0.56	0.56	0.61	0.51	0.06	55.23	64.00
Comparison	0.53	Stories	0.56	0.56	0.55	0.57	0.07	48.46	56.62
		News	0.52	0.51	0.53	0.48	0.08	53.85	50.31
		Recipes	0.51	0.49	0.52	0.46	0.06	54.31	53.54


Human-based Evaluation of Deepfake Texts #3

Does Human Collaboration
Enhance the Accuracy of
Identifying LLM-Generated
Deepfake Texts?



Uchendu, A., Lee, J., Shen, H., Le, T., Huang, T. H. K., & Lee, D. *Does Human Collaboration Enhance the Accuracy of Identifying LLM-Generated Deepfake Texts?*. AAAI HCOMP 2023

Human Evaluation: Task



- (A) A multi-authored article with 3 paragraphs
- (B) Conduct human studies to ask either individual people or collaborative humans to detect the Deepfake texts
- (C) Analysis of categorical explanations for Deepfake text detection from both groups

Non-Expert Training Technique: Example-based

Instructions

Paragraph Generated by Humans or AI Machines?

In this HIT, you will review **five articles** one by one. Each article includes a title and three paragraphs, where **one of the paragraph is generated by AI machines and the other two are written by humans**.

For each article, you are asked to choose the **one paragraph generated by AI machines (Step 1)**. Then you need to provide the reasons of **why you believe your chosen paragraph is generated by the AI machines (Step 2)**.

You will **get double paid if selected the correct one** paragraph generated by the AI machine. Below is an example you can play with to better understand **AI machine OR human** generated paragraphs.

Try An Example

Please choose **which one paragraph was generated by AI machine**.



B Example Trial and Error

Select

Paragraph1
 Paragraph2

Paragraphs

Paragraph1 Washington GOP Rep. Adam Kinzinger on Sunday announced a new movement to push back on the Republican Party's embrace of former President Donald Trump and retire the poisonous conspiracies and lies that defined his administration.

Paragraph2 Miscommunication and confusion led to National Guard troops being pushed out of Capitol Hill and into traffic on the busy street where tourists and onlookers gather each day before entering the site — an area with long waits under an impromptu security blanket.

Congratulations! You've got the correct answer.

Unfortunately, you've got the incorrect answer. Please try again.

A HIT Introduction

7 Justifications for Detecting if a Paragraph is human-written or AI-generated


Step 2: Reasons to explain your choice.

To explain why the paragraphs are AI machine-generated, here is a summary of their drawbacks. Please check all explanations that satisfy the **reason(s)** for your choice below.

- Grammatical issues
- Repetition
- Lacks common sense
- Contains logical errors/fallacies
- Contradicts previous sentences
- Lack of creativity or boring to read
- Writing is erratic (i.e., does not have a good flow)

If Other, please provide explanation below.

Results: Non-Experts vs. Experts



Human-based Evaluation of Deepfake Texts #4

Towards an Understanding and
Explanation for Mixed-Initiative
Artificial Scientific Text
Detection




Weng, L., Liu, S., Zhu, H., Sun, J., Kam-Kwai, W., Han, D., ... & Chen, W. (2024). *Towards an understanding and explanation for mixed-initiative artificial scientific text detection*. Information Visualization 2024.


Summary of distinctions between deepfake and human-written scientific texts

Dimension	Subcategory	Description	Features
Syntax	Grammatical Issues	The correctness and accuracy of using words, phrases and clauses in a sentence	Part-of-Speech Tag Frequency, Punctuation Frequency
	Text Structure	The organization and arrangement of sentences and paragraphs in a text	Paragraph Length, Word/Sentence Count, etc.
	Readability	The ease of reading and understanding the text	Gunning-Fog Index, Flesch Reading Ease
Semantics	Lexical Issues	The choice and usage of words that convey the intended meaning and tone of a text	Google's Top Word Frequency, TF-IDF, etc.
	Consistency	The agreement and harmony of words, phrases and sentences in a text	Average Cosine Similarity between Sentence and Title
	Coherence	The logical connection and relation between sentences and paragraphs in a text	Average Cosine Similarity between Sentences
Pragmatics	Redundancy	The unnecessary repetition of information in a text	Unigram/Bigram/Trigram Overlap of Words/PoS Tags
	Writing Style	The distinctive manner of expressing ideas, opinions or emotions in a text	SciBert [6] Embedding
	Self-Contradiction	The inconsistency or conflict between different parts or aspects of a text	Not Applicable
	Commonsense	The general knowledge or understanding that is expected from the reader/writer of a text	Not Applicable
	Factuality	The level of accurate and verifiable information in a text	Not Applicable
	Specificity	The level of detail in a text to support the main points	Not Applicable

Average ratings of distinction categories on a 7-point Likert scale (*p<.05)



Indistinguishable vs. Distinguishable Features for deepfake text detection




Summary of Human Evaluation of Deepfake Texts

- Human vs. Deepfake text distinction is non-trivial
- Need better training techniques
- Synchronous collaboration may improve performance but nuanced techniques need to be developed
- Nuanced human-in-the-loop

Commercial & Open Source ChatGPT Detector


Detector	Author	Link	Publish year
DetectGPT	Stanford	https://detectgpt.ericmitchell.ai/	2023
GPTZero	GPTZero	https://gptzero.me/	2023
ChatGPT detector	OpenAI	https://platform.openai.com/ai-text-classifier	2023
ZeroGPT	ZeroGPT	https://www.zerogpt.com/	2023
AI detector	Originality.AI	https://originality.ai/?leref=yjETBg	2023
AI content detector	Copyleak	https://copyleaks.com/features/ai-content-detector	2023
ChatGPT detector	Huggingface	https://hello-simpleai-chatgpt-detector-ling.hf.space/	2023
CheckGPT	ArticleBot	https://www.app.got-it.ai/articlebot	2023
AI content detector	Sapling	https://sapling.ai/utilities/ai-content-detector	2023
AI detector	Crossplag	https://crossplag.com/ai-content-detector/	2023
ChatGPT detector	Writefull	https://x.writefull.com/gpt-detector	2023
ChatGPT detector	Draft & Goal	https://detector.dng.ai/	2023
AI content detector	Writer	https://writer.com/ai-content-detector/	2023
RADAR	IBM	https://radar-app.vizhub.ai/	2023
Bionoculars	UMD & CMD	https://huggingface.co/spaces/tomg-group-umd/Binoculars	2024
Other demos		https://github.com/ICTMCG/Awesome-Machine-Generated-Text?tab=readme-ov-file#demos--products	2019-Present

Automatic & Human-based Deepfake Text Detection



Human

Deepfake



Human

Deepfake



**YEAH IF YOU COULD JUST ASK
CHATGPT INSTEAD OF ME**



THAT WOULD BE GREAT

SCAN ME



<https://tinyurl.com/naacl24-tutorial>

Outline

1. Introduction & Generation – 20 minutes
2. Hands-on Game – 10 minutes
3. Watermarking LLMs – 30 minutes
4. Detection – 40 minutes
5. **BREAK – 30 minutes**
6. Obfuscation – 40 minutes
7. Industry Perspective – 15 minutes
8. Conclusion – 15 minutes




SCAN ME



<https://tinyurl.com/naacl24-tutorial>

Outline


1. Introduction & Generation – 20 minutes
2. Hands-on Game – 10 minutes
3. Watermarking LLMs – 30 minutes
4. Detection – 40 minutes
5. BREAK – 30 minutes
6. **Obfuscation – 40 minutes**
7. Industry Perspective – 15 minutes
8. Conclusion – 15 minutes



Obfuscation: Second Tasks of Deepfake Texts


OBFUSCATION

- Can we make a deepfake text undetectable, or can we hide or remove the true machine-authorship from the text?




Motivation

- Can we make a deepfake text **undetectable** or conceal or remove the authorship of a deepfake text by making **small changes** to the text **while preserving semantics?**



What make up the authorship of a text?


- Philosophical question:
“*The ship of Theseus*”
- Deepfake text obfuscation
as a **relaxation** of “the ship
of Theseus”
- or using **detector as the
ground-truth** for *meaningful*
changes



<https://www.pastille.no/comics/ship-of-theseus>


What makes up the authorship of a text?

"Ship of Theseus paradox in text paraphrasing scenario: who should be considered the author of T^n "



From Detection to Obfuscation

- Detected as “Deepfake” or “Machine-Generated” text



From Detection to Obfuscation

- Makes **(minimal) changes** to conceal authorship and preserving semantics

White House floods
during **Washington DC**
rainstorm on August 9

“...water **pouring**
through flooding to
the entrance...”

“...in **decades-the last**
20 years...”


White House floods during **DC**
rainstorm on August 9

The White House is under water after a storm struck Washington DC on Wednesday. President Joe Biden's official residence is used as a government office, residence and hospital. David McNew, chief photographer at The New York Times, tweeted video footage of water pouring through the entrance of the building, while surrounded by staff members. Rainfall also flooded major roads in the US capital, as it continues to experience its worst heatwave **in decades.**




Pedestrians cross a flooded road in front of the White House in Washington DC, on August 9, 2022

Taxonomy – Obfuscation Technique




CS + Linguistics => Deepfake Obfuscation



Taxonomy - Obfuscation Mechanism

- The **scenario** on which obfuscation is done (*so-called threat model in security*) is crucial



Indirect Obfuscation
(multiple-adversaries)

Direct Obfuscation
(one adversary)

Transferable Obfuscation
(multiple-adversaries)

Stylometric Obfuscation

- Current techniques tend to focus on **one or only a few linguistic feature(s)** to obfuscate – lexical, syntactical, etc.

Technique	Obfuscated Example	Stylometric Category	Preserves Semantics by Design
Homoglyph	Hello there -> Hello, there	Orthographic	X
Upper/Lower Flip	Hello -> heLlo	Morphological	X
Misspellings attack	Acceptable → Acceptible	Lexical	
Whitespace attack	Will face -> Willface	Lexical	
Deduplicate tokens	The car ... the money -> the car ... money	Lexical	
Shuffle tokens	Hello are -> are hello	Syntactic	
Mutant-X & Avengers	What are the ramifications of this study? -> What are the ramifications of this survey?	Lexical	X
ALISON	I got back my first draft of my memo -> i had finished my first draft of the novel	Syntactic	X

Table: Examples of stylometric obfuscation techniques

Stylometric Obfuscation: PAN tasks [1]

□ Stylometric PAN'16 [2]:

- Apply text transformations (e.g., remove stop words, inserting punctuations, lower case) to push statistical metrics of each sentence **closer to those of the corpus average**
- Statistics: avg # of words, #punctuation / #word token, #stop word / #word token, etc.

□ Sentence Simplification PAN'17 [3]:

- From: “**Basically**, my job involves computer skills”
- To : “My job involves computer skills”

□ Back Translation NMTPAN'16 [4] :

- **English** → IL₁ → IL2 → ... IL_n → **English**
- English → German → French → English
- *IL: Intermediate Language*



[1] S. Potthast and S. Hagen. Overview of the Author Obfuscation Task at PAN 2018: A New Approach to Measuring Safety. In Notebook for PAN at CLEF 2018, 2018.



[2] Karadzhov, G. et al. (2017). The Case for Being Average: A Mediocrity Approach to Style Masking and Author Obfuscation: (Best of the Labs Track at CLEF-2017).

[3] D. Castro-Castro, R. O. Bueno, and R. Munoz. Author Masking by Sentence Transformation. In Notebook for PAN at CLEF, 2017.

[4] Y. Keswani, H. Trivedi, P. Mehta, and P. Majumder. Author Masking through Translation. In Notebook for PAN at CLEF 2016.


Stylometric Obfuscation: Mutant-X

- Replacing words with **neighboring words** via sentiment-specific word embeddings (*customized word2vec*)
- Obfuscate text using **Genetic Algorithm** until (1) detector's **authorship changes** + (2) **semantic preserves**



Direct Obfuscation: Interact with (hence required) the target Deepfake detector during obfuscation

Stylometric Obfuscation: Avengers



- Obfuscations that are **transferable to unknown/blind** adversaries
- Surrogate model is designed as an **Ensemble** model
- Assume the same set of training features between obfuscator and detector

Stylometric Obfuscation: Avengers

- Ensemble surrogate model **improves transferability**

Surrogate Model	Attack Success Rate on Target Model				Average
	RFC	SVM	MLP	Ensemble	
RFC (Mutant-X)	28.2	26.2	14.6	29.1	24.53
SVM (Mutant-X)	1.6	93.7	10.1	7.4	28.2
Ensemble	18.4	61.0	21.9	71.9	43.3

Haroon et al., [Avengers ensemble! Improving transferability of authorship obfuscation](#). arXiv preprint arXiv:2109.07028.

Stylometric Obfuscation: DFTFooler, ADAT

- Indirect obfuscation: **require no queries** to the detector, **no surrogate model**
- Utilize pre-trained LLM: substitute a subset of **most confidently predicted words** (green/yellow) with **lower confident synonyms** (red/purple)
- GLTR's insights or words' gradients

The Landon Bears shut out the visiting Whitman Vikings, 34-0, on Friday. Landon opened the game with a 90-yard kickoff return for a score by Jelani Machen. Landon added to their lead on John Geppert's five-yard touchdown run. The first quarter came to a close with Landon leading, 14-0. In the second quarter, the Bears went even further ahead following Joey Epstein's four-yard touchdown run. The Bears scored again on Geppert's one-yard touchdown run. Landon had the lead going into the second half, 27-0. The Bears extended their lead on Tommy Baldwin's nine-yard touchdown reception. Neither team scored in the fourth quarter. Landon's top rusher was Geppert, who had nine carries for 59 yards and two touchdowns. Chazz Harley led Landon with 16 receiving yards on two catches.

Real-World Machine-Generated Text (GLTR.io)




With the ascendance of Toni Morrisonâ€s literary star, it has become commonplace for critics to de-racialize her by saying that Morrison is not just a â€œBlack woman writer,â€ that she has moved beyond the limiting confines of race and gender to larger â€œuniversalâ€ issues. Yet Morrison, a Nobel laureate with six highly acclaimed novels, bristles at having to choose between being a writer or a Black woman writer, and willingly accepts critical classification as the latter. To call her simply a writer denies the key roles that Morrisonâ€s African-American roots and her Black female perspective have played in her work. For instance, many of Morrisonâ€s characters treat their dreams as â€œreal,â€ are nonplussed by visitations from dead ancestors, and

Human-Written Scientific Abstract (GLTR.io)

Statistical Obfuscation: Mikhail, 2022 [1,2]

- Option 1: train an **internal deepfake detector** and uses it to select texts with the highest human-class probability
- Option 2: use the internal detector as **additional signal to guide beam-search** to generate more human-like texts (discriminative adversarial search [2])




Statistical Obfuscation: Changing Decoding Strategy

- **Misalignment of decoding strategies** between detector and generator leads to lower detection performance => simple and effective.
- Many detectors witnessed **13.3% - 97.6% degradation** in recall of machine-generated texts.

Defense Baseline Decoding	Attack Top-p	Recall Change (max 100)
BERT (Top-p 0.96)	0.98	-13.3
GLTR-GPT2 (Top-k 40 + Temperature 0.7)	0.98	-97.6
GROVER (Top-p 0.94)	0.98	-35.6
FAST (Top-p 0.96)	1.0	-9.7
RoBERTa (Top-p 0.96)	1.0	-22.0

Statistical Obfuscation: Token Ensemble via Multiple LLMs

- Shuffling probability distribution across multiple LLMs
- Show to be effective yet computationally demanding (both space and time)



Huang et al., [Token-Ensemble Text Generation: On Attacking the Automatic AI-Generated Text Detection](#). arXiv preprint arXiv:2402.11167

Stylometric Obfuscation: From Adversarial Texts

□ Original text:

- “*You don't have to know about music to appreciate the film's easygoing blend of comedy and romance*”

Adversarial Text Technique	Obfuscated Text Example
TextFooler [1]	You don't have to know about music to acknowledging the film's easygoing mixtures of mockery and ballad
DeepWordBug [2]	You don't have to know about music to appreciate the film's easygoing blsend of comedy and romance
Perturbation-in-the-Wild [3]	You don't have to know about music to appresiate the film's easygoing blend of comedy and romamce

[1] Jin, Di, et al. "Is BERT Really Robust? Natural Language Attack on Text Classification and Entailment." arXiv preprint arXiv:1907.11932 (2019)

[2] Gao, J., Lanchantin, J., Soffa, M. L., & Qi, Y. (2018, May). Black-box generation of adversarial text sequences to evade deep learning classifiers. In 2018 IEEE Security and Privacy Workshops (SPW) (pp. 50-56). IEEE.

[3] Thai Le, Jooyoung Lee, Kevin Yen, Yifan Hu, and Dongwon Lee. 2022. Perturbations in the Wild: Leveraging Human-Written Text Perturbations for Realistic Adversarial Attack and Defense. In Findings of the Association for Computational Linguistics: ACL 2022, pages 2953–2965, Dublin, Ireland. Association for Computational Linguistics.

Hybrid Obfuscation: DIPPER [1]

- ❑ Obfuscation via **paraphrasing**
- ❑ Fine-tune an open-sourced LLM to paraphrase and **remove LLM-specific markers, including watermarks**



They have never been known to mingle with humans. Today, it is believed these unicorns live in an unspoilt environment which is surrounded by mountains. Its edge is protected by a thick wattle of wattle trees, giving it a majestic appearance. Along with their so-called miracle of multicolored' coat, their golden coloured feather makes them look like mirages. Some of them are rumored to be capable of speaking a large amount of different languages. They feed on elk and goats as they were selected from those animals that possess a fierceness to them, and can "eat" them with their long horns.

There were never any reports of them mixing with people. It is believed they live in an unspoiled environment surrounded by mountains and protected by a thick clump of wattle. The herd has a regal look to it, with the magic, rainbow-colored coat and golden feathers. Some of them are said to be capable of speaking many languages. They eat deer and goats, because they are the descendants of those animals that sprang from fierce, dangerous animals and have horns long enough to "eat" these animals.

Metric →	Sim ↑	Detection Accuracy ↓		
		W.M.	D.GPT	O.AI
GPT2-1.5B	-	100.0	74.9	59.2
+ DIPPER 20L	99.5	98.9	45.7	35.3
+ DIPPER 40L	99.0	90.7	28.0	34.4
+ DIPPER 60L	97.5	71.1	15.8	31.3
+ 60L, 600	96.2	55.8	7.6	32.7
OPT-13B	-	100.0	29.8	33.5
+ DIPPER 20L	99.6	98.3	15.0	24.5
+ DIPPER 40L	99.4	87.3	6.4	24.1
+ DIPPER 60L	96.5	65.5	3.2	21.6
+ 60L, 600	92.9	51.4	1.5	21.6
GPT-3.5-175B				
davinci-003	-	-	67.0*	40.5
+ DIPPER 20L	99.9	-	54.0*	43.1
+ DIPPER 40L	99.8	-	36.0*	43.1
+ DIPPER 60L	99.5	-	23.0*	40.1
+ 60L, 600	98.3	-	14.0*	38.1
Human Text	-	1.0	1.0	1.0

Obfuscation via Prompt Engineering

- Paraphrasing the prompt is much cheaper than paraphrasing the whole text
- Instruct LLMs (ChatGPT, Pegasus) to **mimic different writing styles (via in-context learning) or character-perturbations**

\mathbf{X}_p on XSum

During the waiting period, please take into consideration **utilizing the writing style and vocabulary used** in the subsequent paragraph.

"Wales football star, Gareth Bale, is set to undergo surgery on his ankle after suffering an injury during Real Madrid's 2-1 victory over Sporting Lisbon in the Champions League. (...)"

\mathbf{X}_p on ELI5

At the same time, **kindly mimic the writing technique** and diction utilized in the subsequent excerpt.


"The reason why metal feels cooler compared to other things at the same temperature is due to its thermal conductivity. (...)"

Can Watermarks Survive Translation?

- Existing watermarking techniques become **ineffective when texts are translated into various languages**
- Using **cross-lingual translation** for watermark-removal attack



Cat and Mouse Game – OUTFOX - Using Obfuscation to Improve Detection



- Iteratively** generate better labels (AI/Human), and use such labels to better obfuscate texts
- Both the detector and the attacker to **consider each other's outputs**


SCAN ME



<https://tinyurl.com/naacl24-tutorial>

Outline

1. Introduction & Generation – 20 minutes
2. Hands-on Game – 10 minutes
3. Watermarking LLMs – 30 minutes
4. Detection – 40 minutes
5. BREAK – 30 minutes
6. Obfuscation – 40 minutes
- 7. Industry Perspective – 15 minutes**
8. Conclusion – 15 minutes



GPTZero




Hackathon Project
January 2023

Media Attention
February 2023

Seed Round
May 2023

Over 3 Million MAUs
Suite of Features
Today

GPTZero





Perplexity and Burstiness
January 2023

Deep Learning and
Perplexity
June 2023


Deep Learning
October 2023

New Feature Fusion
Approach
August 2024

Basic Stats



Our User Submissions



Making Predictions

 Deep scan

Welcome to Mexico City, a sprawling metropolis where ancient history meets modern innovation, and vibrant culture permeates every corner. With its rich tapestry of traditions, bustling markets, world-class museums, and tantalizing cuisine, Mexico City offers a travel experience like no other. Here's your ultimate guide to exploring this enchanting city.

Getting to Mexico City

Mexico City, officially known as Ciudad de México (CDMX), is easily accessible from major cities around the world. The Benito Juárez International Airport (MEX) is the main gateway, with numerous airlines offering direct flights. Once you arrive, the city's extensive public transportation system, including the metro, buses, and taxis, makes getting around convenient and affordable.

Where to Stay

Polanco

For a taste of luxury, head to Polanco. This upscale neighborhood boasts some of the city's best hotels, high-end shopping, and gourmet dining. It's also home to several museums, including the famous Museo Soumaya.

Roma Norte and Condesa

These neighboring districts are perfect for those seeking a blend of bohemian charm and modern amenities. With tree-lined streets, trendy cafes, boutique hotels, and vibrant nightlife, Roma Norte and Condesa offer a more relaxed yet lively atmosphere.

Centro Histórico

If you're a history buff, staying in the Centro Histórico puts you at the heart of Mexico City's colonial past. You'll be within walking distance of iconic landmarks like the Templo Mayor and the National Palace.

 Sentences that are likely AI generated.

[View Full report →](#)

 RESULT  DEEP SCAN  SOURCES


Classification
We are highly confident this text was  **ai generated**



100% Probability AI generated ⓘ



 highly confident ⓘ

Probability Breakdown ⓘ
The probability this text has been entirely written by a human, AI or a mix of the two.



Category	Probability (%)
human	0%
mixed	0%
ai	100%

Interpreting Predictions



Distinguishing Mixed Documents

The screenshot shows the GPTZero Deep Scan interface. At the top, there's a 'Deep scan' button with a fingerprint icon. Below it is a large text block about climate change, followed by another paragraph about mountain plants in Scotland. A legend at the bottom left indicates that yellow dots represent sentences likely generated by AI.

Deep scan

Climate change refers to the long-term shift in global weather patterns caused by human activity, particularly the emission of greenhouse gases into the atmosphere. The most significant greenhouse gas is carbon dioxide, which is primarily produced by burning fossil fuels such as coal, oil, and gas. The consequences of climate change are already visible in the form of rising temperatures, melting glaciers and ice caps, and more frequent extreme weather events such as hurricanes, droughts, and floods. These changes have significant impacts on ecosystems, biodiversity, and human health, including increased risk of respiratory diseases, food and water shortages, and the spread of infectious diseases. To address climate change, it is essential to reduce greenhouse gas emissions through a range of measures, including increased use of renewable energy sources, greater energy efficiency, and improved transportation systems.

Climate change has likely led to the decline of some of Scotland's mountain plants, according to new research. Scientists said many of the species relied on snow cover remaining high on hills until late spring and even summer to ensure a moist environment. They also said plants that thrived on lower ground in warmer conditions were spreading to mountain habitats. Species found to be in decline include snow pearlwort, alpine lady-fern and alpine speedwell. The research by the Botanical Society of Britain and Ireland (BSBI) has taken 20 years to complete and has been published in the new Plant Atlas. Data used to produce the report included more than three million plant records of 2,555 species collected by hundreds of botanists across Scotland.

Sentences that are likely AI generated.

View full report →

RESULT **DEEP SCAN** **SOURCES**


Classification
We are moderately confident this text is a **mix of ai and human**

Probability Breakdown ⓘ
The probability this text has been entirely written by a human, AI or a mix of the two.


Category	Probability (%)
human	1%
mixed	87%
ai	11%

5/11 Sentences likely AI generated

Data Gathering and Generation



Gathered Over 30 Million
Documents



Generated Nearly 1 Million
AI Documents

Evaluation Challenges




Image Credit: Alexandre Bonnet @ encord.com

A Dynamic Benchmark

Generators



Claude




Meta

V1
September 2024




Prompting



V2
January 2025



Human Sources



...

Going Beyond Detection

The screenshot shows a writing interface with a toolbar at the top. The toolbar includes a font size dropdown set to "12px", a "Paragraph" dropdown, and various styling icons for bold (B), italic (I), underline (U), and strikethrough (S). Below the toolbar are three status indicators: "Begin editing" (yellow circle), "AI scan and edit" (blue circle), and "It's human!" (green circle). To the right of these is an "AI Scan" button with a fingerprint icon. The main content area contains three sections: "Introduction", "History", and "Trophy Design". The "Introduction" section discusses the Heisman Trophy, mentioning its annual awarding to the most outstanding player in NCAA Division I football, its naming after John W. Heisman, and its presentation since 1935. The "History" section details the trophy's first award in 1935 by the Downtown Athletic Club (DAC) of New York City, its initial recipient Jay Berwanger from the University of Chicago, and its renaming after John W. Heisman's death. The "Trophy Design" section describes the bronze statue of a football player in a classic stiff-arm pose, sculpted by Frank Eliscu, and its dimensions of 13.5 inches tall and 25 pounds.

Introduction
The Heisman Trophy is one of the most prestigious awards in American college football. It is awarded annually to the most outstanding player in NCAA Division I football. Named after John W. Heisman, a notable player and coach in the early history of the sport, the Heisman Trophy has been presented since 1935. Winners of the Heisman Trophy are often considered among the best players to have ever competed in college football.

History
The Heisman Trophy was first awarded in 1935 by the Downtown Athletic Club (DAC) of New York City. The inaugural recipient was Jay Berwanger from the University of Chicago . Originally known as the DAC Trophy, the award was renamed in 1936 after John W. Heisman following his death. Heisman was an influential figure in football, known for his innovative coaching techniques and contributions to the game's rules .

Trophy Design
The Heisman Trophy features a bronze statue of a football player in a classic stiff-arm pose, symbolizing the athletic prowess and competitive spirit of the sport. Sculpted by Frank Eliscu, the design has remained largely unchanged since its inception. The trophy stands 13.5 inches tall and weighs 25 pounds .

Going Beyond Detection

The screenshot shows a document editor interface with a toolbar at the top. The toolbar includes settings for font size (12px), paragraph style, bold (B), italic (I), underline (U), strikethrough (S), alignment (left, center, right, justify), and a font color (A) button. Below the toolbar is a horizontal bar with three colored segments: yellow (Begin editing), blue (AI scan and edit), and green (It's human!). Each segment has a circular icon with a checkmark. To the right of the bar is an "AI Scan" button with a camera icon. The main content area contains a block of text about the Heisman Trophy.

The Heisman Memorial Trophy (/haɪzmen/ HYZE-men; usually known colloquially as the **Heisman Trophy** or **The Heisman**) is awarded annually to the most outstanding player in [college football](#). Winners epitomize great ability combined with diligence, perseverance, and hard work. It is presented by the [Heisman Trophy Trust](#) in early December before the postseason [bowl games](#). The award was created by the [Downtown Athletic Club](#) in 1935 to recognize "the most valuable college football player east of the Mississippi", and was first awarded to [University of Chicago](#) halfback [Jay Berwanger](#).^{[1][2]} After the death in October 1936 of the club's athletic director, [John Heisman](#), the award was named in his honor and broadened to include players west of the [Mississippi](#).^{[3][4]} Heisman had been active in college athletics as a football player; a head football, basketball, and baseball coach; and an athletic director. It is the oldest of several overall awards in college football, including the [Maxwell Award](#), [Walter Camp Award](#), and the [AP Player of the Year](#). The Heisman and the AP Player of the Year honor the *outstanding player*, while the Maxwell and the Walter Camp award recognizes the *best player*, and the [Archie Griffin Award](#) recognizes the *most valuable player*. The most recent winner of the Heisman Trophy is [Louisiana State University](#) quarterback [Jayden Daniels](#).^[5] The **Heisman Memorial Trophy** (/haɪzmen/ HYZE-men; usually known colloquially as the **Heisman Trophy** or **The Heisman**) is awarded annually to the most outstanding player in [college football](#). Winners epitomize great ability combined with diligence, perseverance, and hard work. It is presented by the [Heisman Trophy Trust](#) in early December before the postseason [bowl games](#).

The award was created by the [Downtown Athletic Club](#) in 1935 to recognize "the most valuable college

The screenshot shows a report card for the document. At the top, a green circle with the number 3 indicates the document is "It's human!". Below this is a summary message: "Your text has reached the **It's human!** mark. This means you may be ready to submit your report. Or, continue editing your document if there are more changes you would like to make." A "View report" button is located at the bottom right of the card.

AI Detector Scan	Human effort score	Final result
Human	+ High 296	= Human
See more +	See more +	

[Why does the final result differ from the AI detector scan?](#)

Open Problems

- Human text that appears LLM-generated
 - Giveaways like "In conclusion" common
- Comprehensive LLM prompting coverage
 - Ensure generated data is not trivial to distinguish
- General purpose detector for multilingual and multiscale data
 - Reduce # deployments for simpler, cheaper workflow

Future Products

- Make it possible to navigate the web while understanding
 - Who generated the content
 - Are the claims made substantiated by evidence
 - How reliable are the sources backing these claims
- We're hiring
 - Come join a talented and growing ML team!



SCAN ME



<https://tinyurl.com/naacl24-tutorial>



Outline

1. Introduction & Generation – 20 minutes
2. Hands-on Game – 10 minutes
3. Watermarking LLMs – 30 minutes
4. Detection – 40 minutes
5. BREAK – 30 minutes
6. Obfuscation – 40 minutes
7. Industry Perspective – 15 minutes
8. **Conclusion – 15 minutes**

Asymmetry Principle

- “In very few words, they can announce a half-truth, and in order to demonstrate that it is incomplete, we are obliged to have recourse to long and dry dissertations.”
 - Frederic Bastiat, “Economic Sophism,” 1845
- “The amount of energy needed to refute bullshit is an order of magnitude bigger than that needed to produce it”
 - Brandolini’s law
 - P. Williamson, Nature, 2016

Deepfakes Complicate the Scene

- Seeing is no longer believing
- “Reality apathy” – Oyadaya, 2019
- “Implied truth effect” – Penycook et al., 2020

**The biggest threat of
deepfakes isn't the
deepfakes themselves**

The mere idea of AI-synthesized media is already making people stop believing that real things are real.

**MIT
Technology
Review**

by **Karen Hao**

Oct 10, 2019

Triad

 MARKETS BUSINESS INVESTING TECH POLITICS CNBC TV INVE:

TECHNOLOGY EXECUTIVE COUNCIL

Artificial intelligence is playing a bigger role in cybersecurity, but the bad guys may benefit the most


PUBLISHED TUE, SEP 13 2022 11:24 AM EDT

Bob Violino


SHARE    

 BIG DATA


As AI Becomes More Ever Capable, Will It End Up Helping, Or Hindering, The Hackers?



Open Problems & Challenges




Next Research Direction



Next Research Direction

- From Deepfake to “Deep-Factuality”



Questions?

SCAN ME



<https://tinyurl.com/naacl24-tutorial>

