

DNS with IPv6

Networks Three

Otago Polytechnic
Dunedin, New Zealand

IPv6 works with DNS

- It is possible to integrate IPv6 DNS resources together with existing IPv4 ones.
- Only one new resource record type is required.
- Reverse zones work in a similar way.
- Recent versions of the main DNS servers are compatible with IPv6.

Initial Considerations

- Your DNS servers need IPv6 connectivity.
- Your domain name registrar needs to support IPv6.¹
- Your TLD needs to support IPv6. (.nz does)

¹See http://dnc.org.nz/content/srs_registrar_list.html

Configuring DNS

- Ensure that your NS records point to servers with IPv6 addresses as well as IPv4 addresses.
- Configure your DNS servers to listen on IPv6 interfaces, e.g.:
`listen-on-v6 { any; }` in `named.conf`.

Forward lookup: AAAA

The IPv6 equivalent of an A record is an AAAA record:

```
greedo IN A 2402:6000:0:101::83cb:30a
```

For machines that have both IPv4 and IPv6 addresses, be sure that you have distinct A and AAAA records for them, e.g. `greedo.ip4` and `greedo.ip6`.

Reverse lookup

Reverse lookup is a wee bit more complicated. for example, suppose our network is 2400:330A:0:118/64
What is the reverse zone?

2400:330A:0:118/64

- 1 Expand the network address: 2400:330A:0000:0118
- 2 Reverse the characters and put dots between them
8.1.1.0.0.0.0.0.A.0.3.3.0.0.2.4
- 3 Append .ip6.arpa

So the zone is 8.1.1.0.0.0.0.0.A.0.3.3.0.0.2.4.ip6.arpa.

PTR records

PTR records work the same way in IPv6. Since the resulting names get very long, so you want to abbreviate.

a.0.3.0.b.c.3.8.0.0.0.0.0.0.0.0 IN PTR gredo.example.com.

There are some online tools that will help you generate these entries, e.g.:
<http://rdns6.com/zone>.