

# A Minimal Introduction to emacs

(Only what you'll need to know for this workshop)

December 11-12, 2013.

# What is emacs?

- open source, extendable, customizable text editor

# What is emacs?

- open source, extendable, customizable text editor
- cross platform: versions for mac, windows, linux

# What is emacs?

- open source, extendable, customizable text editor
- cross platform: versions for mac, windows, linux
- originally released more than 30 yrs ago, still under active development

# What is emacs?

- open source, extendable, customizable text editor
- cross platform: versions for mac, windows, linux
- originally released more than 30 yrs ago, still under active development
- widely used in computer science community

# What is emacs?

- open source, extendable, customizable text editor
- cross platform: versions for mac, windows, linux
- originally released more than 30 yrs ago, still under active development
- widely used in computer science community
- much more than a simple text editor or ide for ADMB

# emacs - the one stop shop

- extremely powerful text editing capabilities

# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks



# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks
  - ▶ global search and replace - plain text and regular expressions

# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks
  - ▶ global search and replace - plain text and regular expressions
  - ▶ see: <http://www.youtube.com/user/emacsrocks/videos>

# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks
  - ▶ global search and replace - plain text and regular expressions
  - ▶ see: <http://www.youtube.com/user/emacsrocks/videos>
- extensions and add-in for just about anything:

# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks
  - ▶ global search and replace - plane text and regular expressions
  - ▶ see: <http://www.youtube.com/user/emacsrocks/videos>
- extensions and add-in for just about anything:
  - ▶ virtually any computer language

# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks
  - ▶ global search and replace - plain text and regular expressions
  - ▶ see: <http://www.youtube.com/user/emacsrocks/videos>
- extensions and add-in for just about anything:
  - ▶ virtually any computer language
  - ▶ presentations (like this one)

# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks
  - ▶ global search and replace - plain text and regular expressions
  - ▶ see: <http://www.youtube.com/user/emacsrocks/videos>
- extensions and add-in for just about anything:
  - ▶ virtually any computer language
  - ▶ presentations (like this one)
  - ▶ spell checker

# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks
  - ▶ global search and replace - plain text and regular expressions
  - ▶ see: <http://www.youtube.com/user/emacsrocks/videos>
- extensions and add-in for just about anything:
  - ▶ virtually any computer language
  - ▶ presentations (like this one)
  - ▶ spell checker
  - ▶ calendars and agenda's

# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks
  - ▶ global search and replace - plane text and regular expressions
  - ▶ see: <http://www.youtube.com/user/emacsrocks/videos>
- extensions and add-in for just about anything:
  - ▶ virtually any computer language
  - ▶ presentations (like this one)
  - ▶ spell checker
  - ▶ calendars and agenda's
  - ▶ news reader and e-mail client



# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks
  - ▶ global search and replace - plane text and regular expressions
  - ▶ see: <http://www.youtube.com/user/emacsrocks/videos>
- extensions and add-in for just about anything:
  - ▶ virtually any computer language
  - ▶ presentations (like this one)
  - ▶ spell checker
  - ▶ calendars and agenda's
  - ▶ news reader and e-mail client
  - ▶ html browser

# emacs - the one stop shop

- extremely powerful text editing capabilities
  - ▶ cutting and inserting blocks
  - ▶ global search and replace - plain text and regular expressions
  - ▶ see: <http://www.youtube.com/user/emacsrocks/videos>
- extensions and add-in for just about anything:
  - ▶ virtually any computer language
  - ▶ presentations (like this one)
  - ▶ spell checker
  - ▶ calendars and agenda's
  - ▶ news reader and e-mail client
  - ▶ html browser
  - ▶ etc, etc, etc,

# emacs - the one stop shop (cont'd)

- excellent support for:

# emacs - the one stop shop (cont'd)

- excellent support for:
  - ▶ admb - (Arni Magnusson's excellent admb-ide package)

# emacs - the one stop shop (cont'd)

- excellent support for:
  - ▶ admb - (Arni Magnusson's excellent admb-ide package)
  - ▶ R - (ESS - emacs speaks statistics)

# emacs - the one stop shop (cont'd)

- excellent support for:
  - ▶ admb - (Arni Magnusson's excellent admb-ide package)
  - ▶ R - (ESS - emacs speaks statistics)
  - ▶  $\text{\LaTeX}$ - (built in)

# emacs - the one stop shop (cont'd)

- excellent support for:
  - ▶ admb - (Arni Magnusson's excellent admb-ide package)
  - ▶ R - (ESS - emacs speaks statistics)
  - ▶  $\text{\LaTeX}$ - (built in)
  - ▶ git - (magit)

# Idiosyncrasies

- not for everyone
- does have some odd behaviour that can frustrate new users
- especially `Ctrl-c` and `Ctrl-x`
  - ▶ 'copy' and 'cut' in most applications
  - ▶ keyboard prefixes in emacs
- can be changed (Options -> Use CUA keys)
  - ▶ not recommended - `Ctrl-c` and `Ctrl-x` used by so many packages
  - ▶ persistence pays off



# Keyboard Short-cuts

- interaction with emacs keyboard centric
- most commands can be or are associated with key strokes or 'chords'
- M- -> meta key (Alt on most keyboards)
- C- -> control key
- keystrokes are often combined

C-x f	->	open file
C-x s	->	save file
C-x k	->	close current file
C-x C-c	->	close emacs

# Buffers

- main containers in emacs
- when you open a file, it's contents are displayed in a buffer
- start R within emacs, it creates an interactive buffer that contains the R prompt
- compile and run admb programs, the output is captured in a buffer
- multiple buffers can be open at once
- mini-buffer
  - ▶ small one-line buffer at the bottom of emacs interface
  - ▶ sending commands to emacs (M-x)
  - ▶ displaying messages from emacs (e.g. - try C-x s)

# Modes

- modes give emacs incredible flexibility

# Modes

- modes give emacs incredible flexibility
- different modes impart different behavior

# Modes

- modes give emacs incredible flexibility
- different modes impart different behavior
- one major mode per buffer\*

# Modes

- modes give emacs incredible flexibility
- different modes impart different behavior
- one major mode per buffer\*
  - ▶ basic functionality

# Modes

- modes give emacs incredible flexibility
- different modes impart different behavior
- one major mode per buffer\*
  - ▶ basic functionality
- multiple minor modes per buffer

# Modes

- modes give emacs incredible flexibility
- different modes impart different behavior
- one major mode per buffer\*
  - ▶ basic functionality
- multiple minor modes per buffer
- mode information presented in mode line located at bottom buffer



# Major Modes

major mode automatically determined by file extension

file extension	major mode
*.tpl	ADMB
*.dat	perl
*.r	ESS[S]
*.tex	latex
*.html	HTML
*.rnw	latex OR ESS[S]

- try some and see.

# Minor Modes

minor modes provide additional functionality

file extension	major mode	minor modes
*.tpl	ADMB	hl-p yas
*.dat	perl	AC yas
*.r	ESS[S]	AC hl-p yas ElDoc
*.tex	latex	hl-p yas
*.html	HTML	yas
*.rnw	latex	hl-p yas Noweb NWFL
*.rnw	ESS[S]	AC hl-p yas ElDoc Noweb NWFL

minor modes used throughout workshop

yas	yasnippet
AC	auto complete
hl-p	highlight parentheses

# Standard emacs shortcuts

## Basics

C-w	cut
M-w	copy
C-y	paste (yank)
C-x _	undo
C-x f	open buffer
C-x k	close buffer
C-x s	save buffer
C-x w	save_as

## Buffer Navigation

C-x 1	one window
C-x 2	split horizontally
C-x 3	split vertically
C-x o	other buffer
C-x b	switch to buffer
C-x C-b	buffer list

# Other Handy Shortcuts

## Some Others

<code>C-h m</code>	describe mode - shows all key bindings for a mode
<code>C-h t</code>	emacs tutorial - tedious but highly recommended
<code>C-g</code>	cancel
<code>M-q</code>	wrap text
<code>C-s</code>	search forward
<code>C-r</code>	search in reverse
<code>M-%</code>	search and replace
<code>C-M-%</code>	search and replace using regular expressions
<code>C-SPC</code>	set/unset point

# Customization

- emacs is configured with .emacs file in your HOME directory and (normally) contents of ~/.emacs.d directory

# Customization

- emacs is configured with .emacs file in your HOME directory and (normally) contents of ~/.emacs.d directory
- 'dot' files and directories may be hidden by default

# Customization

- emacs is configured with .emacs file in your HOME directory and (normally) contents of ~/.emacs.d directory
- 'dot' files and directories may be hidden by default
- special configurations have been provided for workshop

# Customization

- emacs is configured with .emacs file in your HOME directory and (normally) contents of ~/.emacs.d directory
- 'dot' files and directories may be hidden by default
- special configurations have been provided for workshop
- ~/workshop/emacs.bat starts emacs with specific configuration file



# Customization

- emacs is configured with .emacs file in your HOME directory and (normally) contents of ~/.emacs.d directory
- 'dot' files and directories may be hidden by default
- special configurations have been provided for workshop
- ~/workshop/emacs.bat starts emacs with specific configuration file
- (review ~/workshop/.emacs file)

# custom global shortcuts

These custom shortcuts have been provided in the configuration file for this workshop

## Custom Shortcuts

F3	refresh file from disk
M-x now	insert time-stamp at point
C-c z	copy full path
M-\	swap slashes
C-x C-r	open recent files
C->	insert string rectangle
C-x r k	kill string rectangle
C-x r t	replace string rectangle

# IsPELL

- workshop configuration provides spell checker for emacs using aspell.exe
- checks selected region or whole buffer
- better than most 'canned' spell checkers
- configured to skip R-code in knitr documents

## Basic ispell usage

M-x ispell	<return>	start ispell
	<space>	to skip selected word
	[#]	to select suggestion
	a	accept for this session
	i	insert into personal dictionary
	?	for more options

# Yasnippet

- 'yet another snippet extension'  
(<https://github.com/capitaomorte/yasnippet>)
- inserts mode/context specific snippets
- hundreds of snippets on the web
- relatively simple to write custom snippets
  - ▶ `~/yassnippet/snippet-development.html`
- snippets for R,  $\text{\LaTeX}$ , sweave / knitr, and admb provided in workshop configuration
- try it

# autocomplete

# autocomplete

# autocomplete

- minor mode that provides context specific options for word or command at point

# autocomplete

- minor mode that provides context specific options for word or command at point
- pop-up menu



# autocomplete


- minor mode that provides context specific options for word or command at point
- pop-up menu
  - ▶ arrows to navigate

# autocomplete

- minor mode that provides context specific options for word or command at point
- pop-up menu
  - ▶ arrows to navigate
  - ▶ return to select

# autocomplete

- minor mode that provides context specific options for word or command at point
- pop-up menu
  - ▶ arrows to navigate
  - ▶ return to select



# ADMB-ide

- emacs extension for AD model builder
- default installation is aggressive
- workshop configuration associates admb mode with tpl files

## some useful ADMB key bindings

F8	->	tpl2cpp - compile - link
F9	->	run model
C-c C-a	->	admb-run-args
C-c C-e	->	admb-cor
C-c C-p	->	admb-par
C-c TAB	->	admb-pin
C-c C-r	->	admb-rep

- in a \*.tpl file type C-h m to see them all

# ESS

- emacs extension for working with statistical applications
- ESS - acronym for \*E\*macs \*S\*peaks \*S\*tatistics
- support for R, S, SAS, Stata, jags

## Helpful ESS key bindings

<code>_</code>	<code>-&gt;</code>	underscore automatically inserts <code>' &lt;- '</code>
<code>C-c C-b</code>	<code>-&gt;</code>	ess-eval-buffer
<code>C-c C-f</code>	<code>-&gt;</code>	ess-eval-function
<code>C-c C-j</code>	<code>-&gt;</code>	ess-eval-line
<code>C-c C-l</code>	<code>-&gt;</code>	ess-load-file
<code>C-c C-n</code>	<code>-&gt;</code>	ess-eval-line-and-step
<code>C-c C-r</code>	<code>-&gt;</code>	ess-eval-region

- in a \*.r file type `C-h m` to see them all

# Knitr/Sweave

- ess supports both knitr and sweave
- automatically available in \*.rnw files
  - ▶ (\*.rmd and \*.rhtml files too)

## knitr/sweave key bindings

M-r -> knit

M-s -> sweave

M-P -> generate from tex file pdf

- NOTE - uppercase 'P' to generate pdf

# Addition Resources and Further Reading

- emacs manuals:

# Addition Resources and Further Reading

- emacs manuals:
  - ▶ <http://www.gnu.org/software/emacs/manual/>



# Addition Resources and Further Reading

- emacs manuals:
  - ▶ <http://www.gnu.org/software/emacs/manual/>
- emacs-fu:

# Addition Resources and Further Reading

- emacs manuals:
  - ▶ <http://www.gnu.org/software/emacs/manual/>
- emacs-fu:
  - ▶ <http://emacs-fu.blogspot.ca/>

# Addition Resources and Further Reading

- emacs manuals:
  - ▶ <http://www.gnu.org/software/emacs/manual/>
- emacs-fu:
  - ▶ <http://emacs-fu.blogspot.ca/>
- Xah emacs:

# Addition Resources and Further Reading

- emacs manuals:
  - ▶ <http://www.gnu.org/software/emacs/manual/>
- emacs-fu:
  - ▶ <http://emacs-fu.blogspot.ca/>
- Xah emacs:
  - ▶ <http://ergoemacs.org/emacs/emacs.html>

# Recap

- much more than just an editor

# Recap

- much more than just an editor
- major modes are determined by file type and control basic functionality

# Recap

- much more than just an editor
- major modes are determined by file type and control basic functionality
- minor mode add specialize behavior

# Recap

- much more than just an editor
- major modes are determined by file type and control basic functionality
- minor mode add specialize behavior
- keyboard centric



# Recap

- much more than just an editor
- major modes are determined by file type and control basic functionality
- minor mode add specialize behavior
- keyboard centric
- excellent support for:

# Recap

- much more than just an editor
- major modes are determined by file type and control basic functionality
- minor mode add specialize behavior
- keyboard centric
- excellent support for:
  - ▶ Latex

# Recap

- much more than just an editor
- major modes are determined by file type and control basic functionality
- minor mode add specialize behavior
- keyboard centric
- excellent support for:
  - ▶ Latex
  - ▶ R and knitr

# Recap

- much more than just an editor
- major modes are determined by file type and control basic functionality
- minor mode add specialize behavior
- keyboard centric
- excellent support for:
  - ▶ Latex
  - ▶ R and knitr
  - ▶ AD Model Builder

# Recap

- much more than just an editor
- major modes are determined by file type and control basic functionality
- minor mode add specialize behavior
- keyboard centric
- excellent support for:
  - ▶ Latex
  - ▶ R and knitr
  - ▶ AD Model Builder
  - ▶ git