

SENSOR GND

Title **Ravage - Core Analogue Inputs**

Size: A4

Number: A









Revision: 0.2

Date: 17/12/2012

Time: 12:11:34 AM Sheet 6 of 16

Drawn By:
Dan Visser

Altium



Title **Ravage - Extra Analogue Inputs**

Size: A4

Number: A

Revision: 0.2




Date: 17/12/2012

Time: 12:11:35 AM Sheet 7 of 16

Drawn By:
Dan Visser



All inputs 12V capable.

Title **Ravage - Digital Inputs**


Size: A4

Number: A


Revision: 0.2

Date: 17/12/2012 Time: 12:11:35 AM Sheet 8 of 16

Drawn By:
Dan Visser**Altium**



Title Ravage - Knock Sensing			Drawn By: Dan Visser	
Size: A4	Number: A	Revision: 0.2		
Date: 17/12/2012	Time: 12:11:35 AM	Sheet 9 of 16		



Title **Ravage - Ignitor Outputs**

Size: A4

Number: A







Revision: 0.2






Date: 17/12/2012


Time: 12:11:35 AM Sheet 10 of 16


Drawn By:
Dan Visser


Altium








Title Ravage - 3-Wire ISCV Driver			Drawn By: <i>Dan Visser</i>	
Size: A4	Number: A	Revision: 0.2		
Date: 17/12/2012	Time: 12:11:36 AM	Sheet 13 of 16		





Title Ravage - IO Expansion Header			Drawn By: Dan Visser	
Size: A4	Number: A	Revision: 0.2		
Date: 17/12/2012	Time: 12:11:36 AM	Sheet 15 of 16		

NOTE: L and M pins are rated at 12A max, with remaining pins rated at 6A max.

