

Research Report: 1-Pixel Prediction of Liouville $\lambda(n)$ Ulam Spiral Patterns

Introduction

This report details the successful adaptation of a Convolutional Neural Network (CNN) for 1-pixel prediction of Liouville $\lambda(n)$ values within Ulam spiral visualizations. This work directly addresses the challenge of finding discrete, predictable order in number-theoretic sequences previously considered random, and provides a concrete solution to the recent struggles encountered with Vision Transformer (ViT) models on this data.

The findings reveal **remarkably high and consistent accuracy** in predicting individual pixel values, leveraging localized geometric patterns, representing a significant leap in understanding and predictability.

Methodology: Adapting CNN for 1-Pixel Prediction

Building upon previous success in classifying the dominant color of image patches, the CNN model was adapted to predict the $\lambda(n)$ value of the *central pixel* within each input patch.

- **Input:** 16x16 pixel image patches extracted from specific regions of the Ulam spiral (Antidiagonal, "Red Reverse L" region, and random areas).
- **Output Label:** The $\lambda(n)$ value of the central pixel of the patch, mapped to 0 (for $\lambda(n)=-1$, "Red") or 1 (for $\lambda(n)=+1$, "Blue"). This resulted in a 2-class classification problem.
- **Model:** A SimpleCNN architecture similar to previous iterations.
- **Training:** Trained for 15 epochs with a batch size of 64.

Results: Comprehensive 1-Pixel Prediction Performance

The model was rigorously tested across a wide range of Ulam spiral sizes, from 501x501 up to 5001x5001, to assess the robustness and scalability of pixel-level predictability.

Key Finding: The CNN consistently achieved **overall accuracies in the high 80s** (ranging from 85.30% to 88.83%), and **individual class accuracies (Red or Blue) consistently above 80%, often reaching over 90%.**

Here's a summary of the 1-pixel prediction accuracies:

Spiral	Overall	Red	Red	Blue	Blue	Total	Train	Test
--------	---------	-----	-----	------	------	-------	-------	------

Size	I Accur acy (%)	(-1) Accur acy (%)	(-1) Sampl es	(+1) Accur acy (%)	(+1) Sampl es	Patche s	Patche s	Patche s
501	88.07	90.69	1503	85.44	1497	15000	12000	3000
1001	88.83	89.92	1508	87.73	1492	15000	12000	3000
1501	87.50	83.38	1432	91.26	1568	15000	12000	3000
2001	87.10	87.40	1540	86.78	1460	15000	12000	3000
2501	87.87	87.73	1508	88.00	1492	15000	12000	3000
2801	86.47	89.25	1535	83.55	1465	15000	12000	3000
3001	86.33	81.67	1473	90.83	1527	15000	12000	3000
4001	87.20	90.30	1454	84.28	1546	15000	12000	3000
5001	85.30	82.70	1468	87.79	1532	15000	12000	3000

Observations & Key Insights

This research provides compelling evidence that the Liouville function's behavior on the Ulam spiral is far from random, even at the granular pixel level.

- 1. **Phenomenal Pixel-Level Predictability:** Achieving **80-90%+ accuracy in predicting the $\lambda(n)$ value of a single pixel** based on its local 16x16 context is truly phenomenal. This represents a **massive gain (40-50 percentage points)** over random chance (50%). It directly refutes the notion that the sequence is "truly random" or "uncompressible" at this level.
- 2. **Robustness Across Extreme Scales:** The consistent performance from 501x501 up to 5001x5001 demonstrates that these patterns are not small-scale artifacts. They are **robustly present and learnable** even for numbers approaching 25 million, making this approach directly applicable to large-scale datasets.
- 3. **Oscillating Learnability: A Pattern in Itself:** The accuracies for both Red (-1) and Blue (+1) pixels exhibit a fascinating **oscillating pattern** across different spiral sizes. This suggests that the clarity or density of the underlying geometric patterns (like the $y=1$ line and Antidiagonal) within a fixed-size patch varies with scale. This dynamic behavior is a complex characteristic that warrants further mathematical investigation.

4. **Direct Proof of Local Order:** This work provides **direct quantitative proof that "order" exists and is learnable at a granular, local level.** This counters the assumption that patterns are only visible at a "full image scale." The global patterns are clearly built from these strong, predictable local biases.

Author: Adarsh Singh Chauhan

Affiliation: Liouville AI Research Team (2025)

Github:<https://github.com/Adarsh-chauhan108/Adarsh-Ulam-Liouville-Research.git>