

# Assignment 19

Adarsh Srivastava

The link to the solution is

<https://github.com/Adarsh1310/EE5609>

**Abstract**—This documents solves a problem based on Linear Transformation.

## 1 PROBLEM

Let  $T$  be the linear transformation from  $\mathbb{R}^3$  into  $\mathbb{R}^2$  defined by,

$$T \begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix} = \begin{pmatrix} x_1 + x_2 \\ 2x_3 - x_1 \end{pmatrix}$$

If  $\beta$  is the standard ordered basis for  $\mathbb{R}^3$  and  $\beta'$  is the standard ordered basis for  $\mathbb{R}^2$ , what is the matrix of  $T$  relative to the pair  $\beta, \beta'$

## 2 SOLUTION

We know that,

$$[T\alpha]_{\beta'} = \mathbf{A}[\alpha]_{\beta} \quad (2.0.1)$$

where  $\mathbf{A}$  is called the matrix of  $T$  relative to ordered basis  $\beta, \beta'$  Using the ordered basis,

$$\beta = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix} \quad (2.0.2)$$

$$\beta' = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \quad (2.0.3)$$

Now, Let's consider the equation given in the question,

$$T \begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix} = \begin{pmatrix} x_1 + x_2 \\ 2x_3 - x_1 \end{pmatrix} \quad (2.0.4)$$

R.H.S of the equation can be considered as a product of  $2 \times 3$  and  $3 \times 1$  matrices,

$$= \begin{pmatrix} 1 & 1 & 0 \\ -1 & 0 & 2 \end{pmatrix} \begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix} \quad (2.0.5)$$

Hence the transformation matrix is,

$$\begin{pmatrix} 1 & 1 & 0 \\ -1 & 0 & 2 \end{pmatrix} \quad (2.0.6)$$

Now, since the transformation has to be found relative to the pair  $\beta, \beta'$  we should row reduce,

$$\left( \begin{array}{ccc|ccc} 1 & 0 & 0 & 1 & 1 & 0 \\ 0 & 1 & 0 & -1 & 0 & 2 \end{array} \right) \quad (2.0.7)$$

but from here we can see that  $\beta'$  is already an identity matrix and hence no row reduction is required. So by using (2.0.1) we can say that,

$$[T\alpha]_{\beta'} = \begin{pmatrix} 1 & 1 & 0 \\ -1 & 0 & 2 \end{pmatrix} [\alpha]_{\beta} \quad (2.0.8)$$