

Evaporation Materials

Pellets - Foils - Wires





Evaporation Fluorides

Material	Size	Purity %
Aluminium	3 to 6 mm	99,95
Barium	3 to 12 mm	99,9 to 99,95
Cadmium	3 to 6 mm	99,999
Calcium	1 to 4 mm	99,99
Cerium	3 to 12 mm	99,95 to 99,995
Dysprosium	1 to 12 mm	99,9 to 99,995
Erbium	3 to 12 mm	99,9 to 99,95
Eurobium	3 to 10 mm	99,9 to 99,99
Gadolinium	1 to 6 mm	99,9 to 99,995
Hafnium	1 to 6 mm	99,9 to 99,95
Holmium	3 to 6 mm	99,9 to 99,995
Indium	3 to 6 mm	99,9 to 99,995
Lanthanum	1 to 12 mm	99,9 to 99,995
Lead	1 to 6 mm	99,9 to 99,99
Lithium	3 to 8 mm	99,9 to 99,995
Lutetium	3 to 6 mm	99,9 to 99,99
Magnesium	1 to 6 mm	99,9 to 99,999
Manganese	3 to 12 mm	99,9 to 99,995
Neodymium	3 to 12 mm	99,99 to 99,995
Niobium	1 to 4 mm	99,99
Praseodymium	3 to 6 mm	99,9
Samarium	3 to 6 mm	99,9
Scandium	3 to 12 mm	99,9 to 99,99
Silver	3 to 6 mm	99,99
Sodium	0,1 to 6 mm	99,9 to 99,99
Sodium Aluminium	1 to 10 mm	99,5 to 99,995
Strontium	3 to 10 mm	99,9 to 99,99
Terbium	3 to 12 mm	99,9

1

Codex International

Material	Size	Purity %
Thulium	3 to 12 mm	99,9 to 99,95
Ytterbium	8 to 12 mm	99,995
Yttrium	3 to 10 mm	99,9 to 99,999
Zirconium	1 to 6 mm	99,9 to 99,95

The materials and sizes listed are available in stock. Other sizes and materials can be prepared upon request.