## Assignment-2

## Adil Salfi - CS20BTECH11031

Download all python codes from

https://github.com/AdilSalfi/AI1103/tree/main/ Assignment-2/Codes

and latex-tikz code from

https://github.com/AdilSalfi/AI1103/tree/main/ Assignment-2

## **PROBLEM**

GATE-EC Question 59:

Let X be a random variable having the distribution function :

$$F(x) = \begin{cases} 0 & x < 0 \\ \frac{1}{4} & 0 \le x < 1 \\ \frac{1}{3} & 1 \le x < 2 \\ \frac{1}{2} & 2 \le x < \frac{11}{3} \\ 1 & x \ge \frac{11}{3} \end{cases}$$

Then E(X) is equal to :

## Solution

**Definition 1** (Heaviside step function). *Heaviside* step function u(x) is

$$u(x) = \begin{cases} 0 & x < 0 \\ 1 & x \ge 0 \end{cases} \tag{1}$$

Using the Heaviside step function u(x), a function F(t) can be obtained whose output is f(t) for the interval [a,b) and 0 everywhere else

$$F(t) = f(t)[u(t - a) - u(t - b)]$$
 (2)

**Definition 2** (Dirac delta function). *Dirac delta* function is the derivative of the Heaviside step function u(x)

$$\delta(x) = \frac{du(x)}{dx} \tag{3}$$

An important property of the Dirac delta function is

$$\int_{-\infty}^{\infty} f(x)\delta(x - x_0)dx = f(x_0) \tag{4}$$

 $\rightarrow$ To obtain the CDF F(x) in terms of Heaviside step function u(x), we use (2)

$$F(x) = \frac{1}{4}[u(x) - u(x-1)] + \frac{1}{3}[u(x-1) - u(x-2)] + \frac{1}{2}[u(x-2) - u(x-\frac{11}{3})] + u(x-\frac{11}{3})$$

$$\implies F(x) = \frac{u(x)}{4} + \frac{u(x-1)}{12} + \frac{u(x-2)}{6} + \frac{u(x-\frac{11}{3})}{2}$$
(5)

 $\rightarrow$ To obtain PDF f(x) we differentiate (5) and using (3), we get

$$f(x) = \frac{\delta(x)}{4} + \frac{\delta(x-1)}{12} + \frac{\delta(x-2)}{6} + \frac{\delta(x-\frac{11}{3})}{2}$$
 (6)

 $\rightarrow$ Using (6), we can state that Random Variable *X* is discrete and it takes values at the points where  $f(x) \rightarrow \infty$ 

$$X \in \{0, 1, 2, \frac{11}{3}\}$$

 $\rightarrow$ To obtain the PMF( $p_X(k)$ ) we use the formula

$$\Pr(X = a) = \lim_{x \to a} \int_{a}^{x} f(x)dx \tag{7}$$

 $\rightarrow$ Using (7), The PMF( $p_X(k)$ ) is :

$$p_X(k) = \begin{cases} \frac{1}{4} & \text{if } x = 0\\ \frac{1}{12} & \text{if } x = 1\\ \frac{1}{6} & \text{if } x = 2\\ \frac{1}{2} & \text{if } x = \frac{11}{3}\\ 0 & \text{otherwise} \end{cases}$$

 $\rightarrow$ To obtain E(x) we use the formula

$$E(X) = \sum_{\text{all } r} x \Pr(X)$$
 (8)

→Therefore, using PMF we get

$$E(X) = (0 \times \frac{1}{4}) + (1 \times \frac{1}{12}) + (2 \times \frac{1}{6}) + (\frac{11}{3} \times \frac{1}{2})$$
(4)  $\implies E(X) = 2.25$ 




Fig. 1:Plot comparing Simulated and Theoretical value of E(x)